



D

Distinctive
Lighting



EXTERIOR COLLECTION



Welcome to one of the most comprehensive and design driven collections of lighting for outdoors.

With over 400 different designs and 100 styles to choose from across a broad selection of sizes, there is an option for all applications, including lifestyle models for outdoor living spaces. All of these products offer detail in design and quality in manufacture, with many models featuring materials and finishes that allow us to give enhanced product warranties. This includes products for the severest ocean facing locations with materials that can withstand the harshest of conditions.

CONTENTS



Modern & Functional: Page 22




Transitional: Page 102



Traditional: Page 148



Outdoor Living: Page 296



Exterior Ceiling Fans: Page 306

LED Lamps: Page 322

Technical Notes: Page 324

Warranties: Page 326

Numerical Index: Page 328

OUTDOOR LIVING

Our series of dedicated products for outdoor living spaces, is aimed to enhance and bring the indoors outside. More and more people, whether at home or in a hotel, bar or restaurant, enjoy being outdoors to eat, relax and spend social time together. Our Outdoor Living models offer new lighting options such as Outdoor Chandeliers to bring new life to these locations.



COASTAL

Planet earth is covered by more than 70% ocean, and has more than 620,000 miles of coastline. With a 3.5% content of salt in seawater, and with coastlines often accompanied by extreme temperatures, sun and high winds, it is no surprise that coastal damage due to saline conditions is one of the major outdoor lighting challenges in such locations. This Coastal range delivers solutions that use materials with this very much in mind. Robust, rust resistant and UV stable to resist the harshest of climates, these fittings combine technical competence with design, style and variety.



LED LAMPS

The majority of our outdoor fittings use E27 or E14 lamp-holders, which makes them suitable to use retrofit LED lamps. Our range offers an LED lamp solution for every such fitting in this catalogue. Using the latest LED filament technology, these energy efficient lamps offer good lumen output, look stylish with their retro vintage influences, yet run at a cool temperature and have a 25,000 hour life expectancy.



VISUAL INDEX: WALL LIGHTS



58108
3 Models, 1 Finish. Page 177



58593
2 Models, 1 Finish. Page 107



50985
2 Models, 1 Finish. Page 31



25545
3 Models, 1 Finish. Page 89



27817
2 Models, 1 Finish. Page 285



58598
14 Models, 2 Finishes. Page 113-117



20950
1 Model, 1 Finish. Page 46



52034
2 Models, 1 Finish. Page 133



18055
1 Model, 1 Finish. Page 287



16697
9 Models, 1 Finish. Page 246-247



58604
2 Models, 1 Finish. Page 106



22112
6 Models, 3 Finishes. Page 48-49



27826
2 Models, 1 Finish. Page 218



58456
8 Models, 1 Finish. Page 170-171



58116
8 Models, 2 Finishes. Page 181-182



27902
5 Models, 1 Finish. Page 186-187



14267
1 Model, 2 Finishes. Page 63



14268
1 Model, 1 Finish. Page 45



14270
6 Models, 3 Finishes. Page 50-51



24948
3 Models, 1 Finish. Page 213



22119
2 Models, 1 Finish. Page 53



52851
3 Models, 1 Finish. Page 193



30253
2 Models, 1 Finish. Page 140



17696
1 Model, 1 Finish. Page 45



27828
8 Models, 2 Finishes. Page 118-119



27758
3 Models, 1 Finish. Page 301



21655
1 Model, 1 Finish. Page 291



26051
6 Models, 2 Finishes. Page 126-127



14305
4 Models, 1 Finish. Page 259



58615
2 Models, 1 Finish. Page 160



27762
4 Models, 1 Finish. Page 301



58188
3 Models, 1 Finish. Page 153



52040
5 Models, 1 Finish. Page 156-157



14487
10 Models, 1 Finish. Page 261-263



14503
10 Models, 1 Finish. Page 261-263



14501
10 Models, 1 Finish. Page 261-263



14507
5 Models, 1 Finish. Page 260



52032
2 Models, 1 Finish. Page 97



21659
1 Model, 1 Finish. Page 292



14525
11 Models, 1 Finish. Page 214



16964
11 Models, 1 Finish. Page 215



23469
3 Models, 1 Finish. Page 145



58465
6 Models, 1 Finish. Page 168-169



58471
8 Models, 1 Finish. Page 172



14391
2 Models, 1 Finish. Page 194



27003
2 Models, 2 Finishes. Page 58



25630
11 Models, 1 Finish. Page 230-231



25642
11 Models, 1 Finish. Page 229



21651
1 Model, 1 Finish. Page 292



52084
3 Models, 1 Finish. Page 184

VISUAL INDEX: WALL LIGHTS



60667
1 Model, 1 Finish. Page 24



52037
2 Models, 1 Finish. Page 111



20154
2 Models, 2 Finishes. Page 207



25128
1 Model, 1 Finish. Page 37, 191



50982
2 Models, 1 Finish. Page 31



25081
18 Models, 2 Finishes. Page 237-241



14606
3 Models, 1 Finish. Page 195



58555
3 Models, 1 Finish. Page 152



25941
3 Models, 1 Finish. Page 226



52022
6 Models, 2 Finishes. Page 162-163



50989
2 Models, 1 Finish. Page 30



50968
2 Models, 1 Finish. Page 30



58522
6 Models, 1 Finish. Page 158-159



58519
6 Models, 1 Finish. Page 158-159



20828
2 Models, 2 Finishes. Page 41



20675
5 Models, 1 Finish. Page 188



58092
2 Models, 1 Finish. Page 111



30448
4 Models, 1 Finish. Page 123



14729
3 Models, 1 Finish. Page 269



58624
2 Models, 1 Finish. Page 304



24230
1 Model, 1 Finish. Page 46



22485
1 Model, 1 Finish. Page 47



27146
10 Models, 2 Finishes. Page 165-167



27004
10 Models, 2 Finishes. Page 59-61



17069
4 Models, 1 Finish. Page 283



14310
5 Models, 1 Finish. Page 282



21650
1 Model, 1 Finish. Page 292



30267
2 Models, 1 Finish. Page 142



18794
12 Models, 4 Finishes. Page 196-199



58583
12 Models, 4 Finishes. Page 196-199



24391
2 Models, 1 Finish. Page 54



58571
6 Models, 1 Finish. Page 155



20155
1 Model, 1 Finish. Page 204



16679
1 Model, 1 Finish. Page 289



30453
3 Models, 1 Finish. Page 227



50976
2 Models, 1 Finish. Page 35



58588
2 Models, 1 Finish. Page 33



16676
1 Model, 1 Finish. Page 287



15014
1 Model, 1 Finish. Page 291



20684
6 Models, 1 Finish. Page 189



25115
6 Models, 1 Finish. Page 189



20688
6 Models, 1 Finish. Page 190



20685
6 Models, 1 Finish. Page 190



58400
14 Models, 3 Finishes. Page 55-57



15025
1 Model, 1 Finish. Page 37



21238
2 Models, 2 Finishes. Page 205



58646
1 Model, 1 Finish. Page 32



21663
3 Models, 1 Finish. Page 293



58530
5 Models, 1 Finish. Page 108-109



27913
3 Models, 1 Finish. Page 185

VISUAL INDEX: WALL LIGHTS



52756
7 Models, 1 Finish. Page 28



27730
1 Model, 1 Finish. Page 290



22084
4 Models, 2 Finishes. Page 65



25966
4 Models, 1 Finish. Page 244



25970
4 Models, 1 Finish. Page 112



50974
2 Models, 1 Finish. Page 35



15358
4 Models, 2 Finishes. Page 258



21667
1 Model, 1 Finish. Page 37



52763
4 Models, 2 Finishes. Page 99



25842
5 Models, 1 Finish. Page 130-131



25010
8 Models, 3 Finishes. Page 200



25011
8 Models, 3 Finishes. Page 201



27916
6 Models, 2 Finishes. Page 175-176



16677
1 Model, 1 Finish. Page 289



16364
2 Models, 1 Finish. Page 289



60160
4 Models, 2 Finishes. Page 128



52018
1 Model, 2 Finishes. Page 39



17397
3 Models, 1 Finish. Page 286



23225
1 Model, 1 Finish. Page 213



26111
13 Models, 2 Finishes. Page 220-221



30460
13 Models, 2 Finishes. Page 219



21647
1 Model, 1 Finish. Page 292



16686
2 Models, 1 Finish. Page 245



58093
4 Models, 2 Finishes. Page 141



15523
8 Models, 1 Finish. Page 250



31046
2 Models, 1 Finish. Page 203



15584
6 Models, 2 Finishes. Page 66-67



15655
6 Models, 4 Finishes. Page 42-43



15727
9 Models, 1 Finish. Page 267



15747
5 Models, 1 Finish. Page 264



27737
2 Models, 1 Finish. Page 288



25140
10 Models, 1 Finish. Page 248-249



16704
10 Models, 1 Finish. Page 248-249



18056
1 Model, 1 Finish. Page 288



20781
3 Models, 1 Finish. Page 82



60691
1 Model, 1 Finish. Page 24



60692
1 Model, 1 Finish. Page 24



27917
1 Model, 1 Finish. Page 288



25857
3 Models, 1 Finish. Page 147



58099
3 Models, 1 Finish. Page 161



30467
6 Models, 1 Finish. Page 136-137



60165
6 Models, 2 Finishes. Page 120-121



23192
4 Models, 2 Finishes. Page 144



20166
2 Models, 2 Finishes. Page 207



30399
4 Models, 1 Finish. Page 139



52781
1 Model, 1 Finish. Page 45



27746
3 Models, 1 Finish. Page 38



30409
2 Models, 1 Finish. Page 133



58578
2 Models, 1 Finish. Page 151



58581
2 Models, 1 Finish. Page 151

VISUAL INDEX: WALL LIGHTS



21653
1 Model, 1 Finish. Page 291



52817
3 Models, 1 Finish. Page 100



60695
1 Model, 1 Finish. Page 25



25118
4 Models, 1 Finish. Page 191



23680
4 Models, 2 Finishes. Page 209



27120
5 Models, 1 Finish. Page 178-179



21660
1 Model, 1 Finish. Page 291



50980
2 Models, 1 Finish. Page 34



23672
2 Models, 2 Finishes. Page 211



27894
1 Model, 1 Finish. Page 37



27895
3 Models, 1 Finish. Page 129



58130
2 Models, 1 Finish. Page 160



20168
1 Model, 1 Finish. Page 204



16051
14 Models, 2 Finishes. Page 70-73



20833
14 Models, 2 Finishes. Page 69-73



16675
1 Model, 1 Finish. Page 287



18961
2 Models, 1 Finish. Page 245



20169
4 Models, 3 Finishes. Page 202



58742
1 Model, 1 Finish. Page 204



58133
4 Models, 1 Finish. Page 143



50992
1 Model, 1 Finish. Page 29



50991
1 Model, 1 Finish. Page 29



50990
1 Model, 1 Finish. Page 29



30412
5 Models, 1 Finish. Page 224-225



52017
2 Models, 1 Finish. Page 95



50966
2 Models, 1 Finish. Page 34



26008
12 Models, 1 Finish. Page 232-235



25872
4 Models, 1 Finish. Page 243



16071
14 Models, 1 Finish. Page 271-275



19826
1 Model, 1 Finish. Page 272



30420
3 Models, 1 Finish. Page 135



16181
13 Models, 1 Finish. Page 277-280



19825
13 Models, 1 Finish. Page 277-280



52791
2 Models, 2 Finishes. Page 63



20485
1 Model, 1 Finish. Page 47



58743
1 Model, 1 Finish. Page 32



26018
5 Models, 1 Finish. Page 223



21241
2 Models, 2 Finishes. Page 205



27811
2 Models, 1 Finish. Page 285



52028
3 Models, 1 Finish. Page 105



27815
3 Models, 1 Finish. Page 125



27753
1 Model, 1 Finish. Page 290



20172
1 Model, 1 Finish. Page 203



16320
8 Models, 1 Finish. Page 252



52027
2 Models, 1 Finish. Page 183



16307
5 Models, 1 Finish. Page 268



21648
1 Model, 1 Finish. Page 291



18949
6 Models, 1 Finish. Page 255



14300
7 Models, 1 Finish. Page 256



60697
1 Model, 1 Finish. Page 25

VISUAL INDEX: PEDESTALS



27823
14 Models, 2 Finishes. Page 115-117



16699
9 Models, 1 Finish. Page 246-247



58458
8 Models, 1 Finish. Page 170



27904
5 Models, 1 Finish. Page 187



52852
3 Models, 1 Finish. Page 193



14303
4 Models, 1 Finish. Page 259



52042
5 Models, 1 Finish. Page 157



14494
10 Models, 1 Finish. Page 263



14512
5 Models, 1 Finish. Page 260



58466
6 Models, 1 Finish. Page 169



14526
11 Models, 1 Finish. Page 216



58474
8 Models, 1 Finish. Page 173



25636
11 Models, 1 Finish. Page 230-231



25088
18 Models, 2 Finishes. Page 237-241



14750
4 Models, 1 Finish. Page 269



20677
5 Models, 1 Finish. Page 188



58628
10 Models, 2 Finishes. Page 165-167



21367
6 Models, 2 Finishes. Page 78-79



24387
10 Models, 2 Finishes. Page 59-61



14278
5 Models, 1 Finish. Page 282



24390
2 Models, 1 Finish. Page 54



58573
6 Models, 1 Finish. Page 155



20682
6 Models, 1 Finish. Page 189



20687
6 Models, 1 Finish. Page 190



58412
14 Models, 3 Finishes. Page 56-57



21664
3 Models, 1 Finish. Page 293



52759
7 Models, 1 Finish. Page 27



25968
4 Models, 1 Finish. Page 244



25843
5 Models, 1 Finish. Page 131



17399
3 Models, 1 Finish. Page 286



26114
7 Models, 1 Finish. Page 220



15526
8 Models, 1 Finish. Page 251



15733
9 Models, 1 Finish. Page 265



15749
5 Models, 1 Finish. Page 264



16811
10 Models, 1 Finish. Page 249



30469
6 Models, 1 Finish. Page 137



30401
4 Models, 1 Finish. Page 139



25119
4 Models, 1 Finish. Page 191



17781
14 Models, 2 Finishes. Page 69-73



21389
6 Models, 2 Finishes. Page 74-75



58131
4 Models, 1 Finish. Page 143



30414
5 Models, 1 Finish. Page 225



25873
4 Models, 1 Finish. Page 243



26011
12 Models, 1 Finish. Page 234



16081
14 Models, 1 Finish. Page 271-275



16186
13 Models, 1 Finish. Page 280



16322
8 Models, 1 Finish. Page 253



16314
5 Models, 1 Finish. Page 268



14292
6 Models, 1 Finish. Page 255



14309
7 Models, 1 Finish. Page 257

VISUAL INDEX: LAMP POSTS & PILLARS



60115 & 58459
8 Models, 1 Finish. Page 170-171



16703 & 25215
9 Models, 1 Finish. Page 246-247



14499 & 14497
10 Models, 1 Finish. Page 263



14505
10 Models, 1 Finish. Page 263



14514
5 Models, 1 Finish. Page 260



52827 & 14531
11 Models, 1 Finish. Page 217



58468 & 58467
6 Models, 1 Finish. Page 169



58476 & 58475
8 Models, 1 Finish. Page 173



14411
2 Models, 1 Finish. Page 194



25640 & 25638
11 Models, 1 Finish. Page 230-231



25091 & 25095
9 Models, 1 Finish. Page 237-238



25090 & 25094
9 Models, 1 Finish. Page 239-241



14626
3 Models, 1 Finish. Page 195



60668
6 Models, 1 Finish. Page 159



20679 & 20678
2 Models, 1 Finish. Page 188



27021
10 Models, 2 Finishes. Page 59-61



60669 & 14742
4 Models, 1 Finish. Page 269



20680 & 20681
6 Models, 1 Finish. Page 189



20690 & 20689
6 Models, 1 Finish. Page 190



58415
14 Models, 3 Finishes. Page 56-57



21662
3 Models, 1 Finish. Page 293



52757
7 Models, 1 Finish. Page 27



22084
4 Models, 2 Finishes. Page 65



15530 & 15527
8 Models, 1 Finish. Page 251



15593
6 Models, 2 Finishes. Page 66-67



15741
9 Models, 1 Finish. Page 267



15737 & 15735
9 Models, 1 Finish. Page 265



15752
5 Models, 1 Finish. Page 264



16710 & 16708
10 Models, 1 Finish. Page 249



25120
4 Models, 1 Finish. Page 191



17145 & 16058
14 Models, 2 Finishes. Page 70-73



20917
14 Models, 2 Finishes. Page 71-73



26003 & 26012
12 Models, 1 Finish. Page 233-235



16091 & 16086
14 Models, 1 Finish. Page 273-275



16142 & 16137
14 Models, 1 Finish. Page 275



16201, 16191 & 16206
13 Models, 1 Finish. Page 279-280



16261 & 16266
13 Models, 1 Finish. Page 278



16325 & 16323
8 Models, 1 Finish. Page 253



16317, 16318 & 16313
5 Models, 1 Finish. Page 268

VISUAL INDEX: CHAIN LANTERNS & OUTDOOR CHANDELIERS



58594
2 Models, 1 Finish. Page 107



58600
14 Models, 2 Finishes. Page 113-117



27824
14 Models, 2 Finishes. Page 113-117



16702
9 Models, 1 Finish. Page 246-247



58460
8 Models, 1 Finish. Page 170



58111
8 Models, 2 Finishes. Page 181-182



27905
5 Models, 1 Finish. Page 187



27830
8 Models, 2 Finishes. Page 118-119



52035
4 Models, 1 Finish. Page 301



27761
4 Models, 1 Finish. Page 301



58187
3 Models, 1 Finish. Page 153



14299
4 Models, 1 Finish. Page 259



52041
5 Models, 1 Finish. Page 157



60666
5 Models, 1 Finish. Page 260



60665
10 Models, 1 Finish. Page 261



18931
8 Models, 1 Finish. Page 215



23468
3 Models, 1 Finish. Page 145



58469
6 Models, 1 Finish. Page 169



58477
8 Models, 1 Finish. Page 173



58401
4 Models, 2 Finishes. Page 58



25646
11 Models, 1 Finish. Page 230-231



52085
3 Models, 1 Finish. Page 184



25093
9 Models, 2 Finishes. Page 237-241



14631
3 Models, 1 Finish. Page 195



58523
6 Models, 1 Finish. Page 158

VISUAL INDEX: CHAIN LANTERNS & OUTDOOR CHANDELIERS



VISUAL INDEX: CHAIN LANTERNS & OUTDOOR CHANDELIERS



60165
6 Models, 2 Finishes. Page 120-121



30402
4 Models, 1 Finish. Page 139



25117
4 Models, 1 Finish. Page 191



25204
4 Models, 2 Finishes. Page 209



27898
3 Models, 1 Finish. Page 129



30415
5 Models, 1 Finish. Page 225



26014
12 Models, 1 Finish. Page 232-235



16101
14 Models, 1 Finish. Page 272



16211
13 Models, 1 Finish. Page 279



30421
3 Models, 1 Finish. Page 135



26020
5 Models, 1 Finish. Page 223



16326
8 Models, 1 Finish. Page 252



14284
6 Models, 1 Finish. Page 255



14307
7 Models, 1 Finish. Page 257

VISUAL INDEX: PORCH LIGHT - CEILING FLUSH



27819
14 Models, 2 Finishes. Page 113 - 117



58461
8 Models, 1 Finish. Page 171



58113
8 Models, 2 Finishes. Page 181-182



14489
10 Models, 1 Finish. Page 261



23467
3 Models, 1 Finish. Page 145



25626
11 Models, 1 Finish. Page 229



21652
1 Model, 1 Finish. Page 292



25939
3 Models, 1 Finish. Page 226



20677
5 Models, 1 Finish. Page 188



27148
10 Models, 2 Finishes. Page 166



14279
5 Models, 1 Finish. Page 282



14289
4 Models, 1 Finish. Page 283



60672
12 Models, 4 Finishes. Page 196-199



30451
3 Models, 1 Finish. Page 227



15035
2 Models, 2 Finishes. Page 281



58533
5 Models, 1 Finish. Page 109



52754
8 Models, 1 Finish. Page 27



52755
8 Models, 1 Finish. Page 28



58286
6 Models, 2 Finishes. Page 175-176



25685
4 Models, 2 Finishes. Page 128



26109
13 Models, 2 Finishes. Page 219-221



19001
2 Models, 1 Finish. Page 245



15729
9 Models, 1 Finish. Page 265



52818
3 Models, 1 Finish. Page 100



27124
5 Models, 1 Finish. Page 179



58131
4 Models, 1 Finish. Page 143



26016
5 Models, 1 Finish. Page 223



14283
6 Models, 1 Finish. Page 255



14306
7 Models, 1 Finish. Page 257

VISUAL INDEX: BOLLARDS



21045 & 21046
2 Models, 1 Finish. Page 87



52733 & 52734
3 Models, 1 Finish. Page 89



21048 & 21303
6 Models, 2 Finishes. Page 78-79



22208 & 22226
2 Models, 1 Finish. Page 77



52742 & 52741
2 Models, 1 Finish. Page 91



58586
1 Model, 1 Finish. Page 84



27472
1 Model, 1 Finish. Page 80



58657 & 58658
2 Models, 1 Finish. Page 84



58663 & 58665
4 Models, 2 Finishes. Page 85



58664 & 58666
4 Models, 2 Finishes. Page 85



58667 & 58668
2 Models, 1 Finish. Page 81



20782 & 20783
3 Models, 1 Finish. Page 82



20777 & 20778
2 Models, 1 Finish. Page 83



52788 & 52789
2 Models, 1 Finish. Page 93



20820 & 21386
6 Models, 2 Finishes. Page 74-75



52790 & 22202
2 Models, 2 Finishes. Page 76



27006
10 Models, 2 Finishes. Page 60, 294



60671
10 Models, 2 Finishes. Page 60, 294



60670
10 Models, 2 Finishes. Page 60, 294



58410
14 Models, 3 Finishes. Page 56-57



58414
14 Models, 3 Finishes. Page 56-57



15382
2 Models, 1 Finish. Page 289, 295



15524
8 Models, 1 Finish. Page 250, 295



18924
8 Models, 1 Finish. Page 252, 295



58741
1 Model, 1 Finish. Page 95

60656
1 Model, 1 Finish. Page 95



52824
2 Models, 1 Finish. Page 101



52825
2 Models, 1 Finish. Page 101

MODERN & FUNCTIONAL

The interpretation of Modern lighting can vary. Designs can be based on anything from updated Scandinavian retro looks, to more clean and straight lined styles inspired by modern architecture. Some models incorporate integral LED for low energy consumption and all suit both residential and commercial applications. See our new ranges of functional bollards and sign lights.



60695

Page 25



58668

Page 81



Model Shown: 52017

60691

1 Lt Wall Lantern

H: 188mm **W:** 115mm **P:** 185mm**Finish:** Grey**Materials:** 304 Stainless Steel,
Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP44**60691****60667**

1 Lt Wall Lantern

H: 260mm **W:** 130mm **P:** 100mm**Finish:** Grey**Materials:** 304 Stainless Steel,
Glass**Max. Wattage:** 2 x 8W GU10*(Lamps not included)***IP Rating:** IP44**60667****60692**

1 Lt Wall Lantern

H: 197mm **W:** 100mm **P:** 247mm**Finish:** Grey**Materials:** 304 Stainless Steel,
Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP44**60692**



60697

60697

LED Wall Lantern

H: 81mm **W:** 151mm **P:** 232mm**Finish:** Grey**Materials:** 304 Stainless Steel, Glass**Max. Wattage:** 1 x 16.5W

Integrated LED

*(Module Supplied: 1500Lm, 3000k)***IP Rating:** IP44**60695**

1 Lt Wall Lantern

H: 221mm **W:** 270mm **P:** 295mm**Finish:** Grey**Materials:** 304 Stainless Steel, Aluminium, Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP44

60695



Model Shown: 52759

52754

**52754**

1 Lt Flush Ceiling Light

H: 270mm **W:** 230mm**Finish:** Black**Materials:** Electro Galvanised Steel with Powder Coating, Safety Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52757

52757

1 Lt Pillar

H: 1050mm **W:** 190mm**Finish:** Black**Materials:** Electro Galvanised Steel with Powder Coating, Safety Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52759

**52759**

1 Lt Pedestal

H: 270mm **W:** 230mm**Finish:** Black**Materials:** Electro Galvanised Steel with Powder Coating, Safety Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52755

2 lt Flush Ceiling Light

H: 140mm **W:** 305mm**Finish:** Black**Materials:** Electro Galvanised Steel with Powder Coating, Safety Glass**Max. Wattage:** 2 x 60W E27**IP Rating:** IP44

52753

1 lt Ceiling Chain Light

H: 300mm **W:** 190mm**Drop Range:** 435mm - 930mm**Finish:** Black**Materials:** Electro Galvanised Steel with Powder Coating, Safety Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52755

52756

1 lt Half Wall Light

H: 300mm **W:** 190mm **P:** 110mm**Finish:** Black**Materials:** Electro Galvanised Steel with Powder Coating, Safety Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52753

52758

1 lt Wall Light with Arm

H: 300mm **W:** 190mm **P:** 284mm**Finish:** Black**Materials:** Electro Galvanised Steel with Powder Coating, Safety Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52756

52758

Can be mounted
as an up or
down lantern



52758



50991

50991

1 Lt Wall/Ceiling Lantern

H: 260mm **W:** 260mm **P:** 102mm

Finish: Graphite

Materials: Cast Aluminium, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54



50992



50990

1 Lt Wall Lantern

H: 346mm **W:** 191mm **P:** 143mm

Finish: Graphite

Materials: Cast Aluminium, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP65

50988

LED Round Wall Light

H: 165mm **W:** 165mm **P:** 90mm**Finish:** Graphite**Materials:** Cast Aluminium**Max. Wattage:** 1 x 6W

Integrated LED

(Module Supplied: 260Lm, 3000k)

IP Rating: IP54**50988****50989**

LED Square Wall Light

H: 150mm **W:** 150mm **P:** 72mm**Finish:** Graphite**Materials:** Cast Aluminium**Max. Wattage:** 1 x 6W

Integrated LED

(Module Supplied: 260Lm, 3000k)

IP Rating: IP54**50989****50968**

1 Lt Wall Light

H: 210mm **W:** 210mm **P:** 175mm**Finish:** Graphite**Materials:** Cast Aluminium,

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP54**50968****50969**

1 Lt Small Wall Light

H: 160mm **W:** 160mm **P:** 167mm**Finish:** Graphite**Materials:** Cast Aluminium,

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP54**50969**



50983

50983

1 lt Wall/Ceiling Lantern

H: 140mm **W:** 140mm **P:** 50mm

Finish: Graphite

Materials: Cast Aluminium & Polycarbonate

Max. Wattage: 1 x 5.7W LED GX53 (Bulb Supplied: 600Lm each, 3000k)

IP Rating: IP54



50982

50982

1 lt Wall/Ceiling Lantern

H: 140mm **W:** 140mm **P:** 54mm

Finish: Graphite

Materials: Cast Aluminium & Polycarbonate

Max. Wattage: 1 x 5.7W LED GX53 (Bulb Supplied: 600Lm each, 3000k)

IP Rating: IP54



50984

50984

1 lt Wall/Ceiling Lantern

H: 140mm **W:** 140mm **P:** 52mm

Finish: Graphite

Materials: Cast Aluminium & Polycarbonate

Max. Wattage: 1 x 5.7W LED GX53 (Bulb Supplied: 600Lm each, 3000k)

IP Rating: IP54



50985

50985

1 lt Wall/Ceiling Lantern

H: 140mm **W:** 140mm **P:** 57mm

Finish: Graphite

Materials: Cast Aluminium & Polycarbonate

Max. Wattage: 1 x 5.7W LED GX53 (Bulb Supplied: 600Lm each, 3000k)

IP Rating: IP54

58646

LED Wall Light

H: 240mm **W:** 130mm **P:** 50mm**Finish:** Black**Materials:** Cast Aluminium,
Polycarbonate Lens**Max. Wattage:** 1 x 14W

Integrated LED

(Module Supplied: 1250Lm, 3000k)

IP Rating: IP65**58646****58743**

LED Wall Light

H: 202mm **W:** 121mm **P:** 95mm**Finish:** Black**Materials:** Cast Aluminium,
Polycarbonate Lens**Max. Wattage:** 1 x 8W

Integrated LED

(Module Supplied: 680Lm, 3000k)

IP Rating: IP65**58743**



58588

LED Wall Light

H: 90mm **W:** 135mm **P:** 31mm

Finish: Black

Materials: Cast Aluminium, Polycarbonate Lens

Max. Wattage: 1 x 6W
Integrated LED

(Module Supplied: 680Lm, 3000k - 5700k)

IP Rating: IP65

58587

LED Wall Light

H: 90mm **W:** 175mm **P:** 31mm

Finish: Black

Materials: Cast Aluminium, Polycarbonate Lens

Max. Wattage: 1 x 10W
Integrated LED

(Module Supplied: 1060Lm, 3000k - 5700k)

IP Rating: IP65



58588

Switchable colour temperature (CCT)
3000k / 4000k / 5700k



58587

50967

1 lt Wall Fitting

H: 165mm **W:** 165mm **P:** 171mm**Finish:** Graphite**Materials:** Cast Aluminium,
Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54**50967****50966**

1 lt Large Wall Light

H: 250mm **W:** 200mm **P:** 105mm**Finish:** Graphite**Materials:** Cast Aluminium,
Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54**50966****50980**

3 lt LED Wall Light

H: 35mm **W:** 210mm **P:** 160mm**Finish:** Graphite**Materials:** Cast Aluminium,
Polycarbonate**Max. Wattage:** 3 x 3W

Integrated LED

(Module Supplied: 605Lm, 3000k)

IP Rating: IP65**50980****50981**

6 lt LED Wall Light

H: 35mm **W:** 210mm **P:** 250mm**Finish:** Graphite**Materials:** Cast Aluminium,
Polycarbonate**Max. Wattage:** 6 x 3W

Integrated LED

(Module Supplied: 1210Lm, 3000k)

IP Rating: IP65**50981**



50975

50975

1 Lt Wall Light

H: 146mm **W:** 100mm **P:** 128mm

Finish: Graphite

Materials: Cast Aluminium

Max. Wattage: 1 x 5.7W LED

(Bulb Supplied: 600Lm, 3000k)

IP Rating: IP44



50974

50974

2 Lt Wall Light

H: 188mm **W:** 100mm **P:** 128mm

Finish: Graphite

Materials: Cast Aluminium

Max. Wattage: 2 x 5.7W LED

(Bulb(s) Supplied: 2 x 600Lm each, 3000k)

IP Rating: IP44

50977

1 Lt LED Wall Light

H: 150mm **W:** 110mm **P:** 102mm

Finish: Graphite

Materials: Cast Aluminium

Max. Wattage: 1 x 3.8W

Integrated LED

(Module Supplied: 120Lm, 3000k)

IP Rating: IP44

50976

2 Lt LED Wall Light

H: 235mm **W:** 110mm **P:** 102mm

Finish: Graphite

Materials: Cast Aluminium

Max. Wattage: 2 x 3.8W

Integrated LED

(Module Supplied: 120Lm each, 3000k)

IP Rating: IP44



50977



50976



Model Shown: 27894



15025

3 YEAR
GUARANTEE

27894

3 YEAR
GUARANTEE

25128

20 YEAR
GUARANTEECOASTAL
COLLECTION 2

21667

3 YEAR
GUARANTEE

15025

1 Lt Wall Lantern

H: 344mm **W:** 182mm **P:** 233mm**Finish:** Stainless Steel**Materials:** 304 Stainless Steel**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27894

1 Lt Outdoor Wall Lantern

H: 407mm **W:** 166mm **P:** 143mm**Finish:** Grey Bronze**Materials:** Aluminium**Max. Wattage:** 1 x 8W LED GU10*(Bulb Supplied: 620Lm, 3000k)***IP Rating:** IP44

25128

2 Lt Up & Down Lantern

H: 300mm **W:** 190mm **P:** 150mm**Finish:** Black**Materials:** Weather Resistant

Polymer, Polycarbonate

Max. Wattage: 2 x 60W E27*(Golf ball recommended)***IP Rating:** IP44

21667

2 Lt Up & Down Lantern

H: 230mm **W:** 92mm **P:** 129mm**Finish:** Black**Materials:** Cast Aluminium**Max. Wattage:** 2 x 8W LED*GU10 (Bulbs Supplied: 560Lm each, 3000k)***IP Rating:** IP44

27744

1 Lt Large Wall Lantern

H: 461mm W: 214mm P: 195mm

Finish: Black**Materials:** Weather Resistant Composite, Opal Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27744

27746

1 Lt Small Wall Lantern

H: 293mm W: 161mm P: 153mm

Finish: Black**Materials:** Weather Resistant Composite, Opal Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27745

1 Lt Medium Wall Lantern

H: 342mm W: 191mm P: 178mm

Finish: Black**Materials:** Weather Resistant Composite, Opal Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27746



27745





52018

52018

1 Lt Wall Lantern

H: 307mm **W:** 153mm **P:** 158mm**Finish:** Silver**Materials:** Weather Resistant

Composite, Clear Seeded Glass

Max. Wattage: 1 x 8W GU10

(Bulb Supplied: 560Lm, 3000k)

IP Rating: IP44

52019

52019

1 Lt Wall Lantern

H: 307mm **W:** 153mm **P:** 158mm**Finish:** Black**Materials:** Weather Resistant

Composite, Clear Seeded Glass

Max. Wattage: 1 x 8W GU10

(Bulb Supplied: 560Lm, 3000k)

IP Rating: IP44



Model Shown: 20828



20828

20828

1 Lt Wall Lantern

H: 310mm **W:** 210mm **P:** 95mm

Finish: Aluminium

Materials: Die-Cast Aluminium,
Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54



20438

20438

1 Lt Wall Lantern

H: 310mm **W:** 210mm **P:** 95mm

Finish: Graphite

Materials: Die-Cast Aluminium,
Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54

52778

1 Lt Wall Lantern

H: 115mm W: 230mm P: 140mm

Finish: White

Materials: Powder Coated

Galvanised Steel, Satin

Polycarbonate Lens

Max. Wattage: 1 x 60W E27

IP Rating: IP43

15655

1 Lt Wall Lantern

H: 115mm W: 230mm P: 140mm

Finish: Copper

Materials: Copper, Satin

Polycarbonate Lens

Max. Wattage: 1 x 60W E27

IP Rating: IP43



52778

5 YEAR
GUARANTEE

15655

10 YEAR
GUARANTEE



21430

5 YEAR
GUARANTEE

21430

1 Lt Large Wall Lantern

H: 140mm W: 280mm P: 160mm

Finish: Black

Materials: Powder Coated

Galvanised Steel, Satin

Polycarbonate Lens

Max. Wattage: 1 x 60W E27

IP Rating: IP43

17018

5 YEAR
GUARANTEE

17018

1 Lt Wall Lantern

H: 115mm W: 230mm P: 140mm

Finish: Black

Materials: Powder Coated

Galvanised Steel, Satin

Polycarbonate Lens

Max. Wattage: 1 x 60W E27

IP Rating: IP43



15656

8 YEAR
GUARANTEE

15656

1 Lt Wall Lantern

H: 115mm W: 230mm P: 140mm

Finish: Galvanised Steel

Materials: Galvanised Steel, Satin

Polycarbonate Lens

Max. Wattage: 1 x 60W E27

IP Rating: IP43



21431

8 YEAR
GUARANTEE

21431

1 Lt Large Wall Lantern

H: 140mm W: 280mm P: 160mm

Finish: Galvanised Steel

Materials: Galvanised Steel, Satin

Polycarbonate Lens

Max. Wattage: 1 x 60W E27

IP Rating: IP43



Model Shown: 14268

14268

5 YEAR
GUARANTEE



14268

1 Lt Wall Light

H: 270mm **W:** 270mm **P:** 140mm

Finish: Black

Materials: Powder Coated

Aluminium, Opal Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54

17696

1 Lt Wall Lantern

H: 280mm **W:** 280mm **P:** 140mm

Finish: Galvanised Steel

Materials: Aluminium, Galvanised

Steel, Opal Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54

52781

LED Wall/Ceiling light

H: 260mm **W:** 260mm **P:** 105mm

Finish: Graphite

Materials: Powder coated

Die-Cast Aluminium, Opal

Polycarbonate

Max. Wattage: 1 x 10W


Integrated LED

(Module Supplied: 431 Lm, 3000k)

IP Rating: IP65

17696

8 YEAR
GUARANTEE



52781

5 YEAR
GUARANTEE



20950

1 Lt Small Up/Down Wall Light

H: 110mm **W:** 225mm **P:** 85mm**Finish:** Graphite**Materials:** Cast Aluminium,

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP65**24230**

LED Recessed Louvre Wall Light

H: 126mm **W:** 271mm **P:** 110mm**Finish:** Graphite**Materials:** Powder Coated


Aluminium, Opal Safety Glass

Max. Wattage: 1 x 7.4W

Integrated LED

(Module Supplied: 67 Lm, 3000k)

IP Rating: IP65**20950****24230**

**22485**

1 Lt Down Wall Light

H: 150mm **W:** 310mm **P:** 155mm**Finish:** Graphite**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP65**22485****20485**

20208

1 Lt Wall Lantern

H: 310mm W: 210mm P: 120mm

Finish: Galvanised Steel**Materials:** Galvanised Steel, Cast Aluminium, Frosted Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54


22114

1 Lt Wall Lantern

H: 310mm W: 210mm P: 120mm

Finish: Galvanised Steel**Materials:** Galvanised Steel, Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

20208

8 YEAR
GUARANTEE

22114

8 YEAR
GUARANTEE



14244

5 YEAR
GUARANTEE



22112

5 YEAR
GUARANTEE



14247

10 YEAR
GUARANTEE



22115

10 YEAR
GUARANTEE

14244

1 Lt Wall Lantern

H: 310mm **W:** 210mm **P:** 120mm

Finish: Black

Materials: Powder-coated
Galvanised Steel, Cast Aluminium,
Frosted Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP54

22112

1 Lt Wall Lantern

H: 310mm **W:** 210mm **P:** 120mm

Finish: Black

Materials: Powder-coated
Galvanised Steel, Cast Aluminium,
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP54

14247

1 Lt Wall Lantern

H: 310mm **W:** 210mm **P:** 120mm

Finish: Stainless Steel

Materials: Stainless Steel, Cast
Aluminium, Frosted Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP54

22115

1 Lt Wall Lantern

H: 310mm **W:** 210mm **P:** 120mm

Finish: Stainless Steel

Materials: Stainless Steel, Cast
Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP54

14273

1 Lt Wall Lantern

H: 245mm **W:** 245mm **P:** 120mm**Finish:** Stainless Steel**Materials:** Stainless Steel, Cast Aluminium, Frosted Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54**22245**

1 Lt Wall Lantern

H: 245mm **W:** 245mm **P:** 120mm**Finish:** Stainless Steel**Materials:** Stainless Steel, Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54**14273****10** YEAR
GUARANTEE**22245****10** YEAR
GUARANTEE



14270

5 YEAR
GUARANTEE



22244

5 YEAR
GUARANTEE



19783

8 YEAR
GUARANTEE



22248

8 YEAR
GUARANTEE

14270

1 lt Wall Lantern

H: 245mm **W:** 245mm **P:** 120mm

Finish: Black

Materials: Powder-coated Galvanised Steel, Cast Aluminium, Frosted Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP54

22244

1 lt Wall Lantern

H: 245mm **W:** 245mm **P:** 120mm

Finish: Black

Materials: Powder-coated Galvanised Steel, Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP54

19783

1 lt Wall Lantern

H: 245mm **W:** 245mm **P:** 120mm

Finish: Galvanised Steel

Materials: Galvanised Steel, Cast Aluminium, Frosted Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP54

22248

1 lt Wall Lantern

H: 245mm **W:** 245mm **P:** 120mm

Finish: Galvanised Steel

Materials: Galvanised Steel, Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP54



Model Shown: 20970



22119

22119

1 Lt Wall Light - Clear Lens

H: 310mm **W:** 159mm **P:** 102mm**Finish:** Black**Materials:** Powder-coated
Galvanised Steel, Aluminium, Clear
Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

20970

20970

1 Lt Wall Light - Opal Lens

H: 310mm **W:** 159mm **P:** 102mm**Finish:** Black**Materials:** Powder-coated
Galvanised Steel, Aluminium, Opal
Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

24391

1 Lt Wall Lantern

H: 245mm W: 90mm P: 150mm

Finish: Black

Materials: 304 Stainless Steel

Max. Wattage: 1 x 60W E27

IP Rating: IP44



24391

24390

1 Lt Pedestal Lantern

H: 307mm W: 130mm

Finish: Black

Materials: 304 Stainless Steel

Max. Wattage: 1 x 60W E27

IP Rating: IP44



24390



Recommended lamp

60689

See page 323



24386



23819



27008



27008



27009

24386

1 Lt Chain Lantern

H: 260mm **W:** 275mm**Drop Range:** 360mm - 975mm
(Supplied with 655mm of chain.)**Finish:** Silver**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**23819**

1 Lt Wall Lantern

H: 255mm **W:** 275mm **P:** 420mm**Finish:** Silver**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**27008**

1 Lt Chain Lantern

H: 260mm **W:** 275mm**Drop Range:** 360mm - 975mm
(Supplied with 655mm of chain.)**Finish:** Black**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**27009**

1 Lt Wall Lantern

H: 255mm **W:** 275mm **P:** 420mm**Finish:** Black**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58413

1 Lt Pedestal

H: 318mm **W:** 275mm**Finish:** Silver**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58413****58411****58411**

1 Lt Pedestal

H: 318mm **W:** 275mm**Finish:** Black**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58416****58415****58415**

1 Lt Bollard

H: 1018mm **W:** 275mm**Finish:** Silver**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44



58400



58409



58410



58408



58412



58414

58400

1 lt Wall Lantern

H: 255mm **W:** 275mm **P:** 420mm**Finish:** White**Materials:** 304 Stainless Steel,

Clear Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44**58409**

1 lt Wall Lantern with PIR*

H: 255mm **W:** 275mm **P:** 420mm**Finish:** White**Materials:** 304 Stainless Steel,

Clear Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44**58410**

1 lt Wall Lantern with PIR*

H: 255mm **W:** 275mm **P:** 420mm**Finish:** Silver**Materials:** 304 Stainless Steel,

Clear Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44**58408**

1 lt Wall Lantern with PIR*

H: 255mm **W:** 275mm **P:** 420mm**Finish:** Black**Materials:** 304 Stainless Steel,

Clear Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44**58412**

1 lt Pedestal with PIR*

H: 337mm **W:** 275mm**Finish:** Black**Materials:** 304 Stainless Steel,

Clear Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44**58414**

1 lt Pedestal with PIR*

H: 337mm **W:** 275mm**Finish:** Silver**Materials:** 304 Stainless Steel,

Clear Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

* PIR Guaranteed for 2 years.
See technical data page 59.

58402

1 Lt Chain Lantern

H: 251mm **W:** 220mm**Drop Range:** 375mm - 970mm*(Supplied with 655mm of chain.)***Finish:** Black**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58402

58401

1 Lt Chain Lantern

H: 251mm **W:** 220mm**Drop Range:** 375mm - 970mm*(Supplied with 655mm of chain.)***Finish:** Silver**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58401

27003

1 Lt Wall Lantern

H: 236mm **W:** 220mm **P:** 260mm**Finish:** Black**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27003

23818

1 Lt Wall Lantern

H: 236mm **W:** 220mm **P:** 260mm**Finish:** Silver**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

23818



23817



27021



24388



24387



23817

1 Lt Wall Lantern

H: 236mm **W:** 218mm **P:** 260mm**Finish:** Silver**Materials:** 304 Stainless Steel,

Clear Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

27021

1 Lt Bollard Lantern

H: 1000mm **W:** 218mm**Finish:** Silver**Materials:** 304 Stainless Steel,

Clear Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

24388

1 Lt Wall Lantern with PIR*

H: 236mm **W:** 218mm **P:** 260mm**Finish:** Silver**Materials:** 304 Stainless Steel,

Clear Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

24387

1 Lt Pedestal Lantern

H: 305mm **W:** 218mm**Finish:** Silver**Materials:** 304 Stainless Steel,

Clear Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

* PIR Technical Information for Round Sensors (2 Year Guarantee). PIR range: min 5+ mins Detection width: 90°

Please note: The sensor cannot be manually overridden. The final PIR setting must be set at dusk, as the PIR does not operate in daylight.

27006

1 lt Wall Lantern with PIR*

H: 236mm **W:** 218mm **P:** 260mm**Finish:** Black**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27006



60670

60671

1 lt Pedestal Lantern with PIR*

H: 305mm **W:** 218mm**Finish:** Black**Materials:** 304 Stainless Steel,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

60671

PIR Technical Information
for Round Sensors (2 Year
Guarantee). PIR range: min 5+
mins Detection width: 90°

Please note: The sensor
cannot be manually
overridden. The final PIR
setting must be set at
dusk, as the PIR does not
operate in daylight.



27004

27007



27005

27007

1 Lt Bollard Lantern

H: 1000mm **W:** 218mm**Finish:** Black**Materials:** 304 Stainless Steel, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27004

1 Lt Wall Lantern

H: 236mm **W:** 218mm **P:** 260mm**Finish:** Black**Materials:** 304 Stainless Steel, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27005

1 Lt Pedestal Lantern

H: 305mm **W:** 218mm**Finish:** Black**Materials:** 304 Stainless Steel, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44



Model Shown: 14267



14266

5 YEAR
GUARANTEE

14266

1 Lt Wall Lantern

H: 220mm **W:** 280mm **P:** 365mm

Finish: Black

Materials: Powder Coated

Galvanised Steel, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP55

14267

8 YEAR
GUARANTEE



14267

1 Lt Wall Lantern

H: 220mm **W:** 280mm **P:** 365mm

Finish: Galvanised Steel

Materials: Galvanised Steel,

Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP55

52791

1 Lt Wall Lantern

H: 335mm **W:** 270mm **P:** 380mm

Finish: Black

Materials: Powder Coated

Galvanised Steel, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP55



52791

5 YEAR
GUARANTEE

52792

1 Lt Wall Lantern

H: 335mm **W:** 270mm **P:** 380mm

Finish: Galvanised Steel

Materials: Galvanised Steel,

Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP55

52792

8 YEAR
GUARANTEE





Model Shown: 15340



15339

5 YEAR
GUARANTEE

15339

1 Lt Wall Lantern

H: 230mm **W:** 320mm **P:** 420mm
Finish: Black

Materials: Powder Coated
Galvanised Steel, Polycarbonate
Max. Wattage: 1 x 60W E27
IP Rating: IP55



22083

5 YEAR
GUARANTEE



22084

8 YEAR
GUARANTEE

22083

1 Lt Lamp Post

H: 1700-2300mm **W:** 325mm
D: 450mm
Finish: Black
Materials: Powder Coated
Galvanised Steel, Polycarbonate
Max. Wattage: 1 x 60W E27
IP Rating: IP55



15340

8 YEAR
GUARANTEE

15340

1 Lt Wall Lantern

H: 230mm **W:** 320mm **P:** 420mm
Finish: Galvanised Steel
Materials: Galvanised Steel,
Polycarbonate
Max. Wattage: 1 x 60W E27
IP Rating: IP55



15592

2 lt Lamp Post

H: 1700-2380mm W: 740mm

D: 270mm

Finish: Black

Materials: Powder Coated
Galvanised Steel, Polycarbonate

Max. Wattage: 2 x 60W E27

IP Rating: IP55

15592



17506

1 lt Chain Lantern

H: 250mm W: 270mm

Drop Range: 435mm - 1020mm

Finish: Black

Materials: Powder Coated
Galvanised Steel, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP55

17506



15584

1 lt Wall Lantern

H: 270mm W: 270mm P: 395mm

Finish: Black

Materials: Powder Coated
Galvanised Steel, Polycarbonate


Max. Wattage: 1 x 60W E27

IP Rating: IP55

Pole height
is adjustable

15584





15593

15593

2 Lt Lamp Post

H: 1700-2380mm **W:** 780mm**D:** 270mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel, Polycarbonate**Max. Wattage:** 2 x 60W E27**IP Rating:** IP55

15594

**15594**

1 Lt Chain Lantern

H: 250mm **W:** 270mm**Drop Range:** 435mm - 1020mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP55

15586

1 Lt Wall Lantern

H: 270mm **W:** 270mm **P:** 395mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP55

15586



Model Shown: 20833



20292

5 YEAR
GUARANTEE



20832

5 YEAR
GUARANTEE



22467

8 YEAR
GUARANTEE



20833

8 YEAR
GUARANTEE

20292

1 Lt Flush Light

H: 235mm **W:** 210mm **P:** 140mm

Finish: Black

Materials: Powder Coated

Galvanised Steel, Clear

Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54

20832

1 Lt Flush Light

H: 235mm **W:** 210mm **P:** 140mm

Finish: Black

Materials: Powder Coated

Galvanised Steel, Opal

Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54

22467

1 Lt Flush Light

H: 235mm **W:** 210mm **P:** 140mm

Finish: Galvanised Steel

Materials: Galvanised Steel, Clear

Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54

20833

1 Lt Flush Light

H: 235mm **W:** 210mm **P:** 140mm

Finish: Galvanised Steel

Materials: Galvanised Steel, Opal

Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54

21207

1 Lt Grande Wall Lantern

H: 380mm **W:** 350mm **P:** 385mm**Finish:** Black**Materials:** Powder Coated
Galvanised Steel, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16051

1 Lt Wall Lantern

H: 310mm **W:** 270mm **P:** 290mm**Finish:** Black**Materials:** Powder Coated
Galvanised Steel, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

17780

1 Lt Pedestal

H: 345mm **W:** 270mm**Finish:** Black**Materials:** Powder Coated
Galvanised Steel, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

20770

1 Lt Grande Pedestal

H: 475mm **W:** 350mm**Finish:** Black**Materials:** Powder Coated
Galvanised Steel, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

21207



16051




17780



20770



**16061**

2 Lt Twin Lamp Post

H: 1540-2450mm **W:** 850mm**D:** 270mm**Finish:** Black**Materials:** Powder Coated

Galvanised Steel, Polycarbonate

Max. Wattage: 2 x 60W E27**IP Rating:** IP54**20917**

1 Lt Grande Lamp Post

H: 1510-2480mm **W:** 350mm**Finish:** Black**Materials:** Powder Coated

Galvanised Steel, Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP54**16056**

1 Lt Pillar

H: 1180mm **W:** 270mm**Finish:** Black**Materials:** Powder Coated

Galvanised Steel, Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP54Pole height
is adjustablePole height
is adjustable

20429

1 Lt Grande Wall Lantern

H: 380mm **W:** 350mm **P:** 385mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel,

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP54**16053**

1 Lt Wall Lantern

H: 310mm **W:** 270mm **P:** 290mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel,

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP54**17781**

1 Lt Pedestal

H: 345mm **W:** 270mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel,

Polycarbonate


Max. Wattage: 1 x 60W E27**IP Rating:** IP54**21404**

1 Lt Grande Pedestal

H: 475mm **W:** 350mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel,

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP54**20429****16053****17781****21404**

**17145**

2 Lt Twin Lamp Post

H: 1540-2450mm **W:** 850mm**D:** 270mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel, Polycarbonate**Max. Wattage:** 2 x 60W E27**IP Rating:** IP54**20918**

1 Lt Grande Lamp Post

H: 1510-2480mm **W:** 350mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54**16058**

1 Lt Pillar

H: 1180mm **W:** 270mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

21389

1 Lt Small Bollard

H: 280mm W: 165mm

Finish: Black

Materials: Powder Coated
Galvanised Steel, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP65



21389

21380

1 Lt Large Bollard

H: 850mm W: 165mm

Finish: Black

Materials: Powder Coated
Galvanised Steel, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP65



21380

20924

1 Lt Medium Bollard

H: 490mm W: 165mm

Finish: Black

Materials: Powder Coated
Galvanised Steel, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP65



20924



20820

21388



21386

21388

1 Lt Small Bollard

H: 280mm **W:** 165mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel,

Opal Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP65

20820

1 Lt Large Bollard

H: 850mm **W:** 165mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel,

Opal Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP65

21386

1 Lt Medium Bollard

H: 490mm **W:** 165mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel,

Opal Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP65

52790

1 Lt Large Wooden Bollard

H: 850mm **W:** 120mm**Finish:** Galvanised Steel**Materials:** Natural Pine

Wood, Galvanised Steel, Opal

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP65**22202**

1 Lt Large Wooden Bollard

H: 850mm **W:** 120mm**Finish:** Black**Materials:** Stained Pine Wood,

Powder Coated Steel, Opal

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP65

Scandinavian wood bollards
have a 2 year warranty against
structural failure for wood parts

**52790****8 YEAR**
GUARANTEE**22202****5 YEAR**
GUARANTEE

**22226**

1 Lt Medium Wooden Bollard

H: 490mm **W:** 120mm **D:** 120mm**Finish:** Black**Materials:** Treated Pine Wood, Powder Coated Steel, Opal Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP65**22208**

1 Lt Large Wooden Bollard

H: 850mm **W:** 120mm **D:** 120mm**Finish:** Black**Materials:** Treated Pine Wood, Powder Coated Steel, Opal Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP65

22226



22208

Scandinavian wood bollards have a 2 year warranty against structural failure for wood parts

21367

1 Lt Small Bollard

H: 260mm **W:** 120mm **D:** 120mm**Finish:** Black**Materials:** Powder Coated

Galvanised Steel, Opal

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP65

21367

21048

1 Lt Large Bollard

H: 850mm **W:** 120mm **D:** 120mm**Finish:** Black**Materials:** Powder Coated

Galvanised Steel, Opal

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP65

21048

21303

1 Lt Medium Bollard

H: 490mm **W:** 120mm **D:** 120mm**Finish:** Black**Materials:** Powder Coated

Galvanised Steel, Opal

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP65

21303



20915

20915

1 Lt Small Bollard

H: 260mm **W:** 120mm **D:** 120mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel, Opal Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP65

21215

21215

1 Lt Large Bollard

H: 850mm **W:** 120mm **D:** 120mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel, Opal Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP65

21364

21364

1 Lt Medium Bollard

H: 490mm **W:** 120mm **D:** 120mm**Finish:** Galvanised Steel**Materials:** Galvanised Steel, Opal Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP65

27472

LED Bollard

H: 800mm **W:** 110mm**Finish:** Graphite**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 8W

Integrated LED

(Module Supplied: 386Lm, 3000k)

IP Rating: IP54**27472**



58667

58667

Large LED Bollard

H: 700mm **W:** 160mm **P:** 120mm**Finish:** Basalt Stone with Stainless Steel**Materials:** 316 Stainless Steel, Basalt Stone**Max. Wattage:** 1 x 6W
Integrated LED*(Module Supplied: 650Lm, 3000k)***IP Rating:** IP55

58668

58668

Medium LED Bollard

H: 400mm **W:** 220mm **P:** 160mm**Finish:** Basalt Stone with Stainless Steel**Materials:** 316 Stainless Steel, Basalt Stone**Max. Wattage:** 1 x 6W
Integrated LED*(Module Supplied: 650Lm, 3000k)***IP Rating:** IP55

20781

1 Lt Wall Light

H: 280mm **W:** 102mm **P:** 140mm**Finish:** Teak and Stainless Steel**Materials:** Teak, 316 Marine Grade Stainless Steel, Opal Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP44

20781

20782

1 Lt Bollard

H: 670mm **W:** 102mm**Finish:** Teak and Stainless Steel**Materials:** Teak, 316 Marine Grade Stainless Steel, Opal Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP55

20782

20783

1 Lt Mini Bollard

H: 240mm **W:** 102mm**Finish:** Teak and Stainless Steel**Materials:** Teak, 316 Marine Grade Stainless Steel, Opal Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP55

20783



Recommended lamp

60689

See page 323

20786



20787



Accessories suitable for all
bollards on page 82-83.

20786

Steel, Zinc Plated Root

H: 80mm **W:** 136mm

20787

Steel, Zinc Plated Spike

H: 550mm **W:** 136mm

20777

1 Lt Bollard

H: 600mm **W:** 102mm

Finish: Stainless Steel

Materials: 316 Marine Grade
Stainless Steel

Max. Wattage: 1 x 40W E27

IP Rating: IP44

20778

1 Lt Mini Bollard

H: 240mm **W:** 102mm

Finish: Stainless Steel

Materials: 316 Marine Grade
Stainless Steel

Max. Wattage: 1 x 40W E27

IP Rating: IP44

NB. Stainless Steel will discolour if not
maintained.

20777



20778



Recommended lamp

60689

See page 323

58658

1 Lt Mini Bollard

H: 250mm **W:** 102mm**Finish:** Brushed Brass**Materials:** Brass, Polycarbonate

Lens

Max. Wattage: 1 x 40W E27**IP Rating:** IP55**58658****58586**

1 Lt Bollard

H: 700mm **W:** 120mm**Finish:** Teak with Stainless Steel**Materials:** Teak, 316 Stainless Steel, Polycarbonate**Max. Wattage:** 1 x 40W E27**IP Rating:** IP55**58586****58657**

1 Lt Bollard

H: 600mm **W:** 102mm**Finish:** Brushed Brass**Materials:** Brass, Polycarbonate

Lens

Max. Wattage: 1 x 40W E27**IP Rating:** IP55

NB. All fittings will age if not regularly maintained.

58657

Recommended lamp

60689

See page 323



58665



58666



58663



58664

58665

1 Lt Mini Bollard

H: 300mm **W:** 102mm**Finish:** Brushed Brass**Materials:** Brass, Frosted Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP55**58666**

1 Lt Mini Bollard

H: 300mm **W:** 102mm**Finish:** Stainless Steel**Materials:** 316 Stainless Steel, Frosted Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP55**58663**

1 Lt Bollard

H: 700mm **W:** 102mm**Finish:** Brushed Brass**Materials:** Brass, Frosted Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP55**58664**

1 Lt Bollard

H: 700mm **W:** 102mm**Finish:** Stainless Steel**Materials:** 316 Stainless Steel, Frosted Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP55

NB. All Brass models will age if not regularly maintained.



Recommended lamp

60689

See page 323



Model Shown: 21046

21045

1 Lt Large Bollard


H: 850mm **W:** 150mm**Finish:** Black**Materials:** Powder Coated

Galvanised Steel, Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP65**21045****21046**



Model Shown: 52733



52733

5 YEAR
GUARANTEE



52734

5 YEAR
GUARANTEE

25545

3 YEAR
GUARANTEE



25545

1 Lt Wall Light

H: 220mm **W:** 90mm **P:** 145mm

Finish: Black

Materials: Powder Coated Aluminium, Crystal Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP65

52733

1 Lt Large Bollard

H: 850mm **W:** 120mm

Finish: Black

Materials: Powder Coated Galvanised Steel, Crystal Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP65

52734

1 Lt Medium Bollard

H: 490mm **W:** 120mm

Finish: Black

Materials: Powder Coated Galvanised Steel, Crystal Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP65



Model Shown: 52742



52742

52742

LED Tall Bollard

H: 850mm **W:** 120mm**Finish:** Graphite**Materials:** Powder Coated

Aluminium, UV Stabilised

Polycarbonate

Max. Wattage: 1 x 10W

Integrated LED

(Module Supplied: 1100Lm, 3000K)

IP Rating: IP65

52741

52741

LED Short Bollard

H: 490mm **W:** 120mm**Finish:** Graphite**Materials:** Powder Coated

Aluminium, UV Stabilised

Polycarbonate

Max. Wattage: 1 x 10W

Integrated LED

(Module Supplied: 1100Lm, 3000K)

IP Rating: IP65



Model Shown: 52789



52788

52788

LED Medium Bollard

H: 500mm **W:** 200mm**Finish:** Graphite**Materials:** Powder Coated Die-Cast Aluminium, Vandal Resist Polycarbonate**Max. Wattage:** 1 x 17.5W

Integrated LED

*(Module Supplied: 421Lm, 3000k)***IP Rating:** IP65

52789

52789

LED Small Bollard

H: 280mm **W:** 200mm**Finish:** Graphite**Materials:** Powder Coated Die-Cast Aluminium, Vandal Resist Polycarbonate**Max. Wattage:** 1 x 9.2W

Integrated LED

*(Module Supplied: 308Lm, 3000k)***IP Rating:** IP65

52017

Large LED Wall Lantern

H: 610mm **W:** 229mm **P:** 98mm**Finish:** Black**Materials:** Weather Resistant
Composite**Max. Wattage:** 1 x 10.5W

Integrated LED

(Module Supplied: 860Lm, 3000k)

IP Rating: IP44

52017

52016

Medium LED Wall Lantern

H: 380mm **W:** 178mm **P:** 89mm**Finish:** Black**Materials:** Weather Resistant
Composite**Max. Wattage:** 1 x 8W


Integrated LED

(Module Supplied: 650Lm, 3000k)

IP Rating: IP44

52016



**58741**

LED Sign Light

H: 208mm **W:** 141mm **P:** 717mm**Finish:** Black**Materials:** Cast Aluminium, Stainless Steel, Glass**Max. Wattage:** 1 x 16W

Integrated LED

(Module Supplied: 2240lm, 3000k)

IP Rating: IP66**60656**

1 lt Brass Sign Light

H: 396mm **W:** 230mm **P:** 538mm**Finish:** Aged Brass**Materials:** Brass, Clear Prismatic Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44



Model Shown: 52032



52032

52032

Large LED Up/Down Wall Light

H: 520mm **W:** 172mm **P:** 130mm

Finish: Matte Black (with painted wood effect strap)

Materials: Aluminium

Max. Wattage: 2 x 9.5W

Integrated LED

(Module Supplied: 900lm each, 3000k)

IP Rating: IP44



52031

52031

Medium LED Up/Down Wall Light

H: 386mm **W:** 172mm **P:** 130mm

Finish: Matte Black (with painted wood effect strap)

Materials: Aluminium

Max. Wattage: 2 x 5.5W

Integrated LED

(Module Supplied: 500lm each, 3000k)

IP Rating: IP44



Model Shown: 52763



52762

5 YEAR
GUARANTEE

52762

2 lt Up/Down Wall Light

H: 180mm **W:** 93mm **P:** 122mm

Finish: Black

Materials: Powder Coated

Galvanised Steel, Clear Safety Glass

Max. Wattage: 2 x 8W LED GU10

(Bulbs Supplied: 560Lm each, 3000k)

IP Rating: IP44



52761

8 YEAR
GUARANTEE



52760

1 lt Down Wall Light

H: 105mm **W:** 93mm **P:** 122mm

Finish: Black

Materials: Powder Coated

Galvanised Steel, Clear Safety Glass

Max. Wattage: 1 x 8W LED

GU10 (Bulb Supplied: 560Lm, 3000k)

IP Rating: IP44



52760

5 YEAR
GUARANTEE



52763

8 YEAR
GUARANTEE

52763

2 lt Up/Down Wall Light

H: 180mm **W:** 93mm **P:** 122mm

Finish: Galvanised Steel

Materials: Galvanised Steel, Clear

Safety Glass


Max. Wattage: 2 x 8W LED GU10

(Bulbs Supplied: 560Lm each, 3000k)

IP Rating: IP44

52818

1 lt Down Ceiling light


H: 140mm **W:** 80mm**Finish:** Graphite**Materials:** Powder Coated Die-Cast Aluminium, Clear Safety Glass**Max. Wattage:** 1 x 8W LED
GU10 (Bulb Supplied: 560Lm, 3000k)**IP Rating:** IP65**52817**

1 lt Down Wall Light

H: 135mm **W:** 80mm **P:** 115mm**Finish:** Graphite**Materials:** Powder Coated Die-Cast Aluminium, Clear Safety Glass**Max. Wattage:** 1 x 8W LED
GU10 (Bulb Supplied: 560Lm, 3000k)**IP Rating:** IP65**52816**

2 lt Up & Down Wall Light

H: 210mm **W:** 80mm **P:** 115mm**Finish:** Graphite**Materials:** Powder Coated Die-Cast Aluminium, Clear Safety Glass**Max. Wattage:** 2 x 8W LED GU10
(Bulbs Supplied: 560Lm each, 3000k)**IP Rating:** IP65**52818****52817****52816**

**52824**

1 Lt Round Inground Light

H: 85mm **W:** 130mm**In-ground Depth:** 182mm**Finish:** Stainless Steel**Materials:** Powder Coated Cast Aluminium, 316L Stainless Steel Cover, Glass**Max. Wattage:** 1 x 8W LED

GU10 (Bulb Supplied: 560Lm, 3000k)

IP Rating: IP68**52825**

1 Lt Square Inground Light

H: 85mm **W:** 130mm**In-ground Depth:** 182mm**Finish:** Stainless Steel**Materials:** Powder Coated Cast Aluminium, 316L Stainless Steel Cover, Glass**Max. Wattage:** 1 x 8W LED

GU10 (Bulb Supplied: 560Lm, 3000k)

IP Rating: IP68**52824**

These fittings have a
3 year warranty for
aluminium housing and
10 year warranty for
stainless steel cover

**52825**

TRANSITIONAL

Transitional describes designs that derive from classic styles but have been conceived with a contemporary edge. Transitional lanterns are less ornate than their classic counterparts, but aren't as streamlined or minimalist as modern styles. They combine the best of both worlds for a clean, comfortable look wherever they are placed.



60160

Page 128



58094

Page 141



Model Shown: 58603



Model Shown: 52029

52028



52028

1 Lt Small Wall Lantern

H: 280mm W: 171mm P: 197mm

Finish: Black

Materials: Weather Resistant

Composite, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



52029

52029

1 Lt Medium Wall Lantern

H: 357mm W: 222mm P: 248mm

Finish: Black

Materials: Weather Resistant

Composite, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



52030

52030

3 Lt Large Wall Lantern

H: 433mm W: 273mm P: 299mm

Finish: Black

Materials: Weather Resistant

Composite, Clear Seeded Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44

58603

1 Lt Medium Wall Lantern

H: 406mm W: 179mm P: 203mm

Finish: Black**Materials:** Aluminium, Clear

Ribbed Glass

Max. Wattage: 1 x 40W E27**IP Rating:** IP44

58603

58604

1 Lt Small Wall Lantern

H: 290mm W: 137mm P: 157mm

Finish: Black**Materials:** Aluminium, Clear

Ribbed Glass

Max. Wattage: 1 x 40W E27**IP Rating:** IP44

58604



58593

58593

1 Lt Medium Wall Lantern

H: 331mm **W:** 305mm **P:** 441mm**Finish:** Black**Materials:** Weather Resistant

Composite, Aluminium, Glass

Max. Wattage: 1 x 40W E27**IP Rating:** IP44

58594

Pendant can
remove rods to
use as semi-flush.



58531

1 Lt Half Lantern

H: 289mm **W:** 178mm **P:** 114mm**Finish:** Black**Materials:** Aluminium, Clear
Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58531****58529**

1 Lt Medium Wall Lantern

H: 352mm **W:** 181mm **P:** 229mm**Finish:** Black**Materials:** Aluminium, Clear
Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58529****58530**

1 Lt Small Wall Lantern

H: 292mm **W:** 117mm **P:** 159mm**Finish:** Black**Materials:** Aluminium, Clear
Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58530**



58533

58533

2 Lt Flush Mount

H: 146mm **W:** 254mm

Finish: Black

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 2 x 40W E27

IP Rating: IP44



58532

58532

1 Lt Chain Lantern

H: 241mm **W:** 121mm

Drop Range: 325mm - 1884mm
(Supplied with 1524mm of chain.)

Finish: Black

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



Model Shown: 52037



52037

52037

1 Lt Medium Wall Lantern

H: 357mm **W:** 203mm **P:** 254mm

Finish: Oil Rubbed Bronze

Materials: Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



52036

52036

1 Lt Small Wall Lantern

H: 290mm **W:** 165mm **P:** 202mm

Finish: Oil Rubbed Bronze

Materials: Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



58092

58092

1 Lt Small Wall Lantern

H: 261mm **W:** 165mm **P:** 185mm

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



58091

58091

1 Lt Medium Wall Lantern

H: 307mm **W:** 197mm **P:** 215mm

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

25972

1 lt Small Chain Lantern

H: 246mm **W:** 128mm**Drop Range:** 280mm - 1280mm*(Supplied with 1000mm of chain.)***Finish:** Grey Bronze**Materials:** Cast Aluminium,

Seeded Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44**25972****27875**

5 lt Outdoor Chandelier

H: 249mm **W:** 611mm**Drop Range:** 305mm - 1219mm*(Supplied with 2 x 152mm and 2 x 305mm rods.)***Finish:** Grey Bronze**Materials:** Cast Aluminium,

Seeded Glass

Max. Wattage: 5 x 60W E27**IP Rating:** IP44**27875****25971**

1 lt Small Wall Lantern

H: 288mm **W:** 128mm **P:** 191mm**Finish:** Grey Bronze**Materials:** Cast Aluminium,

Seeded Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44**25971****25970**

1 lt Medium Wall Lantern

H: 381mm **W:** 152mm **P:** 203mm**Finish:** Grey Bronze**Materials:** Cast Aluminium,

Seeded Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44**25970**



27818

27818

5 Lt Outdoor Chandelier

H: 508mm **W:** 625mm

Drop Range: 624mm - 1473mm
(Supplied with 2 x 152mm and 2 x 305mm rods.)

Finish: Weathered Zinc

Materials: Aluminium, Seeded Glass

Max. Wattage: 5 x 60W E27

IP Rating: IP44



27819



27821



7'16



Model Shown: 27820



27824



27820

27820

1 Lt Large Wall Lantern

H: 404mm **W:** 224mm **P:** 244mm**Finish:** Weathered Zinc**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27822

**27822**

1 Lt Small Wall Lantern

H: 278mm **W:** 154mm **P:** 173mm**Finish:** Weathered Zinc**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27823

27823

1 Lt Medium Pedestal Lantern

H: 471mm **W:** 193mm**Finish:** Weathered Zinc**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58600

5 Lt Outdoor Chandelier

H: 508mm **W:** 625mm**Drop Range:** 624mm - 1473mm

(Supplied with 3 x 152mm and 2 x 305mm rods.)

Finish: Burnished Bronze**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 5 x 60W E27**IP Rating:** IP44**58600****58602**

2 Lt Flush

H: 152mm **W:** 305mm**Finish:** Burnished Bronze**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58602****58598**

1 Lt Small Wall Lantern

H: 278mm **W:** 154mm **P:** 173mm**Finish:** Burnished Bronze**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58598**



58596



58601



58597



58599

58596

1 Lt Large Wall Lantern

H: 404mm **W:** 224mm **P:** 244mm**Finish:** Burnished Bronze**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58601**

1 Lt Small Chain Lantern

H: 327mm **W:** 154mm**Drop Range:** 432mm - 2306mm
(Supplied with 1829mm of chain.)**Finish:** Burnished Bronze**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58597**

1 Lt Medium Wall Lantern

H: 346mm **W:** 193mm **P:** 213mm**Finish:** Burnished Bronze**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58599**

1 Lt Medium Pedestal Lantern

H: 471mm **W:** 193mm**Finish:** Burnished Bronze**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27827

1 Lt Large Wall Lantern

H: 510mm W: 280mm P: 310mm

Finish: Weathered Zinc**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27827

27830

1 Lt Small Chain Lantern

H: 272mm W: 178mm

Drop Range: 372mm - 2237mm

(Supplied with 1829mm of chain.)

Finish: Weathered Zinc**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27830

27828

1 Lt Medium Wall Lantern

H: 405mm W: 228mm P: 258mm

Finish: Weathered Zinc**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27828

27829

1 Lt Small Wall Lantern

H: 334mm W: 178mm P: 207mm

Finish: Weathered Zinc**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27829



58606



58606

1 Lt Large Wall Lantern

H: 510mm **W:** 280mm **P:** 310mm

Finish: Natural Brass

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58607



58607

1 Lt Medium Wall Lantern

H: 405mm **W:** 228mm **P:** 258mm

Finish: Natural Brass

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58608



25710

1 Lt Small Wall Lantern

H: 246mm **W:** 229mm **P:** 264mm**Finish:** Bronze**Materials:** Aluminium, Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**25710****25712**

1 Lt Medium Chain Lantern

H: 276mm **W:** 305mm**Drop Range:** 403mm - 1500mm*(Supplied with 1200mm of chain.)***Finish:** Bronze**Materials:** Aluminium, Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**25708**

1 Lt Medium Wall Lantern

H: 318mm **W:** 305mm **P:** 341mm**Finish:** Bronze**Materials:** Aluminium, Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**25712****25708**



60166



60167



60165

60166

1 Lt Small Wall Lantern

H: 246mm **W:** 229mm **P:** 264mm**Finish:** Painted Brass**Materials:** Aluminium, Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**60167**

1 Lt Medium Chain Lantern

H: 276mm **W:** 305mm**Drop Range:** 403mm - 1500mm
(Supplied with 1200mm of chain.)**Finish:** Painted Brass**Materials:** Aluminium, Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**60165**

1 Lt Medium Wall Lantern

H: 318mm **W:** 305mm **P:** 341mm**Finish:** Painted Brass**Materials:** Aluminium, Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27759

1 lt Small Wall Lantern

H: 299mm **W:** 203mm **P:** 233mm**Finish:** Oil Rubbed Bronze**Materials:** Cast Aluminium,

Clear Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44**27759****27757**

3 lt Large Wall Lantern

H: 631mm **W:** 254mm **P:** 298mm**Finish:** Oil Rubbed Bronze**Materials:** Cast Aluminium,

Clear Glass

Max. Wattage: 3 x 60W E14**IP Rating:** IP44**27757****27758**

2 lt Medium Wall Lantern

H: 388mm **W:** 203mm **P:** 233mm**Finish:** Oil Rubbed Bronze**Materials:** Cast Aluminium,

Clear Glass

Max. Wattage: 2 x 60W E14**IP Rating:** IP44**27758**



30447



30447

1 Lt Large Wall Lantern

H: 510mm **W:** 256mm **P:** 270mm**Finish:** Dark Brown and Gold**Materials:** Steel, Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

30450



30449



30450

30450

1 Lt Medium Chain Lantern

H: 421mm **W:** 206mm**Drop Range:** 513mm - 2988mm
(Supplied with 2438mm of chain.)**Finish:** Dark Brown and Gold**Materials:** Steel, Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

30449

1 Lt Small Wall Lantern

H: 327mm **W:** 155mm **P:** 169mm**Finish:** Dark Brown and Gold**Materials:** Steel, Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

30448

1 Lt Medium Wall Lantern

H: 421mm **W:** 206mm **P:** 220mm**Finish:** Dark Brown and Gold**Materials:** Steel, Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44



Model Shown: 27813

27813



27813

2 Lt Large Wall Lantern

H: 381mm **W:** 236mm **P:** 261mm

Finish: Dark Brown & Aged Brass

Materials: Aluminium, Clear Glass

Max. Wattage: 2 x 60W E14

IP Rating: IP44

27814

1 Lt Medium Wall Lantern

H: 312mm **W:** 216mm **P:** 233mm

Finish: Dark Brown & Aged Brass

Materials: Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

27815

1 Lt Small Wall Lantern

H: 241mm **W:** 190mm **P:** 209mm

Finish: Dark Brown & Aged Brass

Materials: Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

27814



27815



26053

1 Lt Small Wall Lantern

H: 305mm W: 165mm P: 152mm

Finish: Old Bronze with Copper Reflector**Materials:** Cast Aluminium, Clear Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

26053

26051

1 Lt Large Wall Lantern

H: 457mm W: 254mm P: 216mm

Finish: Old Bronze with Copper Reflector**Materials:** Cast Aluminium, Clear Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

26051

26052

1 Lt Medium Wall Lantern

H: 368mm W: 203mm P: 178mm

Finish: Old Bronze with Copper Reflector**Materials:** Cast Aluminium, Clear Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

26052

58688



58688

1 Lt Small Wall Lantern

H: 305mm **W:** 165mm **P:** 152mm

Finish: Graphite with Pewter Reflector

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58686



58687

1 Lt Medium Wall Lantern

H: 368mm **W:** 203mm **P:** 178mm

Finish: Graphite with Pewter Reflector

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58687



60161

2 lt Flush

H: 162mm **W:** 330mm**Finish:** Black**Materials:** Aluminium, Clear

Seeded Glass

Max. Wattage: 2 x 60W E27**IP Rating:** IP44

60161

25685

2 lt Flush

H: 162mm **W:** 330mm**Finish:** Brushed Bronze**Materials:** Aluminium, Cream

Etched Glass

Max. Wattage: 2 x 60W E27**IP Rating:** IP44

25685

60160

1 lt Small Wall Lantern

H: 388mm **W:** 194mm **P:** 241mm**Finish:** Black**Materials:** Aluminium, Clear

Seeded Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

60160

25687

1 lt Small Wall Lantern

H: 388mm **W:** 194mm **P:** 241mm**Finish:** Brushed Bronze**Materials:** Aluminium, Cream

Etched Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

25687



27895



27898

27898

1 Lt Small Chain Lantern

H: 300mm **W:** 140mm

Drop Range: 370mm - 2100mm
(Supplied with 1800mm of chain.)

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Satin Etched Glass

Max. Wattage: 1 x 60W E14

IP Rating: IP44



27895

27895

1 Lt Medium Wall Lantern

H: 451mm **W:** 178mm **P:** 196mm

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Satin Etched Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



27896

27896

1 Lt Small Wall Lantern

H: 300mm **W:** 140mm **P:** 158mm

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Satin Etched Glass

Max. Wattage: 1 x 60W E14

IP Rating: IP44



25840

1 Lt Large Wall Lantern

H: 470mm W: 286mm P: 318mm

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Clear

Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

25843

1 Lt Pedestal

H: 490mm W: 235mm

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Clear

Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

25840



25843





25844

25844

1 Lt Chain Lantern

H: 305mm **W:** 184mm

Drop Range: 355mm - 1340mm
(Supplied with 1000mm of chain.)

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23



25841

25841

1 Lt Medium Wall Lantern

H: 381mm **W:** 235mm **P:** 260mm

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



25841

25842

1 Lt Small Wall Lantern

H: 298mm **W:** 184mm **P:** 203mm

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



25842



Model Shown: 30408



30408

30408

1 Lt Medium Wall Lantern

H: 462mm **W:** 241mm **P:** 304mm

Finish: Distressed Black

Materials: Aluminium, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



30409

30409

1 Lt Small Wall Lantern

H: 337mm **W:** 178mm **P:** 230mm

Finish: Distressed Black

Materials: Aluminium, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



52034

52034

1 Lt Medium Wall Lantern

H: 488mm **W:** 170mm **P:** 215mm

Finish: Dark Brown

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



52033

52033

1 Lt Small Wall Lantern

H: 362mm **W:** 136mm **P:** 180mm

Finish: Dark Brown

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



Model Shown: 30422



30422

1 Lt Medium Chain Lantern

H: 392mm **W:** 279mm

Drop Range: 494mm - 2315mm
(Supplied with 1829mm of chain.)

Finish: Black

Materials: Aluminium, Seeded
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

30420

1 Lt Wall Lantern

H: 307mm **W:** 229mm **P:** 250mm

Finish: Black

Materials: Aluminium, Seeded
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

30421

3 Lt Large Chain Lantern

H: 482mm **W:** 356mm

Drop Range: 583mm - 2442mm
(Supplied with 1829mm of chain.)

Finish: Black

Materials: Aluminium, Seeded
Clear Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44

30466

1 Lt Large Wall Lantern

H: 510mm **W:** 254mm **P:** 290mm**Finish:** Dark Brown**Materials:** Steel, Clear Bevelled

Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

30466

30468

1 Lt Small Wall Lantern

H: 318mm **W:** 153mm **P:** 182mm**Finish:** Dark Brown**Materials:** Steel, Clear Bevelled

Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

30468

30467

1 Lt Medium Wall Lantern

H: 412mm **W:** 203mm **P:** 235mm**Finish:** Dark Brown**Materials:** Steel, Clear Bevelled

Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

30467



30471



30470



30469

30471
1 Lt Medium Chain Lantern
H: 413mm **W:** 203mm
Drop Range: 505mm - 2979mm
(Supplied with 2438mm of chain.)
Finish: Dark Brown
Materials: Steel, Clear Bevelled Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP23

30470
1 Lt Large Chain Lantern
H: 514mm **W:** 254mm
Drop Range: 605mm - 3080mm
(Supplied with 2438mm of chain.)
Finish: Dark Brown
Materials: Steel, Clear Bevelled Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP23

30469
1 Lt Medium Pedestal
H: 519mm **W:** 203mm
Finish: Dark Brown
Materials: Steel, Clear Bevelled Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44



Model Shown: 30398



30402



30398



30399



30401

30402
1 Lt Chain Lantern
H: 301mm **W:** 203mm
Drop Range: 400mm - 1980mm
(Supplied with 1620mm of chain.)
Finish: Weathered Zinc
Materials: Aluminium, Seeded Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

30398
1 Lt Medium Wall Lantern
H: 362mm **W:** 203mm **P:** 225mm
Finish: Weathered Zinc
Materials: Aluminium, Seeded Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

30401
1 Lt Pedestal Lantern
H: 440mm **W:** 203mm
Finish: Weathered Zinc
Materials: Aluminium, Seeded Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

30399
1 Lt Small Wall Lantern
H: 317mm **W:** 172mm **P:** 194mm
Finish: Weathered Zinc
Materials: Aluminium, Seeded Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

30253

1 Lt Medium Wall Lantern

H: 328mm W: 267mm P: 311mm

Finish: Painted Brushed Steel**Materials:** Weather Resistant Composite, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

30254

1 Lt Small Wall Lantern

H: 273mm W: 229mm P: 271mm

Finish: Painted Brushed Steel**Materials:** Weather Resistant Composite, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

30253



30254



58096



58095



58094



58093

58096

1 Lt Wall Lantern

H: 229mm **W:** 159mm **P:** 193mm**Finish:** Painted Brushed Steel**Materials:** Weather Resistant Composite, Clear Seeded Glass or Opal Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58095**

1 Lt Wall Lantern

H: 229mm **W:** 159mm **P:** 193mm**Finish:** Dark Brown**Materials:** Weather Resistant Composite, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58094**

1 Lt Wall Lantern

H: 329mm **W:** 191mm **P:** 226mm**Finish:** Painted Brushed Steel**Materials:** Weather Resistant Composite, Clear Seeded Glass or Opal Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58093**

1 Lt Wall Lantern

H: 329mm **W:** 191mm **P:** 226mm**Finish:** Dark Brown**Materials:** Weather Resistant Composite, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

30267

1 Lt Large Wall Lantern

H: 413mm W: 272mm P: 194mm

Finish: Ash Black**Materials:** Weather Resistant Composite, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

30268

1 Lt Small Wall Lantern

H: 297mm W: 196mm P: 180mm

Finish: Ash Black**Materials:** Weather Resistant Composite, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

30267



30268





58132

58132

1 Lt Large Wall Lantern

H: 444mm **W:** 228mm **P:** 260mm**Finish:** Black**Materials:** Weather Resistant Composite, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58133

58133

1 Lt Medium Wall Lantern

H: 393mm **W:** 198mm **P:** 229mm**Finish:** Black**Materials:** Weather Resistant Composite, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58134

58134

1 Lt Small Wall Lantern

H: 286mm **W:** 140mm **P:** 170mm**Finish:** Black**Materials:** Weather Resistant Composite, Seeded Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP44

58131

shown as porch light

58131

1 Lt Porch/Pedestal Lantern

H: 278mm **W:** 140mm**Finish:** Black**Materials:** Weather Resistant Composite, Seeded Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP44

58131

shown as pedestal light

23194

1 Lt Small Lantern

H: 273mm W: 197mm P: 222mm

Finish: Copper Bronze**Materials:** Cast Aluminium,

Etched Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

23194

23195

1 Lt Mini Lantern

H: 203mm W: 140mm P: 165mm

Finish: Copper Bronze**Materials:** Cast Aluminium,

Etched Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

23195

23193

1 Lt Mini Lantern

H: 203mm W: 140mm P: 165mm

Finish: Glossy Dark Grey**Materials:** Cast Aluminium,

Etched Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

23193

23192

1 Lt Small Lantern

H: 273mm W: 197mm P: 222mm

Finish: Glossy Dark Grey**Materials:** Cast Aluminium,

Etched Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

23192



23467



23468



23469

23467

2 lt Flush

H: 149mm **W:** 279mm

Finish: Matt Grey Patina

Materials: Aluminium, Seeded Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44

23468

1 lt Chain Lantern

H: 520mm **W:** 146mm

Drop Range: 590mm - 2114mm
(Supplied with 1524mm of chain.)

Finish: Matt Grey Patina

Materials: Aluminium, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23

23469

1 lt Wall Lantern

H: 411mm **W:** 121mm **P:** 179mm

Finish: Matt Grey Patina

Materials: Aluminium, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



Model Shown: 25856



25857



25859



25856

25857

1 Lt Small Wall Lantern

H: 343mm **W:** 171mm **P:** 210mm

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Seeded Glass and Opal Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

25859

1 Lt Medium Chain Lantern

H: 394mm **W:** 235mm

Drop Range: 490mm - 1420mm
(Supplied with 1000mm of chain.)

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Seeded Glass and Opal Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23

25856

1 Lt Medium Wall Lantern

H: 425mm **W:** 235mm **P:** 273mm

Finish: Oil Rubbed Bronze

Materials: Cast Aluminium, Seeded Glass and Opal Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



TRADITIONAL

The lanterns in this collection are for more traditional period properties that require designs with detail and character. Look out for the large scale models as well as the more petite traditional lanterns, scaled for the perfect country cottage or hospitality settings.



60672

Page 196



58626

Page 167



West
Cottage

Model Shown: 14287



Model Shown: 58581



58578

58578

2 lt Medium Wall Lantern

H: 419mm **W:** 228mm **P:** 140mm

Finish: Black

Materials: Aluminium, Clear Glass

Max. Wattage: 2 x 40W E14

IP Rating: IP44



58580

58580

1 lt Small Wall Lantern

H: 413mm **W:** 140mm **P:** 190mm

Finish: Black

Materials: Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



58581

58581

1 lt Small Wall Lantern

H: 413mm **W:** 140mm **P:** 190mm

Finish: Painted Burnished Bronze

Materials: Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



58579



58556

1 lt Small Wall Lantern

H: 344mm **W:** 190mm **P:** 192mm**Finish:** Textured Black with
Burnished Bronze**Materials:** Aluminium, Clear
Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58556****58554**

3 lt Large Wall Lantern

H: 610mm **W:** 234mm **P:** 236mm**Finish:** Textured Black with
Burnished Bronze**Materials:** Aluminium, Clear
Seeded Glass**Max. Wattage:** 3 x 40W E14**IP Rating:** IP44**58554****58555**

2 lt Medium Wall Lantern

H: 470mm **W:** 190mm **P:** 192mm**Finish:** Textured Black with
Burnished Bronze**Materials:** Aluminium, Clear
Seeded Glass**Max. Wattage:** 2 x 40W E14**IP Rating:** IP44**58555**



58187



58184

58184

1 Lt Wall Light

H: 586mm **W:** 128mm **P:** 108mm

Finish: Old Black

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



58188

58187

3 Lt Chain Lantern

H: 598mm **W:** 301mm

Drop Range: 662mm - 2157mm
(Supplied with 1524mm of chain.)

Finish: Old Black

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44

58188

2 Lt Wall Lantern

H: 541mm **W:** 248mm **P:** 236mm

Finish: Old Black

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 2 x 40W E14

IP Rating: IP44

58575

1 lt Small Chain Lantern

H: 269mm **W:** 178mm**Drop Range:** 374mm - 1920mm*(Supplied with 1524mm of chain)***Finish:** Black**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58574**

3 lt Large Chain Lantern

H: 454mm **W:** 279mm**Drop Range:** 559mm - 2105mm*(Supplied with 1524mm of chain)***Finish:** Black**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 3 x 40W E14**IP Rating:** IP44**58575****58572**

1 lt Small Wall Lantern

H: 351mm **W:** 178mm **P:** 218mm**Finish:** Black**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58574****58572**

58570



58570

3 Lt Large Wall Lantern

H: 585mm **W:** 279mm **P:** 335mm

Finish: Black

Materials: Aluminium, Clear

Seeded Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44

58571



58571

2 Lt Medium Wall Lantern

H: 479mm **W:** 229mm **P:** 274mm

Finish: Black

Materials: Aluminium, Clear

Seeded Glass

Max. Wattage: 2 x 40W E14

IP Rating: IP44

58573



58573

2 Lt Medium Pedestal Lantern

H: 444mm **W:** 229mm

Finish: Black

Materials: Aluminium, Clear

Seeded Glass

Max. Wattage: 2 x 40W E14

IP Rating: IP44

52040

1 Lt Large Wall Lantern

H: 418mm W: 248mm P: 286mm

Finish: Black**Materials:** Cast Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52040

52041

1 Lt Medium Chain Lantern

H: 338mm W: 197mm

Drop Range: 454mm - 2024mm*(Supplied with 1524mm of chain.)***Finish:** Black**Materials:** Cast Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52041

52039

1 Lt Medium Wall Lantern

H: 326mm **W:** 197mm **P:** 229mm

Finish: Black

Materials: Cast Aluminium, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



52039



52038

52038

1 Lt Small Wall Lantern

H: 248mm **W:** 146mm **P:** 182mm

Finish: Black

Materials: Cast Aluminium, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

52042

1 Lt Medium Pedestal

H: 445mm **W:** 197mm

Finish: Black

Materials: Cast Aluminium, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



52042

58521

1 Lt Small Wall Lantern

H: 286mm **W:** 152mm **P:** 175mm**Finish:** Grey Bronze**Materials:** Stainless Steel, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58521

58523

4 Lt Chain Lantern

H: 584mm **W:** 338mm**Drop Range:** 662mm - 2221mm*(Supplied with 1524mm of chain.)***Finish:** Grey Bronze**Materials:** Stainless Steel, Seeded Glass**Max. Wattage:** 4 x 40W E14**IP Rating:** IP44

58523

58522

2 Lt Half Lantern

H: 432mm **W:** 241mm **P:** 162mm**Finish:** Grey Bronze**Materials:** Stainless Steel, Seeded Glass**Max. Wattage:** 2 x 40W E14**IP Rating:** IP44

58522



58520



60668

This image is
not to scale.



58519



58520

1 lt Medium Wall Lantern

H: 406mm **W:** 203mm **P:** 235mm

Finish: Grey Bronze

Materials: Stainless Steel, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

60668

4 lt Single Head Lamp Post

H: 3000mm **W:** 338mm

Finish: Grey Bronze

Materials: Stainless Steel, Seeded Glass, Cast Aluminium Post

Max. Wattage: 4 x 40W E14

IP Rating: IP44

58519

3 lt Large Wall Lantern

H: 489mm **W:** 241mm **P:** 273mm

Finish: Grey Bronze

Materials: Stainless Steel, Seeded Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44

58615

1 lt Small Wall Lantern

H: 279mm **W:** 157mm **P:** 108mm**Finish:** Oil Rubbed Bronze**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58614**


2 lt Medium Wall Lantern

H: 372mm **W:** 208mm **P:** 143mm**Finish:** Oil Rubbed Bronze**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 2 x 40W E14**IP Rating:** IP44**58615****58129**

1 lt Medium Wall Lantern

H: 450mm **W:** 191mm **P:** 221mm**Finish:** Distressed Black**Materials:** Cast Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58614****58130**

1 lt Small Wall Lantern

H: 343mm **W:** 153mm **P:** 177mm**Finish:** Distressed Black**Materials:** Cast Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58129****58130**



58099



58098



58097

58099

1 Lt Small Wall Lantern

H: 345mm **W:** 150mm **P:** 149mm**Finish:** Aged Copper**Materials:** Weather Resistant Composite, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58098**

1 Lt Medium Wall Lantern

H: 413mm **W:** 187mm **P:** 186mm**Finish:** Aged Copper**Materials:** Weather Resistant Composite, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58097**

3 Lt Large Wall Lantern

H: 510mm **W:** 225mm **P:** 219mm**Finish:** Aged Copper**Materials:** Weather Resistant Composite, Seeded Glass**Max. Wattage:** 3 x 40W E14**IP Rating:** IP44

52023

1 Lt Small Wall Lantern

H: 238mm W: 155mm P: 185mm

Finish: Textured White**Materials:** Weather Resistant Composite, Clear Seeded Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP44

52023

52024

1 Lt Medium Wall Lantern

H: 301mm W: 207mm P: 232mm

Finish: Textured White**Materials:** Weather Resistant Composite, Clear Seeded Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP44

52024

52025

1 Lt Large Wall Lantern

H: 389mm W: 257mm P: 288mm

Finish: Textured White**Materials:** Weather Resistant Composite, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52025



52021



52020

52020

1 Lt Small Wall Lantern

H: 238mm **W:** 155mm **P:** 185mm**Finish:** Black**Materials:** Weather Resistant

Composite, Clear Seeded Glass

Max. Wattage: 1 x 40W E27**IP Rating:** IP44

52022



Model Shown: 27149



27147



27147

3 Lt Wall Lantern

H: 578mm **W:** 305mm **P:** 375mm

Finish: Grey/Gold

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44

27149



27150

27149

3 Lt Chain Lantern

H: 476mm **W:** 305mm

Drop Range: 565mm - 2362mm
(Supplied with 1829mm of chain.)

Finish: Grey/Gold

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44

27150

3 Lt Pedestal Lantern

H: 696mm **W:** 305mm

Finish: Grey/Gold

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44

27148

3 Lt Flush

H: 229mm **W:** 305mm**Finish:** Grey/Gold**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 3 x 40W E14**IP Rating:** IP44

27148

58630

3 Lt Flush

H: 229mm **W:** 305mm**Finish:** Burnished Bronze**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 3 x 40W E14**IP Rating:** IP44

58630

27146

2 Lt Small Wall Lantern

H: 489mm **W:** 254mm **P:** 318mm**Finish:** Grey/Gold**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 2 x 40W E14**IP Rating:** IP44

27146

58627

2 Lt Small Wall Lantern

H: 489mm **W:** 254mm **P:** 318mm**Finish:** Burnished Bronze**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 2 x 40W E14**IP Rating:** IP44

58627



58626



58626

3 Lt Medium Wall Lantern

H: 578mm **W:** 305mm **P:** 375mm

Finish: Burnished Bronze

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44

58629

3 Lt Medium Chain Lantern

H: 476mm **W:** 305mm

Drop Range: 565mm - 2362mm
(Supplied with 1829mm of chain.)

Finish: Burnished Bronze

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44

58628

3 Lt Medium Pedestal Lantern

H: 696mm **W:** 305mm

Finish: Burnished Bronze

Materials: Aluminium, Clear Seeded Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44



58628

58464

1 lt Medium Wall Lantern

H: 560mm **W:** 280mm **P:** 340mm**Finish:** Black**Materials:** Cast Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58464****58467**

1 lt Small Pillar Lantern

H: 1150mm **W:** 235mm**Finish:** Black**Materials:** Cast Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58467****58466**

1 lt Small Pedestal Lantern

H: 510mm **W:** 235mm**Finish:** Black**Materials:** Cast Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**58466**



58468

This image is
not to scale.



58469

58468

1 Lt Single Head Lamp Post

H: 2465mm **W:** 280mm

Finish: Black

Materials: Cast Aluminium, Clear
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58469

1 Lt Small Chain Lantern

H: 435mm **W:** 235mm

Drop Range: 510mm - 1510mm
(Supplied with 1460mm of chain)

Finish: Black

Materials: Cast Aluminium, Clear
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58465

1 Lt Small Wall Lantern

H: 470mm **W:** 235mm **P:** 280mm

Finish: Black

Materials: Cast Aluminium, Clear
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



58465

58456

1 Lt Medium Wall Lantern

H: 334mm **W:** 180mm **P:** 225mm**Finish:** Black**Materials:** Cast Aluminium, Clear Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58456

58460

1 Lt Medium Chain Lantern

H: 336mm **W:** 180mm**Drop Range:** 428mm - 1412mm*(Supplied with)***Finish:** Black**Materials:** Cast Aluminium, Clear Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58460



58459

58459

1 Lt Medium Pillar Lantern

H: 1041mm **W:** 180mm**Finish:** Black**Materials:** Cast Aluminium, Clear Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58459

58458

1 Lt Medium Pedestal Lantern

H: 393mm **W:** 180mm**Finish:** Black**Materials:** Cast Aluminium, Clear Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58458





58461



58461

1 Lt Porch Lantern

H: 224mm **W:** 142mm

Finish: Black

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



58455

This image is
not to scale.



58457



60115

1 Lt Large Lamp Post

H: 2164mm **W:** 228mm

Finish: Black

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58455

1 Lt Large Wall Lantern

H: 422mm **W:** 228mm **P:** 276mm

Finish: Black

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58457

1 Lt Small Wall Lantern

H: 274mm **W:** 142mm **P:** 179mm

Finish: Black

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58473

1 lt Small Wall Lantern

H: 415mm W: 185mm P: 238mm

Finish: Weathered Bronze**Materials:** Cast Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58473

58472

1 lt Medium Wall Lantern

H: 543mm W: 243mm P: 302mm

Finish: Weathered Bronze**Materials:** Cast Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58472

58475

1 lt Small Pillar Lantern

H: 1094mm W: 185mm

Finish: Weathered Bronze**Materials:** Cast Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58474

1 lt Small Pedestal Lantern

H: 466mm W: 185mm

Finish: Weathered Bronze**Materials:** Cast Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58475



58474



58477



58471

58476



58470

This image is
not to scale.

58477

1 Lt Small Chain Lantern

H: 384mm **W:** 185mm

Drop Range: 452mm - 1412mm
(Supplied with 1028mm of chain.)

Finish: Weathered Bronze

Materials: Cast Aluminium, Clear
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58471

1 Lt Small Wall Lantern

H: 415mm **W:** 185mm **P:** 238mm

Finish: Weathered Bronze

Materials: Cast Aluminium, Clear
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58476

1 Lt Single Head Lamp Post

H: 2325mm **W:** 243mm

Finish: Weathered Bronze

Materials: Cast Aluminium, Clear
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58470

1 Lt Medium Wall Lantern

H: 543mm **W:** 243mm **P:** 302mm

Finish: Weathered Bronze

Materials: Cast Aluminium, Clear
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



Model Shown: 27916

30457



30457

2 Lt Flush

H: 127mm W: 330mm

Finish: Oil Rubbed Bronze

Materials: Weather Resistant Composite, Clear Seeded Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44



27916

27916

1 Lt Medium Wall Lantern

H: 367mm W: 229mm P: 257mm

Finish: Oil Rubbed Bronze

Materials: Weather Resistant Composite, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



27915

58286

2 lt Flush


H: 127mm W: 330mm

Finish: White

Materials: Weather Resistant Composite, Clear Seeded Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44



58286

58288

1 lt Small Wall Lantern

H: 263mm W: 169mm P: 205mm

Finish: White

Materials: Weather Resistant Composite, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



58288

58287

1 lt Medium Wall Lantern

H: 342mm W: 220mm P: 257mm

Finish: White

Materials: Weather Resistant Composite, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



58287



58107

58108



58108

1 Lt Small Wall Lantern

H: 377mm W: 156mm P: 208mm

Finish: Black

Materials: Weather Resistant

Composite, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58107

58106



58106

1 Lt Large Wall Lantern

H: 595mm W: 260mm P: 331mm

Finish: Black

Materials: Weather Resistant

Composite, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

27124

2 lt Flush Mount

H: 145mm W: 330mm

Finish: Dark Weathered Zinc**Materials:** Weather Resistant Composite, Etched & Seeded Glass**Max. Wattage:** 2 x 60W E27**IP Rating:** IP44

27124



27122

1 lt Extra Large Wall Lantern

H: 891mm W: 292mm P: 328mm

Finish: Dark Weathered Zinc**Materials:** Weather Resistant Composite, Etched & Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27122





27121



27120

27120

1 Lt Medium Wall Lantern

H: 487mm W: 190mm P: 184mm

Finish: Dark Weathered Zinc

Materials: Weather Resistant Composite, Etched & Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



27119

27119

1 Lt Small Wall Lantern

H: 419mm W: 178mm P: 184mm

Finish: Dark Weathered Zinc

Materials: Weather Resistant Composite, Etched & Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



Model Shown: 58115



58113

58113

2 Lt Flush

H: 132mm **W:** 305mm**Finish:** Dark Brown**Materials:** Weather Resistant

Composite, Ripple Glass

Max. Wattage: 2 x 60W E27**IP Rating:** IP44

58111

58111

1 Lt Chain Lantern

H: 299mm **W:** 165mm**Drop Range:** 377mm - 1336mm
(Supplied with 1000mm of chain.)**Finish:** Dark Brown**Materials:** Weather Resistant

Composite, Steel Ceiling Pan &

Chain, Ripple Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

58115

58115

1 Lt Medium Wall Lantern

H: 359mm **W:** 203mm **P:** 228mm**Finish:** Dark Brown**Materials:** Weather Resistant

Composite, Ripple Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

58117

58117

1 Lt Small Wall Lantern

H: 302mm **W:** 165mm **P:** 190mm**Finish:** Dark Brown**Materials:** Weather Resistant

Composite, Ripple Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

58114

2 Lt Flush

H: 132mm W: 305mm

Finish: White

Materials: Weather Resistant Composite, Ripple Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44

58112

1 Lt Chain Lantern

H: 299mm W: 165mm

Drop Range: 377mm - 1336mm

(Supplied with 1000mm of chain.)

Finish: White

Materials: Weather Resistant Composite, Steel Ceiling Pan & Chain, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58116

1 Lt Medium Wall Lantern

H: 359mm W: 203mm P: 228mm

Finish: White

Materials: Weather Resistant Composite, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58118

1 Lt Small Wall Lantern

H: 302mm W: 165mm P: 190mm

Finish: White

Materials: Weather Resistant Composite, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58114



58112



58116



58118





52026

52026

1 Lt Small Wall Lantern

H: 355mm **W:** 213mm **P:** 219mm**Finish:** Dark Brown**Materials:** Weather Resistant

Composite, Clear Seeded Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

52027

52027

2 Lt Medium Wall Lantern

H: 432mm **W:** 213mm **P:** 219mm**Finish:** Dark Brown**Materials:** Weather Resistant

Composite, Clear Seeded Glass

Max. Wattage: 2 x 40W E14**IP Rating:** IP44

52084

1 Lt Medium Wall Lantern

H: 366mm **W:** 202mm **P:** 245mm**Finish:** Black**Materials:** Weather Resistant Composite, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52084

52085

1 Lt Medium Chain Lantern

H: 325mm **W:** 202mm**Drop Range:** 414mm - 2890mm*(Supplied with 2438mm of chain.)***Finish:** Black**Materials:** Weather Resistant Composite, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52083

1 Lt Small Wall Lantern

H: 279mm **W:** 153mm **P:** 200mm**Finish:** Black**Materials:** Weather Resistant Composite, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

52085



52083

27914



27914

1 Lt Small Wall Lantern

H: 283mm W: 143mm P: 139mm

Finish: Old Painted Bronze

Materials: Weather Resistant Composite, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

27912



27913



27912

3 Lt Large Wall Lantern

H: 420mm W: 208mm P: 193mm

Finish: Old Painted Bronze

Materials: Weather Resistant Composite, Seeded Glass

Max. Wattage: 3 x 40W E14

IP Rating: IP44

27913

2 Lt Medium Wall Lantern

H: 356mm W: 180mm P: 169mm

Finish: Old Painted Bronze

Materials: Weather Resistant Composite, Seeded Glass

Max. Wattage: 2 x 40W E14

IP Rating: IP44

27901

1 Lt Large Wall Lantern

H: 461mm W: 254mm P: 279mm

Finish: Satin Black**Materials:** Weather Resistant

Composite, Seeded Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

27901

27904

1 Lt Medium Pedestal Lantern

H: 470mm W: 216mm

Finish: Satin Black**Materials:** Weather Resistant

Composite, Aluminium Foot,

Seeded Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

27904



27903



27903

1 Lt Small Wall Lantern

H: 322mm **W:** 178mm **P:** 203mm**Finish:** Satin Black**Materials:** Weather Resistant

Composite, Seeded Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

27905



27902

20675

1 Lt Wall Lantern

H: 440mm **W:** 270mm **P:** 320mm**Finish:** Black**Materials:** Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

20676

1 Lt Chain Lantern

H: 420mm **W:** 270mm**Drop Range:** 535mm - 730mm
(Supplied with 310mm of chain.)**Finish:** Black**Materials:** Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

20676



20675

20675 can be mounted
up or down

20675



20679

20679

1 Lt Lamp Post

H: 1810mm **W:** 270mm**Finish:** Black**Materials:** Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

20677



20678



20677

20677 can be fitted as a
Pedestal or Porch ceiling fixture



20680

20684 can be mounted
up or down



20684

25115



20682 can be fitted as a
Pedestal or Porch ceiling fixture

20682



20681



20684



20683



20680

20684 can be mounted
up or down



20680

1 Lt Lamp Post

H: 1910mm **W:** 255mm

Finish: Black

Materials: Weather Resistant
Polymer, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP44

20684

1 Lt Wall Lantern

H: 520mm **W:** 205mm **P:** 280mm

Finish: Black

Materials: Weather Resistant
Polymer, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP44

20683

1 Lt Chain Lantern

H: 510mm **W:** 205mm

Drop Range: 625mm - 730mm
(Supplied with 310mm of chain.)

Finish: Black

Materials: Weather Resistant
Polymer, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP44

25115

1 Lt Flush Mount

H: 440mm **W:** 205mm **P:** 140mm

Finish: Black

Materials: Weather Resistant
Polymer, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP44

20681

1 Lt Pillar Lantern

H: 1160mm **W:** 255mm

Finish: Black

Materials: Weather Resistant
Polymer, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP44

20682

1 Lt Pedestal/Porch

H: 440mm **W:** 205mm

Finish: Black

Materials: Weather Resistant
Polymer, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP44

20687

1 Lt Pedestal/Porch Lantern

H: 510mm **W:** 230mm**Finish:** Black**Materials:** Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

20686

1 Lt Chain Lantern

H: 520mm **W:** 230mm**Drop Range:** 635mm - 730mm
(Supplied with 310mm of chain.)**Finish:** Black**Materials:** Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

20687

shown as porch lantern

20686



20690

1 Lt Lamp Post

H: 1930mm **W:** 255mm**Finish:** Black**Materials:** Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

20685

1 Lt Wall Lantern

H: 460mm **W:** 230mm **P:** 270mm**Finish:** Black**Materials:** Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

20685

shown as down lantern



20689

1 Lt Pillar Lantern

H: 1180mm **W:** 255mm**Finish:** Black**Materials:** Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

20688



20688

1 Lt Flush Lantern

H: 440mm **W:** 250mm **P:** 127mm**Finish:** Black**Materials:** Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

20687

shown as pedestal



25128



25117



25120



25118



25119



25128

2 lt Up & Down Lantern

H: 300mm W: 190mm P: 150mm

Finish: Black

Materials: Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 2 x 60W E27 (golf ball shape recommended)**IP Rating:** IP44

25117

1 lt Chain Lantern

H: 390mm W: 250mm

Drop Range: 530mm - 730mm (Supplied with 310mm of chain.)

Finish: Black

Materials: Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

25120

1 lt Pillar

H: 1180mm W: 250mm

Finish: Black

Materials: Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

25118

1 lt Down Wall Lantern

H: 410mm W: 250mm P: 320mm

Finish: Black

Materials: Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

25119

1 lt Pedestal

H: 500mm W: 250mm

Finish: Black

Materials: Weather Resistant Polymer, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44



Model Shown: 52851

52851

**52851**

1 lt Up Wall Light

H: 485mm **W:** 250mm **P:** 345mm**Finish:** Black**Materials:** Powder Coated Aluminium, UV Stabilised Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

52853

**52852**

1 lt Pedestal

H: 435mm **W:** 250mm**Finish:** Black**Materials:** Powder Coated Aluminium, UV Stabilised Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

52852



14411

3 Lt Triple Head Post

H: 1820-2490mm W: 780mm

Finish: Black**Materials:** Die-Cast Aluminium,
Clear Polycarbonate**Max. Wattage:** 3 x 60W E27**IP Rating:** IP54

14411



14391

1 Lt Wall Lantern

H: 440mm W: 270mm P: 390mm

Finish: Black**Materials:** Die-Cast Aluminium,
Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

14391





14626

14631

14606

14626

3 Lt Lamp Post

H: 1930-2560mm **W:** 800mm**Finish:** Black**Materials:** Die-Cast Aluminium, Clear Polycarbonate**Max. Wattage:** 3 x 60W E27**IP Rating:** IP54**14631**

1 Lt Chain Lantern

H: 300mm **W:** 260mm**Drop Range:** 525mm - 1020mm
(Supplied with)**Finish:** Black**Materials:** Die-Cast Aluminium, Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54**14606**

1 Lt Wall Lantern

H: 530mm **W:** 260mm **P:** 400mm**Finish:** Black**Materials:** Die-Cast Aluminium, Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

60672

2 lt Flush

H: 165mm W: 300mm

Finish: Brushed Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44

B

Handmade in
Solid Brass

60672

58582

2 lt Medium Half Lantern

H: 310mm W: 255mm P: 110mm

Finish: Brushed Brass

Materials: Solid Brass, Bevelled
Clear Glass

Max. Wattage: 2 x 40W E14

IP Rating: IP44

58584

1 lt Small Half Lantern

H: 310mm W: 130mm P: 110mm

Finish: Brushed Brass

Materials: Solid Brass, Bevelled
Clear Glass

Max. Wattage: 1 x 40W E14

IP Rating: IP44



58582



58584



60673

60673

2 Lt Flush

H: 165mm **W:** 300mm

Finish: Dark Bronze

Materials: Solid Brass, Clear Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44



18789

18789

2 Lt Half Lantern Medium

H: 310mm **W:** 255mm **P:** 110mm

Finish: Dark Bronze

Materials: Solid Brass, Bevelled Clear Glass

Max. Wattage: 2 x 40W E14

IP Rating: IP44



18794

60674

2 Lt Flush

H: 165mm W: 300mm

Finish: Polished Chrome**Materials:** Solid Brass, Clear Glass**Max. Wattage:** 2 x 60W E27**IP Rating:** IP44

B

Handmade in
Solid Brass

60674

18790

2 Lt Half Lantern Medium

H: 310mm W: 255mm P: 110mm

Finish: Polished Chrome**Materials:** Solid Brass, Bevelled
Clear Glass**Max. Wattage:** 2 x 40W E14**IP Rating:** IP44

18793

1 Lt Half Lantern Small

H: 310mm W: 130mm P: 110mm

Finish: Polished Chrome**Materials:** Solid Brass, Bevelled
Clear Glass**Max. Wattage:** 1 x 40W E14**IP Rating:** IP44

18790



18793



B
Handmade in
Solid Brass

60675

60675

2 Lt Flush

H: 165mm **W:** 300mm

Finish: Verdigris

Materials: Solid Brass, Clear Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44



58583

58583

2 Lt Medium Half Lantern

H: 310mm **W:** 255mm **P:** 110mm

Finish: Verdigris

Materials: Solid Brass, Bevelled

Clear Glass

Max. Wattage: 2 x 40W E14

IP Rating: IP44



58585

31045

1 lt Large Wall Lantern

H: 489mm W: 296mm P: 145mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44

B
Handmade in
Solid Brass



31045

25011

3 lt Chain Lantern

H: 480mm W: 220mm

Drop Range: 570mm - 940mm
(Supplied with 450mm of chain.)

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44



25011

20158

1 lt Wall Lantern

H: 375mm W: 220mm P: 120mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



20158

25009

3 lt Wall Lantern

H: 478mm W: 220mm P: 346mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44



25009

N.B. Brass patinas with time.



25012

20160



B
Handmade in
Solid Brass

20160

1 Lt Wall Lantern

H: 375mm **W:** 220mm **P:** 120mm**Finish:** Polished Nickel**Materials:** Solid Brass, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**25012**

3 Lt Chain Lantern

H: 480mm **W:** 220mm**Drop Range:** 570mm - 940mm
(Supplied with 450mm of chain.)**Finish:** Polished Nickel**Materials:** Solid Brass, Clear Glass**Max. Wattage:** 3 x 60W E14**IP Rating:** IP44**20907**

1 Lt Wall Lantern

H: 375mm **W:** 220mm **P:** 120mm**Finish:** Verdigris**Materials:** Solid Brass, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**25010**

3 Lt Wall Lantern

H: 478mm **W:** 220mm **P:** 346mm**Finish:** Polished Nickel**Materials:** Solid Brass, Clear Glass**Max. Wattage:** 3 x 60W E14**IP Rating:** IP44

20907

25010



31047

2 Lt Large Wall Lantern

H: 414mm W: 302mm P: 100mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44



31047

20169

1 Lt Wall Lantern

H: 305mm W: 225mm P: 80mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



20169

21273

1 Lt Wall Lantern

H: 305mm W: 225mm P: 80mm

Finish: Verdigris

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



21273



20164

N.B. Brass patinas with time.



20172



Handmade in
Solid Brass

20172

1 Lt Wall Lantern

H: 375mm **W:** 260mm **P:** 120mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



31046



20161

31046

2 Lt Large Wall Lantern

H: 375mm **W:** 260mm **P:** 150mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44

20161

1 Lt Wall Lantern

H: 280mm **W:** 210mm **P:** 110mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

N.B. Brass patinas with time.

58742

1 Lt Wall Lantern

H: 320mm W: 205mm P: 115mm

Finish: Aged Brass**Materials:** Solid Brass, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

20168

1 Lt Wall Lantern

H: 285mm W: 200mm P: 115mm

Finish: Aged Brass**Materials:** Solid Brass, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

20155

1 Lt Wall Lantern

H: 465mm W: 210mm P: 120mm

Finish: Aged Brass**Materials:** Solid Brass, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58742



20168



20155

N.B. Brass patinas with time.



21241



Handmade in
Solid Brass

21241

1 Lt Wall Lantern

H: 260mm **W:** 175mm **P:** 100mm

Finish: Verdigris

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



20171

20171

1 Lt Wall Lantern

H: 260mm **W:** 175mm **P:** 100mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



20157

20157

1 Lt Wall Lantern

H: 270mm **W:** 180mm **P:** 130mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



21238

21238

1 Lt Wall Lantern

H: 270mm **W:** 180mm **P:** 130mm

Finish: Verdigris

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

N.B. Brass patinas with time.



Model Shown: 21239



20154



20864



20166



21239

B
Handmade in
Solid Brass

20154

1 Lt Wall Lantern

H: 600mm **W:** 175mm **P:** 130mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

20864

1 Lt Wall Lantern

H: 600mm **W:** 175mm **P:** 130mm

Finish: Verdigris

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

20166

1 Lt Wall Lantern

H: 350mm **W:** 185mm **P:** 100mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

21239

1 Lt Wall Lantern

H: 350mm **W:** 185mm **P:** 100mm

Finish: Verdigris

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

N.B. Brass patinas with time.



Model Shown: 23679



B
Handmade in
Solid Brass

25204
1 Lt Chain Lantern

H: 255mm **W:** 295mm
Drop Range: 330mm - 950mm
(Supplied with 590mm of chain.)
Finish: Verdigris
Materials: Solid Brass, Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

25202
1 Lt Chain Lantern

H: 255mm **W:** 295mm
Drop Range: 330mm - 950mm
(Supplied with 590mm of chain.)
Finish: Aged Brass
Materials: Solid Brass, Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

23680
1 Lt Wall Lantern

H: 240mm **W:** 295mm **P:** 390mm
Finish: Verdigris
Materials: Solid Brass, Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

23679
1 Lt Wall Lantern

H: 240mm **W:** 295mm **P:** 390mm
Finish: Aged Brass
Materials: Solid Brass, Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

23676
Cage Accessory
Finish: Verdigris

23675
Cage Accessory
Finish: Aged Brass

Cage accessories available for all fittings on this page.



N.B. Brass patinas with time.



Model Shown: 23674



B
Handmade in
Solid Brass

23672

23672
1 Lt Wall Lantern

H: 250mm **W:** 240mm **P:** 370mm

Finish: Aged Brass

Materials: Solid Brass, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



23674

23675
Cage Accessory

Finish: Aged Brass

23676
Cage Accessory

Finish: Verdigris

*Cage accessories available for both
fittings on this page.*



23675



23676

N.B. Brass patinas with time.



Model Shown: 24949



24945



24948



24949



23225

B
Handmade in
Solid Brass

24945

1 Lt Small Wall Lantern

H: 318mm **W:** 121mm **P:** 165mm**Finish:** Rustic Aged Brass**Materials:** Solid Brass, Seeded Glass**Max. Wattage:** 1 x 60W E14**IP Rating:** IP44**24948**

3 Lt Medium Wall Lantern

H: 406mm **W:** 152mm **P:** 203mm**Finish:** Rustic Aged Brass**Materials:** Solid Brass, Seeded Glass**Max. Wattage:** 2 x 60W E14**IP Rating:** IP44**24949**

3 Lt Large Wall Lantern

H: 533mm **W:** 203mm **P:** 260mm**Finish:** Rustic Aged Brass**Materials:** Solid Brass, Seeded Glass**Max. Wattage:** 3 x 60W E14**IP Rating:** IP44**23225**

2 Lt Small Wall Lantern

H: 439mm **W:** 178mm **P:** 235mm**Finish:** Rustic Aged Brass**Materials:** Solid Brass, Seeded Glass**Max. Wattage:** 2 x 60W E14**IP Rating:** IP44

14525

1 Lt Wall Lantern

H: 790mm W: 250mm P: 400mm

Finish: Copper**Materials:** Copper, Powder

Coated Aluminium, Clear

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

14525

14529

1 Lt Grande Up Wall Lantern

H: 990mm W: 320mm P: 520mm

Finish: Copper**Materials:** Copper, Powder

Coated Aluminium, Clear

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

14529

18930

1 Lt Down Wall Lantern

H: 530mm W: 250mm P: 400mm

Finish: Copper**Materials:** Copper, Powder

Coated Aluminium, Clear

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

18930

These products have a 10 year warranty against structural failure for Copper parts and 5 year warranty against severe corrosion for Aluminium parts

**18931**

1 Lt Chain Lantern

H: 650mm **W:** 250mm**Drop Range:** 755mm - 1755mm
(Supplied with 1000mm of chain.)**Finish:** Copper**Materials:** Copper, Clear
Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**16964**

1 Lt Large Half Lantern

H: 610mm **W:** 250mm **P:** 190mm**Finish:** Copper**Materials:** Copper, Clear
Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**19766**

1 Lt Small Half Lantern

H: 310mm **W:** 210mm **P:** 125mm**Finish:** Copper**Materials:** Copper, Clear
Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**18931****16964****19766**

14528

1 Lt Grande Lamp Post Head Only

H: 750mm W: 320mm

Finish: Copper**Materials:** Copper, Powder Coated Aluminium, Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

14530

1 Lt Grande Pedestal Lantern

H: 880mm W: 320mm

Finish: Copper**Materials:** Copper, Powder Coated Aluminium, Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

14526

1 Lt Pedestal Lantern

H: 720mm W: 250mm

Finish: Copper**Materials:** Copper, Powder Coated Aluminium, Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

14528



These products have a 10 year warranty against structural failure for Copper parts and 5 year warranty against severe corrosion for Aluminium parts

14530



14526



14531



52827

14531

1 Lt Grande Lamp Post

H: 2300-3200mm **W:** 420mm**Finish:** Copper & Black**Materials:** Copper, Powder

Coated Aluminium, Clear

Polycarbonate

Max. Wattage: 1 x 60W E27**IP Rating:** IP44**52827**

Twin Head Lamp Post

H: 2250 - 3150mm **W:** 880mm**Finish:** Copper & Black**Materials:** Copper, Powder

Coated Aluminium, Clear

Polycarbonate

Max. Wattage: 2 x 60W E27**IP Rating:** IP44

These products have a 10 year warranty against structural failure for Copper parts and 5 year warranty against severe corrosion for Aluminium parts

27826

1 Lt Small Outdoor Wall Light

H: 263mm W: 147mm P: 170mm

Finish: Polished Brass**Materials:** Solid Brass, Clear Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27825

1 Lt Medium Outdoor Wall Light

H: 393mm W: 178mm P: 197mm

Finish: Polished Brass**Materials:** Solid Brass, Clear Bevelled Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27826



27825





30459



30459

3 Lt Flush

H: 190mm **W:** 365mm

Finish: Lacquered Aged Copper

Materials: Solid Copper, Clear Bevelled Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44



30463



30464

30464

1 Lt Medium Chain Lantern

H: 334mm **W:** 208mm

Drop Range: 410mm - 1570mm

(Supplied with 1200mm of chain.)

Finish: Lacquered Aged Copper

Materials: Solid Copper, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23



30462



30461

30462

1 Lt Small Wall Lantern

H: 311mm **W:** 177mm **P:** 169mm

Finish: Lacquered Aged Copper

Materials: Solid Copper, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



30460

30460

2 Lt Large Wall Lantern

H: 531mm **W:** 264mm **P:** 254mm

Finish: Lacquered Aged Copper

Materials: Solid Copper, Clear Bevelled Glass

Max. Wattage: 2 x 60W E14

IP Rating: IP44

30461

1 Lt Medium Wall Lantern

H: 356mm **W:** 203mm **P:** 198mm

Finish: Lacquered Aged Copper

Materials: Solid Copper, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

26109

3 Lt Flush

H: 190mm **W:** 365mm**Finish:** Lacquered Polished Brass**Materials:** Brass, Clear Bevelled Glass**Max. Wattage:** 3 x 60W E14**IP Rating:** IP44

26109

26115

2 Lt Large Chain Lantern

H: 497mm **W:** 264mm**Drop Range:** 508mm - 1708mm*(Supplied with 1200mm of chain.)***Finish:** Lacquered Polished Brass**Materials:** Brass, Clear Bevelled Glass**Max. Wattage:** 2 x 60W E14**IP Rating:** IP23

26114

2 Lt Pedestal

H: 570mm **W:** 264mm**Finish:** Lacquered Polished Brass**Materials:** Brass, Clear Bevelled Glass**Max. Wattage:** 2 x 60W E14**IP Rating:** IP44

26115

26114



26112



30465



26110



26111

26112

1 Lt Small Wall Lantern

H: 311mm **W:** 177mm **P:** 169mm

Finish: Lacquered Polished Brass

Materials: Brass, Clear Bevelled

Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

30465

1 Lt Medium Chain Lantern

H: 334mm **W:** 203mm

Drop Range: 410mm - 1570mm
(Supplied with 1200mm of chain.)

Finish: Lacquered Polished Brass

Materials: Brass, Clear Bevelled

Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23

26110

2 Lt Large Wall Lantern

H: 531mm **W:** 264mm **P:** 254mm

Finish: Lacquered Polished Brass

Materials: Brass, Clear Bevelled

Glass

Max. Wattage: 2 x 40W E14

IP Rating: IP44

26111

1 Lt Medium Wall Lantern

H: 356mm **W:** 203mm **P:** 198mm

Finish: Lacquered Polished Brass

Materials: Brass, Clear Bevelled

Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



Model Shown: 26017



26016



26020



26017



26018



26019

26016

2 Lt Flush Mount

H: 140mm **W:** 235mm

Finish: Brushed Bronze

Materials: Cast Aluminium, Rain Glass

Max. Wattage: 2 x 60W E14

IP Rating: IP44

26020

2 Lt Chain Lantern

H: 629mm **W:** 184mm

Drop Range: 700mm - 1900mm
(Supplied with 1200mm of chain.)

Finish: Brushed Bronze

Materials: Cast Aluminium, Rain Glass

Max. Wattage: 2 x 60W E14

IP Rating: IP23

26017

3 Lt Large Wall Lantern

H: 787mm **W:** 235mm **P:** 343mm

Finish: Brushed Bronze

Materials: Cast Aluminium, Rain Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

26018

2 Lt Medium Wall Lantern

H: 641mm **W:** 184mm **P:** 267mm

Finish: Brushed Bronze

Materials: Cast Aluminium, Rain Glass

Max. Wattage: 2 x 60W E14

IP Rating: IP44

26019

1 Lt Half Wall Lantern

H: 298mm **W:** 171mm **P:** 95mm

Finish: Brushed Bronze

Materials: Cast Aluminium, Rain Glass

Max. Wattage: 1 x 60W E14

IP Rating: IP44

30411

1 Lt Large Wall Lantern

H: 432mm W: 242mm P: 267mm

Finish: Old Bronze**Materials:** Cast Aluminium,

Seeded Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

30411



30414

1 Lt Medium Pedestal

H: 457mm W: 191mm

Finish: Old Bronze**Materials:** Cast Aluminium,

Seeded Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

30414





30415



30412
1 Lt Medium Wall Lantern
H: 341mm **W:** 191mm **P:** 217mm
Finish: Old Bronze
Materials: Cast Aluminium, Seeded Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

30415
1 Lt Medium Chain Lantern
H: 365mm **W:** 191mm
Drop Range: 447mm - 2040mm
(Supplied with 1620mm of chain.)
Finish: Old Bronze
Materials: Cast Aluminium, Seeded Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

30413
1 Lt Small Wall Lantern
H: 265mm **W:** 146mm **P:** 169mm
Finish: Old Bronze
Materials: Cast Aluminium, Seeded Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

25939

2 lt Flush

H: 165mm W: 279mm

Finish: Old Bronze

Materials: Cast Aluminium,

Amber Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44



25939

25941

1 lt Medium Wall Lantern

H: 457mm W: 178mm P: 229mm

Finish: Old Bronze

Materials: Cast Aluminium,

Amber Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



25941

25942

1 lt Small Wall Lantern

H: 368mm W: 140mm P: 184mm

Finish: Old Bronze

Materials: Cast Aluminium,

Amber Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



25942

30451



30451

2 Lt Outdoor Flush

H: 154mm **W:** 261mm

Finish: Vintage Bronze

Materials: Steel, Tiffany Style Art

Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44



30452

30453

1 Lt Outdoor Small Wall Lantern

H: 287mm **W:** 178mm **P:** 226mm

Finish: Vintage Bronze

Materials: Steel, Tiffany Style Art

Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

30453





Model Shown: 25630

25626



25626

2 lt Flush

H: 168mm **W:** 292mm

Finish: Black

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44

25642

2 lt Half Wall Lantern

H: 406mm **W:** 241mm **P:** 152mm

Finish: Black

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 2 x 60W E14

IP Rating: IP44

25632

1 lt Small Wall Lantern

H: 292mm **W:** 165mm **P:** 197mm

Finish: Black

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

25642



25632



25630

2 Lt Medium Wall Lantern

H: 521mm W: 229mm P: 295mm

Finish: Black**Materials:** Cast Aluminium, Clear Bevelled Glass**Max. Wattage:** 2 x 60W E14**IP Rating:** IP44

25630



25638

2 Lt Medium Pillar

H: 1100mm W: 229mm

Finish: Black**Materials:** Cast Aluminium, Clear Bevelled Glass**Max. Wattage:** 2 x 60W E14**IP Rating:** IP44

25646

2 Lt Medium Chain Lantern

H: 464mm W: 229mm

Drop Range: 488mm - 1550mm
(Supplied with 1000mm of chain.)**Finish:** Black**Materials:** Cast Aluminium, Clear Bevelled Glass**Max. Wattage:** 2 x 60W E14**IP Rating:** IP23

25646



25636

2 Lt Medium Pedestal

H: 544mm W: 229mm

Finish: Black**Materials:** Cast Aluminium, Clear Bevelled Glass**Max. Wattage:** 2 x 60W E14**IP Rating:** IP44

25636



25628



25640



25634

This image is
not to scale.



25628

3 Lt Large Wall Lantern

H: 762mm **W:** 305mm **P:** 413mm

Finish: Black

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25640

3 Lt Large Post

H: 2570mm **W:** 305mm

Finish: Black

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25644

3 Lt Large Chain Lantern

H: 673mm **W:** 305mm

Drop Range: 697mm - 2000mm
(Supplied with 1200mm of chain.)

Finish: Black

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP23

25634

3 Lt Large Pedestal

H: 780mm **W:** 305mm

Finish: Black

Materials: Cast Aluminium, Clear Bevelled Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

26006

4 Lt Grand Extra Large Wall
Lantern

H: 1168mm **W:** 432mm **P:** 635mm

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 4 x 60W E27

IP Rating: IP44

26015

4 Lt Grand Extra Large Chain
Lantern

H: 850mm **W:** 432mm

Drop Range: 900mm - 4000mm
(Supplied with 3000mm of chain.)

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 4 x 60W E27

IP Rating: IP44

Extra large fittings: please
check dimensions carefully
when ordering.

26006



26015





26005

26003

This image is
not to scale.



26014



26010



26005

4 Lt Grand Wall Lantern

H: 959mm **W:** 356mm **P:** 527mm

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 4 x 60W E14

IP Rating: IP44

26003

3 Lt Extra Large Lamp post

H: 2950mm **W:** 305mm

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

26014

3 Lt Extra Large Chain Lantern

H: 630mm **W:** 305mm

Drop Range: 680mm - 3000mm
(Supplied with 2000mm of chain.)

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

26010

3 Lt Extra Large Wall Lantern

H: 737mm **W:** 305mm **P:** 451mm

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

Extra large fittings: please
check dimensions carefully
when ordering.

26007

2 Lt Large Wall Lantern

H: 610mm W: 254mm P: 375mm

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 2 x 60W E14

IP Rating: IP44

26011

2 Lt Large Pedestal

H: 670mm W: 254mm

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 2 x 60W E14

IP Rating: IP44

26009

1 Lt Small Wall Lantern

H: 267mm W: 152mm P: 197mm

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

26007



26011



26009





26013



26013

1 Lt Medium Chain Lantern

H: 400mm **W:** 191mm

Drop Range: 450mm - 1400mm
(Supplied with 1000mm of chain.)

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



26008

26012

1 Lt Medium Pillar

H: 1100mm **W:** 191mm

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

26008

1 Lt Medium Wall Lantern

H: 457mm **W:** 191mm **P:** 286mm

Finish: Grey/Gold

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



Model Shown: 25081



25085



25087



25089



25091

This image is
not to scale.

25085

3 Lt Large Wall Lantern

H: 622mm **W:** 267mm **P:** 325mm

Finish: Black

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25087

3 Lt Large Chain Lantern

H: 620mm **W:** 267mm

Drop Range: 680mm - 2205mm
(Supplied with 1524mm of chain.)

Finish: Black

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25091

3 Lt Large Lamp Post

H: 2426mm **W:** 267mm

Finish: Black

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25089

3 Lt Large Pedestal

H: 638mm **W:** 267mm

Finish: Black

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25081

3 lt Medium Wall Lantern

H: 502mm W: 216mm P: 267mm

Finish: Black**Materials:** Cast Aluminium,
Seeded Glass**Max. Wattage:** 3 x 60W E14**IP Rating:** IP44

25081

25093

3 lt Medium Chain Lantern

H: 470mm W: 216mm

Drop Range: 580mm - 2105mm
(Supplied with 1524mm of chain.)**Finish:** Black**Materials:** Cast Aluminium,
Seeded Glass**Max. Wattage:** 3 x 60W E14**IP Rating:** IP44

25093

25095

3 lt Medium Pillar

H: 1180mm W: 216mm

Finish: Black**Materials:** Cast Aluminium,
Seeded Glass**Max. Wattage:** 3 x 60W E14**IP Rating:** IP44

25095

25083

1 lt Small Wall Lantern

H: 321mm W: 167mm P: 191mm

Finish: Black**Materials:** Cast Aluminium,
Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

25083

25097

3 lt Medium Pedestal

H: 553mm W: 216mm

Finish: Black**Materials:** Cast Aluminium,
Seeded Glass**Max. Wattage:** 3 x 60W E14**IP Rating:** IP44

25097



25092



25080

25080

3 lt Medium Wall Lantern

H: 502mm **W:** 216mm **P:** 267mm

Finish: Silver Bronze Patina

Materials: Cast Aluminium,

Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44



25082



25096



25094

25092

3 lt Medium Chain Lantern

H: 470mm **W:** 216mm

Drop Range: 580mm - 2105mm
(Supplied with 1524mm of chain.)

Finish: Silver Bronze Patina

Materials: Cast Aluminium,

Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25094

3 lt Medium Pillar

H: 1180mm **W:** 216mm

Finish: Silver Bronze Patina

Materials: Cast Aluminium,

Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25082

1 lt Small Wall Lantern

H: 321mm **W:** 167mm **P:** 191mm

Finish: Silver Bronze Patina

Materials: Cast Aluminium,

Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

25096

3 lt Medium Pedestal

H: 553mm **W:** 216mm

Finish: Silver Bronze Patina

Materials: Cast Aluminium,

Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44



Model Shown: 25084



25084



25086



25088

This image is
not to scale.



25090

25084

3 Lt Large Wall Lantern

H: 622mm **W:** 267mm **P:** 325mm

Finish: Silver Bronze Patina

Materials: Cast Aluminium,

Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25090

3 Lt Large Lamp Post

H: 2426mm **W:** 267mm

Finish: Silver Bronze Patina

Materials: Cast Aluminium,

Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25086

3 Lt Large Chain Lantern

H: 620mm **W:** 267mm

Drop Range: 680mm - 2205mm
(Supplied with 1524mm of chain.)

Finish: Silver Bronze Patina

Materials: Cast Aluminium,

Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25088

3 Lt Large Pedestal

H: 638mm **W:** 267mm

Finish: Silver Bronze Patina

Materials: Cast Aluminium,

Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44



Model Shown: 25870



25871

25871

3 Lt Medium Wall Lantern

H: 502mm **W:** 229mm **P:** 368mm

Finish: Old Painted Bronze

Materials: Steel, Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44



25870

25870

4 Lt Large Wall Lantern

H: 565mm **W:** 279mm **P:** 419mm

Finish: Old Painted Bronze

Materials: Steel, Seeded Glass

Max. Wattage: 4 x 60W E14

IP Rating: IP44



25872

25873

3 Lt Small Wall Lantern

H: 387mm **W:** 178mm **P:** 286mm

Finish: Old Painted Bronze

Materials: Steel, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



25873

25873

3 Lt Large Pedestal

H: 584mm **W:** 279mm

Finish: Old Painted Bronze

Materials: Steel, Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

25967

1 Lt Small Wall Lantern

H: 337mm **W:** 178mm **P:** 197mm**Finish:** Oil Rubbed Bronze**Materials:** Cast Aluminium,

Ribbed Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

25969

1 Lt Medium Chain Lantern

H: 440mm **W:** 229mm**Drop Range:** 552mm - 1680mm*(Supplied with 1200mm of chain.)***Finish:** Oil Rubbed Bronze**Materials:** Cast Aluminium,

Ribbed Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP23

25967



25969

25966

1 Lt Medium Wall Lantern

H: 457mm **W:** 229mm **P:** 279mm**Finish:** Oil Rubbed Bronze**Materials:** Cast Aluminium,

Ribbed Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

25966



25968



19001

19001

2 Lt Flush

H: 200mm **W:** 360mm

Finish: Weathered Bronze

Materials: Cast Aluminium, Clear Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44



16686

16686

1 Lt Wall Lantern Small

H: 350mm **W:** 165mm **P:** 195mm

Finish: Weathered Bronze

Materials: Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



18961

18961

1 Lt Medium Wall Lantern

H: 400mm **W:** 185mm **P:** 230mm

Finish: Weathered Bronze

Materials: Cast Aluminium, Hand Blown Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



18555

18555

1 Lt Small Wall Lantern

H: 325mm **W:** 170mm **P:** 215mm

Finish: Weathered Bronze

Materials: Cast Aluminium, Hand Blown Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

16697

1 Lt Medium Wall Lantern

H: 550mm W: 225mm P: 220mm

Finish: Weathered Bronze**Materials:** Cast Aluminium,

Mottled Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

16697



16701

1 Lt Medium Chain Lantern

H: 500mm W: 225mm

Drop Range: 575mm - 2120mm*(Supplied with 630mm of chain.)***Finish:** Weathered Bronze**Materials:** Cast Aluminium,

Mottled Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

16701

25215

1 Lt Medium Pillar

H: 1170mm W: 225mm

Finish: Weathered Bronze**Materials:** Cast Aluminium,

Mottled Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

25215

58463

1 Lt Medium Half Lantern

H: 432mm W: 217mm P: 122mm

Finish: Weathered Bronze**Materials:** Cast Aluminium,

Mottled Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

58463

16699

1 Lt Medium Pedestal Lantern

H: 560mm W: 225mm

Finish: Weathered Bronze**Materials:** Cast Aluminium,

Mottled Glass

Max. Wattage: 1 x 60W E27**IP Rating:** IP44

16699



16698



16703



16702



16700



This image is
not to scale.



16698

1 Lt Large Wall Lantern

H: 690mm **W:** 300mm **P:** 350mm

Finish: Weathered Bronze

Materials: Cast Aluminium,
Mottled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

16703

1 Lt Large Lamp Post

H: 2390mm **W:** 300mm

Finish: Weathered Bronze

Materials: Cast Aluminium,
Mottled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

16702

1 Lt Large Chain Lantern

H: 575mm **W:** 300mm

Drop Range: 650mm - 2255mm
(Supplied with 630mm of chain.)

Finish: Weathered Bronze

Materials: Cast Aluminium,
Mottled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

16700

1 Lt Large Pedestal Lantern

H: 680mm **W:** 300mm

Finish: Weathered Bronze

Materials: Cast Aluminium,
Mottled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

25136

3 lt Large Wall Lantern

H: 640mm W: 260mm P: 310mm

Finish: Old Bronze**Materials:** Cast Aluminium, Champagne Tinted Glass**Max. Wattage:** 3 x 60W E14**IP Rating:** IP44

25136



25140

16707

1 lt Medium Down Wall Lantern

H: 525mm W: 190mm P: 265mm

Finish: Old Bronze**Materials:** Cast Aluminium, Champagne Tinted Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

16707

16709

1 lt Medium Chain Lantern

H: 380mm W: 190mm

Drop Range: 540mm - 1540mm
(Supplied with 1590mm of chain.)**Finish:** Old Bronze**Materials:** Cast Aluminium, Champagne Tinted Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

16709

16706

1 lt Medium Wall Lantern

H: 525mm W: 190mm P: 265mm

Finish: Old Bronze**Materials:** Cast Aluminium, Champagne Tinted Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

16706

16705



16710



16704



16708



16811



16705

1 Lt Small Down Wall Lantern

H: 430mm **W:** 170mm **P:** 240mm

Finish: Old Bronze

Materials: Cast Aluminium,

Champagne Tinted Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

16710

3 Lt Large Lamp Post

H: 2370mm **W:** 265mm

Finish: Old Bronze

Materials: Cast Aluminium,

Champagne Tinted Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44

16704

1 Lt Small Wall Lantern

H: 430mm **W:** 170mm **P:** 240mm

Finish: Old Bronze

Materials: Cast Aluminium,

Champagne Tinted Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

16708

1 Lt Medium Pillar

H: 1165mm **W:** 190mm

Finish: Old Bronze

Materials: Cast Aluminium,

Champagne Tinted Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

16811

1 Lt Medium Pedestal

H: 540mm **W:** 190mm

Finish: Old Bronze

Materials: Cast Aluminium,

Champagne Tinted Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

Post images
not to scale.

15523

1 Lt Up Wall Lantern

H: 450mm W: 184mm P: 260mm

Finish: Black**Materials:** Cast Aluminium, Leaded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

Uses corner bracket 14386



15523

15531

1 Lt Chain Lantern

H: 395mm W: 184mm

Drop Range: 515mm - 600mm

(Supplied with 490mm of chain.)

Finish: Black**Materials:** Cast Aluminium, Leaded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

15531

15525

1 Lt Down Wall Lantern

H: 450mm W: 184mm P: 255mm

Finish: Black**Materials:** Cast Aluminium, Leaded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

Uses corner bracket 14386



15525

15524

1 Lt Up Wall Lantern with PIR

H: 470mm W: 184mm P: 295mm

Finish: Black**Materials:** Cast Aluminium, Leaded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

Uses corner bracket 14386



15524

* PIR Technical
Information for Square
Sensors:

(2 Year Guarantee). 150 watt switching capacity
PIR range: min 1m to 8m max. Time adjustment: 5 sec to 7 mins. Detection width: 120°

14386





15529



15530

These images are not to scale.



15526



15527



15529

1 Lt Half Lantern

H: 359mm **W:** 257mm **P:** 125mm

Finish: Black

Materials: Cast Aluminium, Leaded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

15530

3 Lt Lamp Post

H: 2270mm **W:** 600mm

Finish: Black

Materials: Cast Aluminium, Leaded Glass

Max. Wattage: 3 x 60W E27

IP Rating: IP44

15527

1 Lt Pillar Lantern

H: 1090mm **W:** 184mm

Finish: Black

Materials: Cast Aluminium, Leaded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

15526

1 Lt Pedestal Lantern

H: 440mm **W:** 184mm

Finish: Black

Materials: Cast Aluminium, Leaded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

16320

1 lt Up Wall Lantern

H: 535mm W: 159mm P: 285mm

Finish: Black/Silver

Materials: Cast Aluminium,
Leaded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

Uses corner bracket 14386



16320

16321

1 lt Down Wall Lantern

H: 370mm W: 159mm P: 286mm

Finish: Black/Silver

Materials: Cast Aluminium,
Leaded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23

Uses corner bracket 14386



16321

14386

Corner Bracket 5 for Wall Lights

Finish: Black

Materials: Mild Steel

16322

1 lt Pedestal Lantern

H: 523mm W: 159mm

Finish: Black/Silver

Materials: Cast Aluminium,
Leaded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



14386



16322

18924

1 lt Wall Lantern with PIR*

H: 532mm W: 159mm P: 278mm

Finish: Black/Silver

Materials: Cast Aluminium,
Leaded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

Uses corner bracket 14386



18924

* PIR Technical
Information for Square
Sensors:

(2 Year Guarantee). 150
watt switching capacity
PIR range: min 1m to 8m
max. Time adjustment: 5
sec to 7 mins. Detection
width: 120°



These
images are
not to scale.

16325
2 lt Lamp Post
H: 2285mm **W:** 570mm
Finish: Black/Silver
Materials: Cast Aluminium, Leaded Glass
Max. Wattage: 2 x 60W E27
IP Rating: IP44

16324
2 lt Half Lantern
H: 338mm **W:** 221mm **P:** 86mm
Finish: Black/Silver
Materials: Cast Aluminium, Leaded Glass
Max. Wattage: 2 x 60W E27
IP Rating: IP23

16326
1 lt Chain Lantern
H: 340mm **W:** 159mm
Drop Range: 460mm - 900mm
(Supplied with 490mm of chain.)
Finish: Black/Silver
Materials: Cast Aluminium, Leaded Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP23

16323
1 lt Pillar Lantern
H: 1235mm **W:** 159mm
Finish: Black/Silver
Materials: Cast Aluminium, Leaded Glass
Max. Wattage: 1 x 60W E27
IP Rating: IP44

SHEPHERD N



Model Shown: 18949



14282



14283



14284



18949



14285



14292



14386



14377

14282

1 lt Wall Down Lantern

H: 335mm **W:** 185mm **P:** 237mm

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23

Uses corner bracket 14386

14283

1 lt Porch Lantern

H: 280mm **W:** 185mm

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23

14284

1 lt Chain Lantern

H: 285mm **W:** 185mm

Drop Range: 400mm - 525mm
(Supplied with 490mm of chain.)

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23

18949

1 lt Wall Up Lantern

H: 385mm **W:** 185mm **P:** 246mm

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

Uses corner bracket 14386

14285

1 lt Wall Down Lantern

H: 400mm **W:** 185mm **P:** 310mm

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23

Uses corner bracket 14377

14292

1 lt Pedestal Lantern

H: 410mm **W:** 185mm

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

14286

1 lt Wall Down Lantern

H: 310mm W: 185mm P: 225mm

Finish: Black**Materials:** Cast Aluminium, Ripple Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP23

Uses corner bracket 14386



14286

14281

1 lt Flush Lantern

H: 280mm W: 210mm P: 140mm

Finish: Black**Materials:** Cast Aluminium, Ripple Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP23

14281

14300

1 lt Wall Up Lantern

H: 435mm W: 185mm P: 230mm

Finish: Black**Materials:** Cast Aluminium, Ripple Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP23

Uses corner bracket 14386



14300

14386

Corner Bracket 5 for Wall Lights

Finish: Black**Materials:** Mild Steel

14386



14306

14306

1 Lt Porch Lantern

H: 245mm **W:** 185mm

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23



14307

14307

1 Lt Porch Chain Lantern

H: 285mm **W:** 185mm

Drop Range: 400mm - 500mm
(Supplied with 490mm of chain.)

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23



58462

58462

1 Lt Flush Porch Lantern

H: 205mm **W:** 185mm

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W B22

IP Rating: IP20



14309

14309

1 Lt Pedestal Lantern

H: 315mm **W:** 185mm

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23

15367

1 Lt Mini Wall Lantern

H: 330mm **W:** 160mm **P:** 100mm**Finish:** White**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

15367

15358

1 Lt Wall Lantern

H: 410mm **W:** 180mm **P:** 130mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

15358

15363

1 Lt Mini Wall Lantern

H: 330mm **W:** 160mm **P:** 100mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

15363

15362

1 Lt Wall Lantern

H: 410mm **W:** 180mm **P:** 130mm**Finish:** White**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

15362



14297



14299



14386



14305



14303



14377

14297

1 lt Wall Up Lantern

H: 440mm **W:** 215mm **P:** 250mm

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP43

Uses corner bracket 14386

14299

1 lt Chain Lantern

H: 300mm **W:** 215mm

Drop Range: 414mm - 895mm
(Supplied with 490mm of chain.)

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP43

14386

Corner Bracket 5 for Wall Light

Finish: Black

Materials: Mild Steel

14305

1 lt Wall Down Lantern

H: 405mm **W:** 215mm **P:** 330mm

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP43

Uses corner bracket 14377

14303

1 lt Pedestal Lantern

H: 380mm **W:** 215mm

Finish: Black

Materials: Cast Aluminium, Ripple Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP43

14377

Corner Bracket 2 for Wall Light

Finish: Black

Materials: Mild Steel

14509

1 lt Mini Down Wall Lantern

H: 380mm W: 170mm P: 240mm

Finish: Black**Materials:** Cast Aluminium,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

Uses corner bracket 14386



14509

60666

1 lt Mini Chain Lantern

H: 345mm W: 170mm

Drop Range: 495mm - 965mm

(Supplied with 490mm of chain.)

Finish: Black**Materials:** Cast Aluminium,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

60666

14386

Corner Bracket 5 for Wall Lights

Finish: Black**Materials:** Mild Steel

14386

14507

1 lt Mini Up Wall Lantern

H: 380mm W: 170mm P: 240mm

Finish: Black**Materials:** Cast Aluminium,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

Uses corner bracket 14386



14507

14514

1 lt Mini Pillar Lantern

H: 940mm W: 170mm

Finish: Black**Materials:** Cast Aluminium,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

14514

14512

1 lt Mini Pedestal Lantern

H: 440mm W: 170mm

Finish: Black**Materials:** Cast Aluminium,
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

14512

**14489**

1 lt Flush Lantern

H: 165mm **W:** 300mm**Finish:** Black**Materials:** Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**14491****14491**

1 lt Down Wall Lantern

H: 440mm **W:** 205mm **P:** 297mm**Finish:** Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

Uses corner bracket 14386

**14386****14503****14386**

Corner Bracket 5 for Wall Lights

Finish: Black**Materials:** Mild Steel**60665**

1 lt Chain Lantern

H: 420mm **W:** 205mm**Drop Range:** 570mm - 1040mm
(Supplied with 490mm of chain.)**Finish:** Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**14503**

1 lt Half Lantern

H: 410mm **W:** 220mm **P:** 140mm**Finish:** Black**Materials:** Cast Aluminium, Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44



Model Shown: 14501

14501

(Not to scale)



14501

1 Lt Half Lantern

H: 380mm **W:** 190mm **P:** 120mm**Finish:** Black**Materials:** Cast Aluminium, Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

14505



14499

14499

1 Lt Lamp Post

H: 2000mm **W:** 205mm**Finish:** Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

14497



14497

1 Lt Pillar Lantern

H: 1000mm **W:** 205mm**Finish:** Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

14494



14494

1 Lt Pedestal Lantern

H: 500mm **W:** 205mm**Finish:** Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

15747

1 Lt Down Mini Wall Lantern

H: 390mm W: 180mm P: 250mm

Finish: Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

Uses corner bracket 14386



15747



60694

1 Lt Mini Chain Lantern

H: 345mm W: 180mm

Drop Range: 495mm - 965mm

(Supplied with 490mm of chain.)

Finish: Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

60694

14386

Corner Bracket 5 for Wall Lights

Finish: Black**Materials:** Mild Steel

14386

15752

1 Lt Mini Pillar

H: 950mm W: 180mm

Finish: Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

15745

15745

1 Lt Up Mini Wall Lantern

H: 390mm W: 180mm P: 250mm

Finish: Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

Uses corner bracket 14386



15752

15749

1 Lt Mini Pedestal Lantern

H: 450mm W: 180mm

Finish: Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

15749



15729



15729

1 Lt Ceiling Flush Lantern

H: 165mm **W:** 300mm**Finish:** Black**Materials:** Cast Aluminium, Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

15737

15737

This image is
not to scale.

15735



15733



15737

1 Lt Lamp Post

H: 2000mm **W:** 230mm**Finish:** Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

15739

1 Lt Half Lantern

H: 420mm **W:** 200mm **P:** 137mm**Finish:** Black**Materials:** Cast Aluminium, Clear Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

15735

1 Lt Pillar Lantern

H: 1040mm **W:** 230mm**Finish:** Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

15733

1 Lt Pedestal Lantern

H: 540mm **W:** 230mm**Finish:** Black**Materials:** Cast Aluminium, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44



Model Shown: 15727



This image is
not to scale.



15741

15741

2 lt Twin Lamp Post

H: 2280mm **W:** 650mm

Finish: Black

Materials: Cast Aluminium, Glass

Max. Wattage: 2 x 60W E27

IP Rating: IP44



15731

15731

1 lt Down Wall Lantern

H: 480mm **W:** 230mm **P:** 300mm

Finish: Black

Materials: Cast Aluminium, Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

Uses corner bracket 14386

60693

1 lt Chain Lantern

H: 420mm **W:** 230mm

Drop Range: 570mm - 1040mm
(Supplied with 490mm of chain.)

Finish: Black

Materials: Cast Aluminium, Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

Uses corner bracket 14386

15727

1 lt Up Wall Lantern

H: 520mm **W:** 230mm **P:** 300mm

Finish: Black

Materials: Cast Aluminium, Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

Uses corner bracket 14386

14386

Corner Bracket 5 for Wall Lights

Finish: Black

Materials: Mild Steel



14386

16313

1 Lt Lantern Head Only

H: 825mm W: 385mm

Finish: Black

Materials: Cast Aluminium, Steel,
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23



16313



16313



16317

1 Lt Lamp Post

H: 3300mm W: 585mm

Finish: Black

Materials: Cast Aluminium, Steel,
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23



16317



16317

60696

1 Lt Lamp Post

H: 3125mm W: 385mm

Finish: Black

Materials: Cast Aluminium, Steel,
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23



16317

16307

1 Lt Wall Lantern

H: 1145mm W: 385mm P: 675mm

Finish: Black

Materials: Cast Aluminium, Steel,
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23

Uses corner bracket 14381



16307

14381

Corner Bracket 4 for wall lights

Finish: Black

Materials: Mild Steel



14381

16314

1 Lt Pedestal Lantern

H: 1060mm W: 385mm

Finish: Black

Materials: Cast Aluminium, Steel,
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP23



16314





14729



60669

This image is
not to scale.

14729

1 Lt Wall Lantern

H: 820mm **W:** 290mm **P:** 490mm

Finish: Black

Materials: Cast Aluminium, Steel,
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

Uses corner bracket 14381



14381



14742



14750

60669

1 Lt Lamp Post

H: 2780mm **W:** 290mm

Finish: Black

Materials: Cast Aluminium, Steel,
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

14381

Corner Bracket 4 for wall lights

Finish: Black

Materials: Mild Steel

14742

1 Lt Lamp Head Only

H: 680mm **W:** 290mm

Finish: Black

Materials: Cast Aluminium, Steel,
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

14750

1 Lt Pedestal Lantern

H: 790mm **W:** 290mm

Finish: Black

Materials: Cast Aluminium, Steel,
Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



Models Shown: 16076 & 16071



16127

16127

1 Lt Large Down Wall Lantern

H: 560mm **W:** 300mm **P:** 460mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16076

16076

1 Lt Medium Down Wall Lantern

H: 420mm **W:** 200mm **P:** 330mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16071

16071

1 Lt Medium Up Wall Lantern

H: 520mm **W:** 200mm **P:** 330mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16122

16122

1 Lt Large Up Wall Lantern

H: 670mm **W:** 300mm **P:** 460mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16101

1 Lt Medium Chain Lantern

H: 330mm **W:** 200mm**Drop Range:** 585mm - 1050mm*(Supplied with)***Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16101

16152

1 Lt Large Chain Lantern

H: 550mm **W:** 300mm**Drop Range:** 685mm - 1150mm*(Supplied with 600mm of chain)***Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16152

19826

1 Lt Half Lantern

H: 375mm **W:** 230mm **P:** 120mm**Finish:** White**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

19826

18535

1 Lt Half Lantern

H: 375mm **W:** 230mm **P:** 120mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

18535



52829

52829

1 Lt Half Wall Lantern

H: 390mm **W:** 260mm **P:** 160mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16086

16086

1 Lt Medium Pillar

H: 1200mm **W:** 200mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16132

16132

1 Lt Large Pedestal

H: 640mm **W:** 300mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16081

16081

1 Lt Medium Pedestal

H: 470mm **W:** 200mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54



Model Shown: 16142



16142



16137



16091

16142

2 lt Large Twin Lamp Post

H: 1910-2790mm **W:** 910mm**D:** 300mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 2 x 60W E27**IP Rating:** IP54**16137**

1 lt Large Single Post

H: 1910-2790mm **W:** 410mm**D:** 300mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54**16091**

2 lt Medium Twin Lamp Post

H: 1850-2750mm **W:** 610mm**D:** 210mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 2 x 60W E27**IP Rating:** IP54



Model Shown: 16176

**16181**

1 Lt Medium Down Lantern

H: 550mm **W:** 250mm **P:** 330mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54**16251**

1 Lt Large Down Lantern

H: 700mm **W:** 320mm **P:** 470mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54**16246**

1 Lt Large Up Lantern

H: 790mm **W:** 320mm **P:** 470mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54**16176**

1 Lt Medium Up Lantern

H: 620mm **W:** 250mm **P:** 330mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16266

2 Lt Large Twin Head Lamp Post

H: 2010-2920mm **W:** 950mm**D:** 320mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 2 x 60W E27**IP Rating:** IP54**16261**

1 Lt Large Single Post

H: 1930-2830mm **W:** 400mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54



16206



19825



16201



16211

16211

1 Lt Medium Chain Lantern

H: 330mm **W:** 250mm**Drop Range:** 595mm - 1050mm
(Supplied with 700mm of chain)**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54**16206**

3 Lt Medium Triple Head Lamp Post

H: 1840-2720mm **W:** 550mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 3 x 60W E27**IP Rating:** IP54**16201**

2 Lt Medium Twin Head Lamp Post

H: 1840-2720mm **W:** 650mm**D:** 250mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 2 x 60W E27**IP Rating:** IP54**19825**

1 Lt Half Lantern

H: 440mm **W:** 240mm **P:** 130mm**Finish:** Black**Materials:** Powder Coated Die-Cast Aluminium, Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP54

16186

1 Lt Medium Pedestal

H: 560mm W: 250mm

Finish: Black

Materials: Powder Coated Die-Cast Aluminium, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54



16186



16191

1 Lt Medium Pillar

H: 1260mm W: 250mm

Finish: Black

Materials: Powder Coated Die-Cast Aluminium, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54



16191



16256

1 Lt Large Pedestal

H: 730mm W: 320mm

Finish: Black

Materials: Powder Coated Die-Cast Aluminium, Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP54

16256





15035

15035

1 Lt Ceiling Light

H: 150mm **W:** 290mm**Finish:** Black**Materials:** Powder Coated Cast Aluminium, Frosted Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

15039

15039

1 Lt Ceiling Light

H: 150mm **W:** 290mm**Finish:** White**Materials:** Powder Coated Cast Aluminium, Frosted Polycarbonate**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

14279

1 Lt Porch Lantern

H: 260mm **W:** 150mm**Finish:** Black**Materials:** Cast Aluminium,
Clear Wavy Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP23

14279



14280

14280

1 Lt Chain Lantern

H: 285mm **W:** 150mm**Drop Range:** 405mm - 785mm
(Supplied with 490mm of chain.)**Finish:** Black**Materials:** Cast Aluminium,
Clear Wavy Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP23

14280

14277

1 Lt Wall Lantern

H: 420mm **W:** 150mm **P:** 215mm**Finish:** Black**Materials:** Cast Aluminium,
Clear Wavy Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP23

Uses corner bracket 14386



14277



14386

14386

Corner Bracket 5 for Wall Lights

Finish: Black**Materials:** Mild Steel

14278

1 Lt Pedestal Lantern

H: 340mm **W:** 150mm**Finish:** Black**Materials:** Cast Aluminium,
Clear Wavy Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP23

14278

14310

Wall Down Lantern

H: 310mm **W:** 150mm **P:** 210mm**Finish:** Black**Materials:** Cast Aluminium,
Clear Wavy Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP23

Uses corner bracket 14386



14310



14289



14291



17069



14287



14386

14289

1 Lt Porch Lantern

H: 235mm **W:** 150mm

Finish: Black

Materials: Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP43

14291

1 Lt Chain Lantern

H: 260mm **W:** 150mm

Drop Range: 365mm - 835mm
(Supplied with 490mm of chain.)

Finish: Black

Materials: Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP43

17069

1 Lt Large Wall Down Lantern

H: 345mm **W:** 200mm **P:** 240mm

Finish: Black

Materials: Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP43

Uses corner bracket 14386

14287

1 Lt Wall Down Lantern

H: 294mm **W:** 150mm **P:** 221mm

Finish: Black

Materials: Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP43

Uses corner bracket 14386

14386

Corner Bracket 5 for Wall Lights

Finish: Black

Materials: Mild Steel



Model Shown: 27816



27817

27817

1 Lt Small Wall Lantern

H: 261mm **W:** 166mm **P:** 194mm

Finish: Weathered Zinc

Materials: Steel, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



27816

27816

1 Lt Medium Wall Lantern

H: 322mm **W:** 204mm **P:** 234mm

Finish: Weathered Zinc

Materials: Steel, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



27811

27811

2 Lt Medium Wall Lantern

H: 349mm **W:** 207mm **P:** 258mm

Finish: Black/Brown

Materials: Aluminium, Glass

Max. Wattage: 2 x 40W E14

IP Rating: IP44



27812

17397

1 Lt Wall Lantern

H: 425mm W: 200mm P: 148mm

Finish: Black/Gold

Materials: Steel, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



17397

17398

1 Lt Chain Lantern

H: 370mm W: 200mm

Drop Range: 455mm - 1560mm


(Supplied with 1250mm of chain.)

Finish: Black/Gold

Materials: Steel, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



17398

17399

1 Lt Pedestal Lantern

H: 370mm W: 200mm

Finish: Black/Gold

Materials: Steel, Clear Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



17399



18055

18055

3 Lt Wall Lantern

H: 615mm **W:** 277mm **P:** 170mm

Finish: Dark Brown

Materials: Steel, Seeded Glass

Max. Wattage: 3 x 60W E14

IP Rating: IP44



16676

16676

2 Lt Wall Lantern

H: 460mm **W:** 230mm **P:** 110mm

Finish: Dark Brown

Materials: Steel, Seeded Glass

Max. Wattage: 2 x 60W E14

IP Rating: IP44

16675

1 Lt Wall Lantern

H: 450mm **W:** 112mm **P:** 110mm

Finish: Dark Brown

Materials: Steel, Seeded Glass

Max. Wattage: 1 x 60W E14

IP Rating: IP44



16675

TRADITIONAL

27737

2 lt Small Wall Lantern

H: 318mm **W:** 170mm **P:** 155mm

Finish: Dark Brown

Materials: Stainless Steel,

Seeded Glass

Max. Wattage: 2 x 60W E14

IP Rating: IP44

27736

2 lt Medium Wall Lantern

H: 460mm **W:** 178mm **P:** 155mm

Finish: Dark Brown

Materials: Stainless Steel,

Seeded Glass

Max. Wattage: 2 x 60W E14

IP Rating: IP44

18056

1 lt Wall Lantern

H: 340mm **W:** 179mm **P:** 204mm

Finish: Grey Black

Materials: Steel, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

27917

1 lt Wall Lantern

H: 382mm **W:** 171mm **P:** 197mm

Finish: Satin Black

Materials: Cast Aluminium,

Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



27737

3 YEAR
GUARANTEE



27736

3 YEAR
GUARANTEE



18056

2 YEAR
GUARANTEE



27917

3 YEAR
GUARANTEE



16679

2 YEAR
GUARANTEE

16677

2 YEAR
GUARANTEE

16364

5 YEAR
GUARANTEE

15382

5 YEAR
GUARANTEE

16679

1 lt Wall Lantern

H: 390mm W: 120mm P: 190mm

Finish: Dark Brown

Materials: Steel, Seeded Glass

Max. Wattage: 1 x 60W E14

IP Rating: IP44

16677

1 lt Wall Lantern

H: 320mm W: 125mm P: 110mm

Finish: Dark Brown

Materials: Steel, Seeded Glass

Max. Wattage: 1 x 60W E14

IP Rating: IP44

16364

1 lt Half Lantern

H: 445mm W: 260mm P: 140mm

Finish: Black

Materials: Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

15382

1 lt Half Lantern with PIR*

H: 495mm W: 260mm P: 140mm

Finish: Black

Materials: Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

*PIR Technical
Information for Square
Sensors:

(2 Year Guarantee). 150
watt switching capacity
PIR range: min 1m to 8m
max. Time adjustment: 5
sec to 7 mins. Detection
width: 120°

27730

1 Lt Wall Lantern

H: 297mm W: 171mm P: 206mm

Finish: Textured Brown**Materials:** Weather Resistant Composite, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27753

1 Lt Wall Lantern

H: 321mm W: 160mm P: 186mm

Finish: Old Painted Bronze**Materials:** Weather Resistant Composite, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27730



27753



21648

21655



21660

21655

1 lt Wall Lantern

H: 253mm **W:** 168mm **P:** 199mm

Finish: Black

Materials: Mild Steel and Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

21648

1 lt Wall Lantern

H: 262mm **W:** 150mm **P:** 190mm

Finish: Black/Silver

Materials: Cast Aluminium, Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

21660

1 lt Wall Lantern

H: 268mm **W:** 215mm **P:** 242mm

Finish: Black

Materials: Cast Aluminium, Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

21653

1 lt Wall Lantern

H: 255mm **W:** 177mm **P:** 230mm

Finish: Black

Materials: Cast Aluminium, Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

15014

1 lt Wall Lantern

H: 328mm **W:** 165mm **P:** 230mm

Finish: Black

Materials: Cast Aluminium, Etched Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



21653

15014



21659

1 Lt Wall Lantern

H: 260mm W: 120mm P: 160mm

Finish: Old Bronze

Materials: Cast Aluminium

Max. Wattage: 1 x 60W E27

IP Rating: IP44



21659

21650

1 Lt Wall Lantern

H: 260mm W: 135mm P: 150mm

Finish: Weathered Bronze

Materials: Cast Aluminium

Max. Wattage: 1 x 60W E27

IP Rating: IP44



21650

21652

1 Lt Flush Lantern

H: 160mm W: 260mm

Finish: Old Bronze

Materials: Cast Aluminium

Max. Wattage: 2 x 40W E27

IP Rating: IP44



21652

21651

1 Lt Half Lantern

H: 350mm W: 198mm P: 112mm

Finish: Black /Gold

Materials: Cast Aluminium,

Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP44



21651

21647

1 Lt Half Lantern

H: 330mm W: 172mm P: 122mm

Finish: Black

Materials: Cast Aluminium,

Polycarbonate

Max. Wattage: 1 x 60W E27

IP Rating: IP44



21647



21663

21662



21662

1 Lt Lamp Post

H: 1924mm **W:** 225mm

Finish: Black

Materials: Cast Aluminium,
Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

21663

1 Lt Wall Lantern

H: 427mm **W:** 173mm **P:** 220mm

Finish: Black

Materials: Cast Aluminium,
Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

21664

1 Lt Pedestal Lantern

H: 475mm **W:** 173mm

Finish: Black

Materials: Cast Aluminium,
Clear Bevelled Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

This image is
not to scale.



21664



27006

1 lt Wall Lantern with PIR*¹

H: 236mm W: 218mm P: 260mm

Finish: Black**Materials:** 304 Stainless Steel, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27006

*¹PIR Technical Information for Round Sensors:
(2 Year Guarantee).

PIR range: min 5+

Detection width: 90°

58408

1 lt Wall Lantern with PIR*¹

H: 255mm W: 275mm P: 420mm

Finish: Black**Materials:** 304 Stainless Steel, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58408

60670

1 lt Bollard Lantern with PIR*¹

H: 1000mm W: 218mm

Finish: Black**Materials:** 304 Stainless Steel, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

60670

58409

1 lt Wall Lantern with PIR*¹

H: 255mm W: 275mm P: 420mm

Finish: White**Materials:** 304 Stainless Steel, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58409

60671

1 lt Pedestal Lantern with PIR*¹

H: 305mm W: 218mm

Finish: Black**Materials:** 304 Stainless Steel, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

60671

58412

1 lt Pedestal with PIR*¹

H: 337mm W: 275mm

Finish: Black**Materials:** 304 Stainless Steel, Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58412



58410



58414

15 YEAR
GUARANTEECOASTAL
COLLECTION 2

58410

1 lt Wall Lantern with PIR*¹

H: 255mm W: 275mm P: 420mm

Finish: Silver

Materials: 304 Stainless Steel, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58414

1 lt Pedestal with PIR*¹

H: 337mm W: 275mm

Finish: Silver

Materials: 304 Stainless Steel, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



15382

5 YEAR
GUARANTEE

15382

1 lt Half Lantern with PIR*²

H: 495mm W: 260mm P: 140mm

Finish: Black

Materials: Cast Aluminium, Clear Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



18924

3 YEAR
GUARANTEE

15524

5 YEAR
GUARANTEE

15524

1 lt Up Wall Lantern with PIR*²

H: 470mm W: 184mm P: 295mm

Finish: Black

Materials: Cast Aluminium, Leaded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

OUTDOOR LIVING

It has become a popular trend to extend home living areas into gardens, patios and verandas. Elstead have a number of more decorative IP44-based solutions that help to bring the inside outdoors. Either by using chandeliers or nesting multiple pendants over tables or seating areas, great style can be brought to these outdoor leisure areas.



58629

Page 303



27760

Page 301



Model Shown: 27149

27822

1 lt Small Wall Lantern

H: 278mm W: 154mm P: 173mm

Finish: Weathered Zinc

Materials: Aluminium, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



27822

27824

1 lt Small Chain Lantern

H: 327mm W: 154mm

Drop Range: 432mm - 2306mm

(Supplied with 1829mm of chain.)

Finish: Weathered Zinc

Materials: Aluminium, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



27824

27818

5 lt Outdoor Chandelier

H: 508mm W: 625mm

Drop Range: 624mm - 1473mm

(Supplied with 2 x 152mm and 2 x 305mm rods.)

Finish: Weathered Zinc

Materials: Aluminium, Seeded Glass

Max. Wattage: 5 x 60W E27

IP Rating: IP44



27818

See full collection
page 113-115



58598



58598

1 Lt Small Wall Lantern

H: 278mm **W:** 154mm **P:** 173mm

Finish: Burnished Bronze

Materials: Aluminium, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



58601



58601

1 Lt Small Chain Lantern

H: 327mm **W:** 154mm

Drop Range: 432mm - 2306mm
(Supplied with 1829mm of chain.)

Finish: Burnished Bronze

Materials: Aluminium, Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

58600

5 Lt Outdoor Chandelier

H: 508mm **W:** 625mm

Drop Range: 624mm - 1473mm
(Supplied with 3 x 152mm and 2 x 305mm rods.)

Finish: Burnished Bronze

Materials: Aluminium, Seeded Glass

Max. Wattage: 5 x 60W E27

IP Rating: IP44

See full collection
page 116-117



58600



Models Shown: 27761 & Wall Light: 27762



27762

27762

1 lt Small Wall Lantern

H: 267mm **W:** 255mm **P:** 310mm**Finish:** Vintage Iron**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

27761

27761

5 lt Outdoor Chandelier

H: 690mm **W:** 673mm**Drop Range:** 832mm - 1596mm*(Supplied with 1 x 152mm and 2 x 305mm rods.)***Finish:** Vintage Iron**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 5 x 40W E14**IP Rating:** IP44**27760**

3 lt Outdoor Chandelier

H: 476mm **W:** 470mm**Drop Range:** 703mm - 1316mm*(Supplied with 1 x 152mm and 2 x 305mm rods.)***Finish:** Vintage Iron**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 3 x 40W E14**IP Rating:** IP44

27760

52035

1 lt Outdoor Pendant

H: 275mm **W:** 255mm**Drop Range:** 433mm - 1193mm*(Supplied with 1x 152mm and 2x 305mm rods)***Finish:** Vintage Iron**Materials:** Aluminium, Seeded Glass**Max. Wattage:** 1 x 40W E27**IP Rating:** IP44

52035



Model Shown: 30422

**58629**

3 lt Medium Chain Lantern

H: 476mm **W:** 305mm**Drop Range:** 565mm - 2362mm
(Supplied with 1829mm of chain.)**Finish:** Burnished Bronze**Materials:** Aluminium, Clear
Seeded Glass**Max. Wattage:** 3 x 40W E14**IP Rating:** IP44**30421**

3 lt Large Chain Lantern

H: 482mm **W:** 356mm**Drop Range:** 583mm - 2442mm
(Supplied with 1829mm of chain.)**Finish:** Black**Materials:** Aluminium, Seeded
Clear Glass**Max. Wattage:** 3 x 40W E14**IP Rating:** IP44**30422**

1 lt Medium Chain Lantern

H: 392mm **W:** 279mm**Drop Range:** 494mm - 2315mm
(Supplied with 1829mm of chain.)**Finish:** Black**Materials:** Aluminium, Seeded
Clear Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44**27149**

3 lt Chain Lantern

H: 476mm **W:** 305mm**Drop Range:** 565mm - 2362mm
(Supplied with 1829mm of chain.)**Finish:** Grey/Gold**Materials:** Aluminium, Clear
Seeded Glass**Max. Wattage:** 3 x 40W E14**IP Rating:** IP44

58624

1 lt Outdoor Wall Light

H: 261mm W: 206mm P: 238mm

Finish: Grey Ash Wood Effect & Brushed Aluminium**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 40W E14**IP Rating:** IP44

58625

1 lt Outdoor Pendant

H: 405mm W: 305mm

Drop Range: 500mm - 2033mm
(Supplied with 1524mm of chain.)**Finish:** Grey Ash Wood Effect & Brushed Aluminium**Materials:** Aluminium, Clear Seeded Glass**Max. Wattage:** 1 x 60W E27**IP Rating:** IP44

58624

shown facing up



58625



58624

shown facing down



25972

25971



25971

1 Lt Small Wall Lantern

H: 288mm **W:** 128mm **P:** 191mm

Finish: Grey Bronze

Materials: Cast Aluminium,

Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44

25972

1 Lt Small Chain Lantern

H: 246mm **W:** 128mm

Drop Range: 280mm - 1280mm
(Supplied with 1000mm of chain.)

Finish: Grey Bronze

Materials: Cast Aluminium,
Seeded Glass

Max. Wattage: 1 x 60W E27

IP Rating: IP44



27875



See full collection page 112

EXTERIOR FANS

Our exterior ceiling fans bring style and airflow to your favourite al fresco entertaining spaces. Each fan offers premium finishes and hardware designed to withstand the elements for years of worry-free performance.



60678

Page 318



60676

Page 313



Model Shown: 60676



Model Shown: 60680

This exterior fan collection turns ceiling fans into outdoor focal points. There are many unique modern and traditional styles and some very interesting finishes, blending technology and superior air performance with aesthetic style and design.

SYMBOL GUIDE



This ceiling fan uses an AC (alternating current) motor.



This ceiling fan uses a DC (direct current) motor, meaning it uses less electricity.



This ceiling fan has an IP rating of 23, meaning it is protected against limited exposure to water spray.



This ceiling fan has an IP rating of 44, meaning it is protected against splashing water from any angle.



This ceiling fan comes fitted with an LED light source with low energy consumption.



152
cm



60
inch

This is the bladespan of the ceiling fan - its widest diameter. We provide the measurement in both centimetres and inches for ease of use.



This ceiling fan can withstand fair outdoor conditions and should be used in sheltered areas.



This ceiling fan can withstand wet outdoor conditions.

DOWNROD EXTENSIONS

All semi-flush ceiling fans come complete with one short downrod between 4 - 7" long (102 - 176mm). You can check the downrod section on each product page to find out what the length is for your chosen fan. This rod can be replaced with our downrod extension accessories, and custom lengths can be supplied by special order.



Satin White Painted

Length	Product Code
12" (30cm)	60660
18" (45cm)	60664



Satin Black Painted

Length	Product Code
12" (30cm)	60658
18" (45cm)	60662



Old Bronze Painted

Length	Product Code
12" (30cm)	60657
18" (45cm)	60661



Satin Nickel Painted

Length	Product Code
12" (30cm)	60659
18" (45cm)	60663

EXTERIOR FANS

ID: 60682

Finish: Antique Satin Silver



DESCRIPTION

This modern 80 inch ceiling fan brings you air with flair. The 7 long blades gently curve into the cylindrical housing creating the perfect contemporary touch for your home. This Antique Satin Silver fan is perfect for larger rooms and spaces. It is made of a composite material that is corrosion-resistant to withstand harsh outdoor elements such as extreme heat, saltwater spray, intense cold and constant UV exposure.

INCLUDED FEATURES

Downrods 1 x 203mm

Mounting Options Standard, Angled

FAN FEATURES

Mounting Slope/Pitch 18°

Location Rating IP44 (Wet)

Hanging Weight 10kg

Body Material ABS

Warranty Limited Lifetime

BLADE SPECS

Blades (7) included

Pitch 12°

Material ABS

BLADE FINISH



Antique Satin Silver (side 1)

Antique Satin Silver (side 2)

INCLUDED CONTROLS



REMOTE CONTROL

- 6 forward speeds, reverse & motor off
- requires 2 x 1.5V AAA batteries

MOTOR FEATURES


Motor Size/Type 165L, DC

Amps 0.23 on High

RPM (High/Low) 73/35

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 51cm
Min. Blade Drop (from ceiling)	B: 34cm
Housing (width)	C: 26cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	8897
POWER USAGE Watts on High (excludes lights)	32.2
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	237



ID: 60680
Finish: Matte White



DESCRIPTION

This 60 inch ceiling fan is IP44 rated and is an ideal choice for larger outdoor porches and patios. Smart detailing on the motor housing increases the stylish appeal. It is made of a composite material that is corrosion-resistant to withstand harsh outdoor elements such as extreme heat, saltwater spray, intense cold and constant UV exposure.

INCLUDED FEATURES

Downrods 1 x 114mm
Mounting Options Standard, Angled, Flush

FAN FEATURES

Mounting Slope/Pitch 18°
Location Rating IP44 (Wet)
Hanging Weight 11.9kg
Body Material Aluminum
Warranty Limited Lifetime

BLADE SPECS

Blades (5) included
Pitch | 14°
Material | ABS

INCLUDED CONTROLS

PULL CHAIN


- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



MOTOR FEATURES

Motor Size/Type 188mm x 25mm, AC
Amps 0.32 on High
RPM (High/Low) 139/59

BLADE FINISH




Matte White
(side 1)



Matte White
(side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 35cm
Min. Blade Drop (from ceiling)	B: 29cm
Housing (width)	C: 33cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	6609
POWER USAGE Watts on High (excludes lights)	75.2
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	82



Model Shown: 60676



ID: 60676
Finish: Anthracite Iron



DESCRIPTION

This 60 inch ceiling fan has the Anthracite Finish and a mesh shade to add a timeworn charm over seating areas, in game rooms or anywhere you want a touch of industrial-inspired style. Blades are finished in a Distressed Antique Gray.

INCLUDED FEATURES

Downrods 1 x 114mm
Mounting Options Standard, Angled
Light Type 1 x 10W LED, Integrated, Replaceable Module, Dimmable, 3000K, 80 CRI
Light Output 1116 lm
Light Glass Etched Cased Opal

FAN FEATURES

Mounting Slope/Pitch 30°
Location Rating IP44 (Wet)
Hanging Weight 14.35kg
Body Material Steel
Warranty Limited Lifetime

BLADE SPECS

Blades (5) included	
Pitch	12°
Material	ABS

INCLUDED CONTROLS



REMOTE CONTROL

- 3 forward speeds, reverse & motor off
- lights on/off with full-range dimming
- requires a 12V 23A Alkaline battery

MOTOR FEATURES

Motor Size/Type 188mm x 20mm, AC
Amps 0.28 on High
RPM (High/Low) 163/67

BLADE FINISH




Distressed Antique Gray (side 1)

Distressed Antique Gray (side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 42cm
Min. Blade Drop (from ceiling)	B: 25cm
Housing (width)	C: 30cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	6520
POWER USAGE Watts on High (excludes lights)	64.3
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	101



Model Shown: 60678 (IP44 rated for outdoor use, but can also be used indoors)



ID: 60678
Finish: Walnut



DESCRIPTION

Designed to nestle cleanly against the ceiling while still delivering a generous amount of airflow, this fan marries performance with style. Use inside or out – the sleek design, wet rating and 1,100-lumen dimmable light output bring room-filling light to a variety of gathering spaces, including open-air patios or decks.

INCLUDED FEATURES

Downrods Not Available
Mounting Options Flush
Light Type 1 x 10W LED, Integrated, Replaceable Module, Dimmable, 3000K, 80 CRI
Light Output 1116 lm
Light Glass Etched Cased Opal

FAN FEATURES

Location Rating IP44 (Wet)
Hanging Weight 11.69kg
Body Material ABS
Warranty Limited Lifetime

BLADE SPECS

Blades (3) included	
Pitch	25°
Material	ABS

INCLUDED CONTROLS



REMOTE CONTROL

- 3 forward speeds, reverse & motor off
- lights on/off with full-range dimming
- requires a 12V 23A Alkaline battery

MOTOR FEATURES

Motor Size/Type 188mm x 20mm, AC
Amps 0.289 on High
RPM (High/Low) 127/55

BLADE FINISH




Walnut
(side 1)

Walnut
(side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 29cm
Min. Blade Drop (from ceiling)	B: 23cm
Housing (width)	C: 25cm
Ceiling Canopy (width)	D: 20cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	4043
POWER USAGE Watts on High (excludes lights)	66.4
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	61

EXTERIOR FANS

ID: 60677

Finish: Brushed Nickel



DESCRIPTION

Designed to nestle cleanly against the ceiling while still delivering a generous amount of airflow, this fan marries performance with style. Use inside or out – the sleek design, wet rating and 1,100-lumen dimmable light output bring room-filling light to a variety of gathering spaces, including open-air patios or decks.

INCLUDED FEATURES

Downrods Not Available

Mounting Options Flush

Light Type 1 x 10W LED, Integrated, Replaceable Module, Dimmable, 3000K, 80 CRI

Light Output 1116 lm

Glass Etched Cased Opal

FAN FEATURES

Location Rating IP44 (Wet)

Hanging Weight 11.69kg

Body Material ABS

Warranty Limited Lifetime

BLADE SPECS

Blades (3) included

Pitch 25°

Material ABS

INCLUDED CONTROLS

REMOTE CONTROL



- 3 forward speeds, reverse & motor off
- lights on/off with full-range dimming
- requires a 12V 23A Alkaline battery

MOTOR FEATURES

Motor Size/Type 188mm x 20mm, AC

Amps 0.289 on High


RPM (High/Low) 127/55

BLADE FINISH



HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 29cm
Min. Blade Drop (from ceiling)	B: 23cm
Housing (width)	C: 25cm
Ceiling Canopy (width)	D: 20cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	4043
POWER USAGE Watts on High (excludes lights)	66.4
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	61



ID: 60681

Finish: Antique Satin Silver



DESCRIPTION

The fan in an Antique Satin Silver finish, is a smaller 54-inch model, making it practical for residential applications. The fan is made of a composite material that is corrosion-resistant to withstand harsh outdoor elements such as extreme heat, saltwater spray, intense cold and constant UV exposure.

INCLUDED FEATURES

Downrods 1 x 203mm
Mounting Options Standard, Angled

FAN FEATURES

Mounting Slope/Pitch 18°
Location Rating IP44 (Wet)
Hanging Weight 6.9kg
Body Material ABS
Warranty Limited Lifetime

BLADE SPECS

Blades (7) included
 Pitch 12°
 Material ABS

INCLUDED CONTROLS



REMOTE CONTROL

- 6 forward speeds, reverse & motor off
- requires 2 x 1.5V AAA batteries

MOTOR FEATURES


Motor Size/Type 125, DC
Amps 0.2 on High
RPM (High/Low) 107/45

BLADE FINISH

Antique Satin Silver
(side 1)Antique Satin Silver
(side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 51cm
Min. Blade Drop (from ceiling)	B: 34cm
Housing (width)	C: 26cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	5603
POWER USAGE Watts on High (excludes lights)	27.3
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	165

EXTERIOR FANS

ID: 60683

Finish: Oil Rubbed Bronze



DESCRIPTION

This 52 inch Patio fan is finished in Olde Bronze with reversible blades in either Medium or Dark Walnut. It is IP23 rated for covered outdoor living areas.

INCLUDED FEATURES

Downrods 1 x 114mm

Mounting Options Standard, Angled

Light Type 3 x 8W LED E27, Bulbs Not Included

Light Glass Clear Seeded

FAN FEATURES

Mounting Slope/Pitch 30°

Location Rating IP23 (Damp)

Hanging Weight 10.67kg

Body Material Steel

Warranty Limited Lifetime

BLADE SPECS

Blades (5) included

Pitch 13°

Material ABS

BLADE FINISH

INCLUDED CONTROLS



REMOTE CONTROL

- 3 forward speeds & motor off
- lights on/off
- requires a 12V 23A Alkaline battery

MOTOR FEATURES

Motor Size/Type 172mm x 15mm, AC

Amps 0.238 on High

RPM (High/Low) 156/75




Medium Walnut
(side 1)



Dark Walnut
(side 2)

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 48cm
Min. Blade Drop (from ceiling)	B: 34cm
Housing (width)	C: 24cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	4915
POWER USAGE Watts on High (excludes lights)	54.7
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	90



ID: 60679
Finish: Matte White



DESCRIPTION

This 42 inch ceiling fan is IP44 rated and is an ideal choice for larger outdoor porches and patios. Detailing on the motor housing increases the stylish appeal. It is made of a composite material that is corrosion-resistant to withstand harsh outdoor elements such as extreme heat, saltwater spray, intense cold and constant UV exposure.

INCLUDED FEATURES

Downrods 1 x 114mm
Mounting Options Standard, Angled, Flush

FAN FEATURES

Mounting Slope/Pitch 30°
Location Rating IP44 (Wet)
Hanging Weight 8.1kg
Body Material Aluminum
Warranty Limited Lifetime

BLADE SPECS

Blades (5) included
Pitch 14°
Material ABS

INCLUDED CONTROLS

PULL CHAIN



- 3 Speeds
- 3 Forward & Reverse
- Manual Reverse



MOTOR FEATURES


Motor Size/Type 153mm x 18mm, AC
Amps 0.24 on High
RPM (High/Low) 214/100

BLADE FINISH



HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 35cm
Min. Blade Drop (from ceiling)	B: 29cm
Housing (width)	C: 33cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	3939
POWER USAGE Watts on High (excludes lights)	56.8
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	74

EXTERIOR FANS

ID: 60685
Finish: Matte White



DESCRIPTION

This compact fan is finished in Matte White. It can be used outside and features integrated dimmable LED lighting and flush mount installation. The globe inspired motor housing shape brings delightful style to any space. A metal fixture cap is included for non-light use installations.

INCLUDED FEATURES

Downrods Not Available
Mounting Options Flush
Light Type 1 x 10W LED, Integrated, Replaceable Module, Dimmable, 3000K, 80 CRI
Light Output 1116 lm
Glass Etched Cased Opal


FAN FEATURES

Location Rating IP23 (Damp)
Hanging Weight 6.94kg
Body Material Steel
Warranty Limited Lifetime

BLADE SPECS

Blades (3) included	
Pitch	22°
Material	ABS

BLADE FINISH



INCLUDED CONTROLS



REMOTE CONTROL


- 3 forward speeds, reverse & motor off
- lights on/off with full-range dimming
- requires a 12V 23A Alkaline battery

MOTOR FEATURES

Motor Size/Type 172mm x 12mm, AC
Amps 0.234 on High
RPM (High/Low) 247/123

HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 28cm
Min. Blade Drop (from ceiling)	B: 18cm
Housing (width)	C: 22cm
Ceiling Canopy (width)	



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	4048
POWER USAGE Watts on High (excludes lights)	53.8
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	75



ID: 60684
Finish: Brushed Nickel



DESCRIPTION

This compact fan is finished in Brushed Nickel. It can be used outside and features integrated dimmable LED lighting and flush mount installation. The globe inspired motor housing shape brings delightful style to any space. A metal fixture cap is included for non-light use installations.

INCLUDED FEATURES

Downrods Not Available
Mounting Options Flush
Light Type 1 x 10W LED, Integrated, Replaceable Module, Dimmable, 3000K, 80 CRI
Light Output 1116 lm
Light Glass Etched Cased Opal

FAN FEATURES

Location Rating IP23 (Damp)
Hanging Weight 6.94kg
Body Material Steel
Warranty Limited Lifetime

BLADE SPECS

Blades (3) included	
Pitch	22°
Material	ABS

INCLUDED CONTROLS



REMOTE CONTROL

- 3 forward speeds, reverse & motor off
- lights on/off with full-range dimming
- requires a 12V 23A Alkaline battery

MOTOR FEATURES


Motor Size/Type 172mm x 12mm, AC
Amps 0.234 on High
RPM (High/Low) 247/123

BLADE FINISH



HANGING MEASUREMENTS

Min. Fixture Drop (from ceiling)	A: 28cm
Min. Blade Drop (from ceiling)	B: 18cm
Housing (width)	C: 22cm
Ceiling Canopy (width)	D: 17cm



AIR PERFORMANCE

AIRFLOW Cubic ft. per minute on high	4048
POWER USAGE Watts on High (excludes lights)	53.8
AIRFLOW EFFICIENCY Cubic ft. per minute per Watt	75

58652

Edison LED E27 Clear Lamp

H: 140mm W: 64mm

Wattage: 7W (60W equivalent)

Colour Temp.: 3000k

Expected Life: 20000 hours

Lumens: 820Lm

AMBER
GLASS**28606**

Edison LED E27 Amber Lamp

H: 140mm W: 64mm

Wattage: 8W (60W equivalent)

Colour Temp.: 3000k

Expected Life: 25000 hours

Lumens: 800Lm

Edison LED E27 Clear LampCODE: 58652
DIMMABLE**Edison LED E27 Lamp**CODE: 28606
DIMMABLE**28605**

Classic LED E27 Lamp

H: 105mm W: 60mm

Wattage: 8W (60W equivalent)

Colour Temp.: 3000k

Expected Life: 25000 hours

Lumens: 800Lm

All lamps are guaranteed
against failure for 2 years**60688**

Classic LED B22 Lamp

H: 105mm W: 60mm

Wattage: 8W (60W equivalent)

Colour Temp.: 3000k

Expected Life: 20000 hours

Lumens: 850Lm

Classic LED E27 LampCODE: 28605
DIMMABLE**Classic LED B22 Lamp**CODE: 60688
DIMMABLE**60687**

G9 LED Lamp

H: 50mm W: 15mm

Wattage: 3W (28W equivalent)

Colour Temp.: 3000k

Expected Life: 25000 hours

Lumens: 300Lm

**G9 LED Lamp**CODE: 60687
DIMMABLE**28602**

Amber Candle LED E14 Lamp

H: 98mm W: 35mm

Wattage: 4W (35W equivalent)

Colour Temp.: 3000k

Expected Life: 25000 hours

Lumens: 400Lm

AMBER
GLASS**51626**

Clear Candle LED E14 Lamp

H: 98mm W: 35mm

Wattage: 4W (35W equivalent)

Colour Temp.: 3000k

Expected Life: 25000 hours

Lumens: 400Lm

N.B. All lamps are UV free, suitable for
220-240V.**Amber Candle
LED E14 Lamp**CODE: 28602
DIMMABLE**Clear Candle
LED E14 Lamp**CODE: 51626
DIMMABLE



GX53 LED Lamp

CODE: 60686
NOT DIMMABLE



GU10 LED Lamp

CODE: 60690
DIMMABLE



Golf Ball LED E27 Lamp

CODE: 28604
NOT DIMMABLE



Golf Ball LED E14 Lamp

CODE: 28603
NOT DIMMABLE



Tubular LED E14 Lamp

CODE: 53012
DIMMABLE



Large Tubular LED E27 Lamp

CODE: 58653
DIMMABLE



Tubular LED E27 Lamp

CODE: 60689
DIMMABLE

60686

GX53 LED Lamp

H: 24mm **W:** 75mm
Wattage: 5.7W (48W equivalent)
Colour Temp.: 3000k
Expected Life: 15000 hours
Lumens: 600Lm

60690

GU10 LED Lamp

H: 58mm **W:** 50mm
Wattage: 8W (50W equivalent)
Colour Temp.: 3000k
Expected Life: 25000 hours
Lumens: 560Lm

28604

Golf Ball LED E27 Lamp

H: 72mm **W:** 45mm
Wattage: 4W (35W equivalent)
Colour Temp.: 3000k
Expected Life: 25000 hours
Lumens: 400Lm

28603

Golf Ball LED E14 Lamp

H: 78mm **W:** 45mm
Wattage: 4W (35W equivalent)
Colour Temp.: 3000k
Expected Life: 25000 hours
Lumens: 400Lm

53012

LED Tubular Clear E14 Lamp

H: 105mm **W:** 27mm
Wattage: 4W (38W equivalent)
Colour Temp.: 3000k
Expected Life: 15000 hours
Lumens: 420Lm

60689

Tubular LED E27 Lamp

H: 128mm **W:** 30mm
Wattage: 8W (60W equivalent)
Colour Temp.: 3000k
Expected Life: 20000 hours
Lumens: 900Lm

58653

Large Tubular LED E27 Lamp

H: 185mm **W:** 30mm
Wattage: 7W (60W equivalent)
Colour Temp.: 3000k
Expected Life: 20000 hours
Lumens: 820Lm

N.B. All lamps are UV free, suitable for 220-240V.

1. FINISH CONSISTENCY: Some fittings have what seem to be the same finish code, but these finishes can vary between ranges, as they come from a number of different manufacturers whose techniques and processes are not always the same. Please note when specifying.

2. WATTAGES: Most fittings shown in the catalogue are shown with Maximum Wattage recommendations. These recommendations are calculated mainly by heat capability, as there is a correlation between heat and wattage. However, in many countries, traditional incandescent lamps, such as 100W GLS are no longer available. There are now many new LED versions of lamps in the market, with much lower wattage but similar light performance, classed as Lumens. Most fitting's wattage capacity and certification have been based on the criteria using an Incandescent lamp and so when choosing lamps, please take care to ensure that the wattages specified are of no more than the equivalent original incandescent lamps.

3. IP RATINGS: All exterior fittings have an IP (Ingress Protection) rating which is a declaration of how much protection any product has against the ingress of both water and dust/particles. The minimum rating for an outdoor luminaire exposed to rain should be IP23 and the maximum can be up to IP68 (this can vary in different countries) which means the fitting is submersible. Most of our fittings are IP44 or greater and some of the Landscape models are up to IP67 meaning they can be covered by water up to a depth of 150mm, such as in-ground lights. See the IP Ratings table for full classifications. Typically, the higher the numbers, the higher the performance.

4. INSTALLATION CARE & MAINTENANCE: When installing all outdoor lights, it is recommended to lightly grease all threaded parts and screws / nuts to ensure that fittings can easily be disassembled for cleaning or lamp replacement. When handling certain fittings / finishes such as polished copper they can easily finger mark, so it is recommended that bare hands on these surfaces is kept to a minimum. Please retain receipt and installation instructions for future reference. Scratches to paintwork, on glass and other areas are not the responsibility of the manufacturer.

5. FINISH MAINTENANCE: All fittings being installed outdoors and exposed to the elements of weather and atmosphere should be maintained. Most of this relates to rinsing and cleaning with warm water, so that excessive build-up of airborne material and saline content is reduced. Many of our fittings are supplied in a natural finish, i.e., Polished Copper un-lacquered and Teak wood. These fittings can naturally age over time or to maintain their original appearance, treatment is needed, such as oil for teak, beeswax for brass and light oil for Copper and Stainless Steel.

When handling finishes during maintenance, small marks may show which can be easily polished away if required. The alternative is to allow the material to age and weather naturally, which does no harm to the fitting. All lacquered fittings, such as the products on p219-221, will age early on as the lacquer ages and the fittings will spot and pit until after some time, they will have a more natural patina. Regular washing and waxing are the best way to keep close to the original finish on such products.

Additionally, when installing cast aluminium fittings, a light coating of beeswax or oil can give the finish extended life, especially when in coastal areas. For all models, we highly recommend that exterior fittings are cleaned once per year with fresh water and oiled or waxed to give longer service. Lenses and glasses also benefit from cleaning but take care of sharp edges on glass and with polycarbonate or acrylic as these materials can easily scratch if any abrasive cloth is used.

6. CUSTOMISATION: Some of our ranges supplied in matt black can be relatively easily patinated into finishes such as Black/Gold, Black/Copper etc. Equally, for chain-suspended fittings that need extra chain and cable, these can also be relatively easily undertaken. Both such modifications may incur longer lead times and will have small additional costs added to the price. (See current Terms and Conditions.). Beyond this, with appropriate lead time and client budget, more specialised changes can be undertaken such as different colours completely, changes to dimensions and design modifications and even fully bespoke fittings can be considered due to our varied manufacturing resources available.

IP RATINGS

1st Digit	Short Description (Protection against ingress of solid bodies)	2nd Digit	Short Description (Protection against ingress of moisture)
0	Non-Protected	0	Non-protected
1	Protected against solid objects greater than 50mm dia.	1	Protected against dripping water falling vertically greater than 50mm diameter
2	Protected against solid objects greater than 12mm dia.	2	Protected against dripping water when the Luminaire is tilted up to 15° from its normal position
3	Protected against solid objects greater than 2.5mm dia.	3	Protected against spraying water falling on the Luminaire at any angle up to 60° from the vertical
4	Protected against solid objects greater than 1mm dia.	4	Protected against splashing water from any angle
5	Dust-protected	5	Protected against water jets from any direction
6	Dust-tight	6	Protected against powerful water jets
		7	Protected against immersion in water under defined conditions
		8	Protected against continuous submersion under manufacturers specified conditions
Example IP65 Dust-tight and protected against water jets from any direction.			



Safety is paramount with all lighting, and especially when used outdoors. All products within this catalogue conform with the UK and European Union Low Voltage Directive, **(BS) EN 60598-1:2008**, the product standard for luminaires recognised across Europe and all fittings are **CE** marked. They are also **IP** rated to ensure suitable protection against the ingress of water.

Every luminaire is individually tested to ensure that the product is electrically sound and meets the company's quality standards. A unique test/batch number is then applied to the fitting. Please contact us for further details or advise us of your local needs.

We also are **ISO 9001:2015** certified in both of our 2 key production and logistics locations.

GENERAL 2-YEAR GUARANTEE: All fittings supplied by us, both interior and exterior, have a manufacturer's minimum guarantee of 2 years. This means that in normal and fair service, (and without incorrect or inappropriate installation or location), any product sold by us, or by our partners / resellers, should have no fault develop within a minimum of 2 years from purchase. Any fault that is found is covered by guarantee to be repaired or replaced at the supplier's cost, within this period. ALL Lighting warranties/guarantees do not cover out-of-pocket expenses or consequential costs. The definition of fault excludes the surface finish of brass and copper materials that age / patina early after being exposed to the atmosphere.

3, 5, AND 10-YEAR ANTI-CORROSION GUARANTEES: Many outdoor fittings have anti-corrosion guarantees stated on each relevant page. This guarantee relates to the corrosion of paintwork on cast aluminium or steel fittings and excludes locations within 5 miles (8km) of the coastline.



COASTAL COLLECTION - TYPE 2 - FIVE YEAR GUARANTEE: These fittings are designed to be placed in the toughest of conditions including right by the coastline without exclusion. This guarantee covers the protection of the finish on all composite parts against corrosion or significant UV degradation (normal aging / fading allowing). Internal and ancillary metal parts are excluded from this guarantee.



COASTAL COLLECTION - TYPE 2 - FIFTEEN YEAR WARRANTY AGAINST STRUCTURAL FAILURE: Those models listed as having a 15-year warranty are guaranteed, that from purchase to within 15 years of normal use, the fittings will not deteriorate to any extent where they experience any structural failure. There may be signs of ageing, corrosion or paint peeling and fading, but the integrity of the construction of these fittings means they will not deteriorate to any extent where they are rendered unusable within a lifetime of 15 years.



COASTAL COLLECTION - TYPE 2 - TWENTY YEAR GUARANTEE: These fittings are designed to be placed in the toughest of conditions including right by the coastline without exclusion. This guarantee covers the protection of the finish against corrosion or significant UV degradation (normal aging / fading allowing).

LIMITED LIFETIME WARRANTY: This warranty relates to certain ranges/models shown in this catalogue which are produced of materials that have an exceptionally long-life expectation, such as solid copper and brass lanterns. These fittings will age over time (subject to location and maintenance given) but will not deteriorate to an extent where they will no longer function for the purpose intended. The "Limited" element relates to component parts such as rubber seals, lamp-holders etc. which are repairable but are not covered by the Lifetime warranty.

GUARANTEES DISCLAIMER: In the instance that fittings have been damaged, repainted, or cleaned with an aggressive cleaner, they may be excluded from the entitlement to a replacement. Prior to agreeing to replace any fittings, the company reserves the right for the original seller or a representative of the company to inspect the damaged parts and / or for photographic evidence to be supplied. ALL Lighting warranties/guarantees do not cover out-of-pocket expenses or consequential costs. The definition of fault excludes the surface finish of brass and copper materials that age / patina early after being exposed to the atmosphere.

LED MODULE AND PIR SENSOR GUARANTEES: Within this catalogue, there are a number of products incorporating PIR sensors or LED modules. Whilst the fittings themselves may have varying physical guarantees against their life expectancy, these electronic parts are separately covered by a 2-year guarantee against failure. After this period, they are still repairable and serviceable, either by the company or local supplier.

LIMITED LIFETIME WARRANTY ON CEILING FANS



1. The warranties mentioned cover all light fixtures in our Coastal Collection Type 1.
 2. The Producer does not bear any further liability and is not responsible for consequential loss, additional costs as a result of damages, additional costs for any mounting and dismantling of the lighting, delivery of the lighting to the Producer, sending back product not qualified to be covered by warranty, and responsibility of damages caused by unprofessional installation of the outdoor lighting.
 3. Liability of the Producer is limited to the value of the product.
 4. The warranty covers the following:
- anti-corrosion protection of light fixture elements – the warranty periods, which are determined by design version, are listed in the table below:

Product types	Warranty period
Wood parts on products	2 years
Products / parts with outsourced casting or finishing processes	3 years
Die-cast aluminium, Extruded aluminium, Painted steel	5 years
Galvanised steel products	8 years
Copper elements, 316L Marine Grade stainless steel	10 years

N.B. electrical components have 5 years warranty. PIR sensors have 2 years warranty.

5. WARRANTY EXCLUSIONS:

The warranty does not cover the following:

- Products damaged in transport.
- Improperly used products.
- Products installed inconsistently with the attached instruction manual.
- Products powered by electrical voltage different from that specified in the instruction manual.
- Products used with light bulbs with power exceeding that specified in the instruction manual.
- Damaged products due to power surges or discharges in the electrical network.
- Products damaged by forces of nature and natural disasters.
- Products installed in floodlands.
- Products used without protection from faeces of household animals (cats, dogs, etc.).
- Products mechanically damaged by the user when the integrity of the protective layer is broken (scratches, bends, dents, cracks, etc.).
- Products damaged by aggressive chemical agents.
- Products with cracks, local stains, resin leaks, or reduced UV resistance of polycarbonate lamp shades resulting from natural aging of the materials used in production (Scandinavian wood, PC lampshades).

6. GENERAL TERMS OF USE:

- We strongly recommend that the products are installed by a qualified electrician.
- Freestanding light fixtures should be installed to the ground with appropriate anchors.
- Do not wash the fixtures with strong (abrasive) cleaning agents or chemically aggressive liquids (specifically solvents).
- Do not clean with a pressure washer or high powered washer jet.
- Condensation is a natural phenomenon that occurs in certain atmospheric conditions. Moist warm air and cold meet and cause condensation of water inside the lamp/glass.
- All products are manufactured using high quality materials and designed for many years of service, providing the unit is cared for regularly as defined below under "Care Instruction".

**COASTAL 1
COLLECTION**

ALL PRODUCTS HAVE NO
LOCATION EXCLUSIONS AND CAN
BE USED RIGHT UP TO THE COAST.

All wood parts on
products

**2 YEAR
GUARANTEE**

against structural failure



Products / parts with
outsourced casting or
finishing processes

**3 YEAR
GUARANTEE**

against severe corrosion



Die-cast aluminium
and painted steel
products

**5 YEAR
GUARANTEE**

against severe corrosion



Galvanised steel
products

**8 YEAR
GUARANTEE**

against severe corrosion



All copper parts on
products

**10 YEAR
GUARANTEE**

against structural failure

(Once installed, copper will immediately start to develop a natural patina, darkening over time)



316L Marine Grade
Stainless Steel
products

**10 YEAR
GUARANTEE**

against severe corrosion



DISTINCTIVE LIGHTING: NUMERICAL INDEX

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
14244	49	15731	267	18931	215	21667	37	25841	131	27823	115	52016	94
14247	49	15733	265	18949	254, 255	22083	65	25842	131	27824	115, 298	52017	23, 94
14266	63	15735	265	18961	245	22084	65	25843	130	27825	218	52018	39
14267	62, 63	15737	265	19001	245	22112	49	25844	131	27826	218	52019	39
14268	44, 45	15739	265	19766	215	22114	48	25856	146, 147	27827	118	52020	163
14270	51	15741	267	19783	51	22115	49	25857	147	27828	118	52021	163
14273	50	15745	264	19825	279	22119	53	25859	147	27829	118	52022	163
14277	282	15747	264	19826	272	22202	76	25870	242, 243	27830	118	52023	162
14278	282	15749	264	20154	207	22208	77	25871	243	27875	112, 305	52024	162
14279	282	15752	264	20155	204	22226	77	25872	243	27894	36, 37	52025	162
14280	282	16051	70	20157	205	22244	51	25873	243	27895	129	52026	183
14281	256	16053	72	20158	200	22245	50	25939	226	27896	129	52027	183
14282	255	16056	71	20160	201	22248	51	25941	226	27898	129	52028	105
14283	255	16058	73	20161	203	22467	69	25942	226	27901	186	52029	104, 105
14284	255	16061	71	20164	202	22485	47	25966	244	27902	187	52030	105
14285	255	16071	270, 271	20166	207	23192	144	25967	244	27903	187	52031	97
14286	256	16076	270, 271	20168	204	23193	144	25968	244	27904	186	52032	96, 97
14287	149, 283	16081	273	20169	202	23194	144	25969	244	27905	187	52033	133
14289	283	16086	273	20171	205	23195	144	25970	112	27912	185	52034	133
14291	283	16091	275	20172	203	23225	213	25971	112, 305	27913	185	52035	301
14292	255	16101	272	20208	48	23467	145	25972	112, 305	27914	185	52036	111
14297	259	16122	271	20292	69	23468	145	26003	233	27915	175	52037	110, 111
14299	259	16127	271	20429	72	23469	145	26005	233	27916	174, 175	52038	157
14300	256	16132	273	20438	41	23672	211	26006	232	27917	288	52039	157
14303	259	16137	275	20485	47	23674	211	26007	234	28602	322	52040	156
14305	259	16142	274, 275	20675	188	23675	209, 211	26008	235	28603	323	52041	156
14306	257	16152	272	20676	188	23676	209, 211	26009	234	28604	323	52042	157
14307	257	16176	276, 277	20677	188	23679	208, 209	26010	233	28605	322	52083	184
14309	257	16181	277	20678	188	23680	209	26011	234	28606	322	52084	184
14310	282	16186	280	20679	188	23817	59	26012	235	30253	140	52085	184
14377	259	16191	280	20680	189	23818	58	26013	235	30254	140	52733	88, 89
14381	268, 269	16201	279	20681	189	23819	55	26014	233	30267	142	52734	89
14386	250, 252	16206	279	20682	189	24230	46	26015	232	30268	142	52741	91
14391	194	16261	278	20687	190	24391	54	26020	223	30408	132, 133	52756	28
14411	194	16266	278	20688	190	24945	213	26051	126	30409	133	52757	27
14487	261	16307	268	20689	190	24948	213	26052	126	30411	224	52758	28
14489	261	16313	268	20690	190	24949	212, 213	26053	126	30412	225	52759	26, 27
14491	261	16314	268	20770	70	25009	200	26109	220	30413	225	52760	99
14494	263	16317	268	20777	83	25010	201	26110	221	30414	224	52761	99
14497	263	16320	252	20778	83	25011	200	26111	221	30415	225	52762	99
14499	263	16321	252	20781	82	25012	201	26112	221	30420	135	52763	98, 99
14501	262, 263	16322	252	20782	82	25080	239	26114	220	30421	135, 303	52778	42
14503	261	16323	253	20783	82	25081	236, 238	26115	220	30422	134, 135,	52781	45
14505	263	16324	253	20786	83	25082	239	27003	58	302, 303	52788	93	
14507	260	16325	253	20787	83	25083	238	27004	61	30447	123	52789	92, 93
14509	260	16326	253	20820	75	25084	240, 241	27005	61	30448	123	52790	76
14512	260	16364	289	20828	40, 41	25085	237	27006	60, 294	30449	123	52791	63
14514	260	16675	287	20832	69	25086	241	27007	61	30450	123	52792	63
14525	214	16676	287	20833	68, 69	25087	237	27008	55	30451	227	52816	100
14526	216	16677	289	20864	207	25088	241	27009	55	30452	227	52817	100
14528	216	16679	289	20907	201	25089	237	27021	59	30453	227	52818	100
14529	214	16686	245	20915	79	25090	241	27119	179	30457	175	52824	101
14530	216	16697	246	20917	71	25091	237	27120	179	30459	219	52825	101
14531	217	16698	247	20918	73	25092	239	27121	179	30460	219	52827	217
14606	195	16699	246	20924	74	25093	238	27122	178	30461	219	52829	273
14626	195	16700	247	20950	46	25094	239	27124	178	30462	219	52851	192, 193
14631	195	16701	246	20970	52, 53	25095	238	27146	166	30463	219	52852	193
14729	269	16702	247	21045	87	25096	239	27147	165	30464	219	52853	193
14742	269	16703	247	21046	86, 87	25097	238	27148	166	30465	221	53012	323
14750	269	16704	249	21048	78	25115	189	27149	164, 165,	30466	136	58091	111
15014	291	16705	249	21207	70	25117	191	297, 303	30467	136	58092	111	
15025	37	16706	248	21215	79	25118	191	27150	165	30468	136	58093	141
15035	281	16707	248	21238	205	25119	191	27472	80	30469	137	58094	102, 141
15039	281	16708	249	21239	206, 207	25120	191	27730	290	30470	137	58095	141
15339	65	16709	248	21241	205	25128	37, 191	27736	288	30471	137	58096	141
15340	64, 65	16710	249	21273	202	25136	248	27737	288	31045	200	58097	161
15358	258	16811	249	21303	78	25140	248	27744	38	31046	203	58098	161
15362	258	16964	215	21364	79	25202	209	27745	38	31047	202	58099	161
15363	258	17018	43	21367	78	25204	209	27746	38	50966	34	58106	177
15367	258	17069	283	21380	74	25215	246	27753	290	50967	34	58107	177
15382	289, 295	17145	73	21386	75	25545	89	27757	122	50968	30	58108	177
15523	250	17397	286	21388	75	25626	229	27758	122	50969	30	58111	181
15524	250, 295	17398	286	21389	74	25628	231	27759	122	50974	35	58112	182
15525	250	17399	286	21404	72	25630	228, 230	27760	296, 301	50975	35	58113	181
15526	251	17506	66	21430	43	25632	229	27761	300, 301	50976	35	58114	182
15527	251	17696	45	21431	43	25634	231	27762	300, 301	50977	35	58115	180, 181
15529	251	17780	70	21647	292	25636	230	27811	285	50980	34	58116	182
15530	251	17781	72	21648	291	25638	230	27812	285	50981	34	58117	181
15531	250	18055	287	21650	292	25640	231	27813	124, 125	50982	31	58118	182
15584	66	18056	288	21651	292	25642	229	27814	125	50983	31	58129	160
15586	67	18535	272	21652	292	25644	231	27815	125	50984	31	58130	160
15592	66	18555	245	21653	291	25646	230	27816					

DISTINCTIVE LIGHTING: NUMERICAL INDEX

Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page	Code	Page
58286	176	58463	246	58532	108	58594	107	58630	166	60167	121	60677	316
58287	176	58464	168	58533	109	58596	117	58646	32	60656	95	60678	306, 314,
58288	176	58465	169	58554	152	58597	117	58652	322	60657	309		315
58400	57	58466	168	58555	152	58598	116, 299	58653	323	60658	309	60679	319
58401	58	58467	168	58556	152	58599	117	58657	84	60659	309	60680	308, 311
58402	58	58468	169	58570	155	58600	116, 299	58658	84	60660	309	60681	317
58408	57, 294	58469	169	58571	155	58601	117, 299	58663	85	60661	309	60682	310
58409	57, 294	58470	173	58572	154	58602	116	58664	85	60662	309	60683	318
58410	57, 295	58471	173	58573	155	58603	103, 106	58665	85	60663	309	60684	321
58411	56	58472	172	58574	154	58604	106	58666	85	60664	309	60685	320
58412	57, 294	58473	172	58575	154	58605	119	58667	81	60665	261	60686	323
58413	56	58474	172	58578	151	58606	119	58668	22, 81	60666	260	60687	322
58414	57, 295	58475	172	58579	151	58607	119	58686	127	60667	24		
58415	56	58476	173	58580	151	58608	119	58687	127	60668	159	60689	54, 82,
58416	56	58477	173	58581	150, 151	58614	160	58688	127	60669	269		83, 84,
58455	171	58519	159	58582	196	58615	160	58741	95	60670	60, 294	60690	323
58456	170	58520	159	58583	199	58624	304	58742	204	60671	60, 294	60691	24
58457	171	58521	158	58584	196	58625	304	58743	32	60672	148, 196	60692	24
58458	170	58522	158	58585	199	58626	148, 167	60115	171	60673	197	60693	267
58459	170	58523	158	58586	84	58627	166	60160	102, 128	60674	198	60694	264
58460	170	58529	109	58587	33	58628	167	60161	128	60675	199	60695	22, 25
58461	171	58530	108	58588	33	58629	167, 296,	60165	121	60676	306, 307,	60696	268
58462	257	58531	108	58593	107			60166	121			60697	25
							303					312, 313	



Code: CAT-24-UB-A4-LECTERN-EXT



Distinctive Lighting

distinctivelightinguk.com

enquiries@distinctivelightinguk.com - Tel: 0330 094 8824

Exterior Catalogue Version 4

